### Test run 2025/09/16



#### **Completion stats**

Untested (0)
Passed (23)
Failed (11)

Blocked (0)
Retest (0)
Skipped (0)

Skipped (0)
Invalid (0)

#### **Completion rate**

100%

#### Started by

Olga Titova

**Environment** 

Liivii Oiliiicii

Start time

2025-09-16 18:04:56

Milestone

**Estimated** 

00:00:00

Time spent

01:23:23.912

\_

### Successful user registration with valid username and valid password

| Status | Time spent   | Assignee    |
|--------|--------------|-------------|
| Passed | 00:04:12.822 | Olga Titova |

#### **Results**

| Result 1              |  |                 |         |  |
|-----------------------|--|-----------------|---------|--|
| Status                | Time spent   | User            | Defects |  |
| Passed<br>Finish time | 00:04:12.822   | Olga Titova     | -       |  |
| 2025-09-17 17:53:05   |  |                 |         |  |
| Steps                 |  |                 |         |  |
|                       |  |                 |         |  |
| Step                  | 1  |                 |         |  |
| Action                | Open the https://qa.demoshopping.ru  | L               |         |  |
| Expected result       | The main page is opened  |                 |         |  |
|                       |  |                 |         |  |
| Step                  | 2  |                 |         |  |
| Action                | Click the "Регистрация/Войти" butto  | on              |         |  |
| Expected result       | The registration and authorization page is opened                            |                 |         |  |
| Step                  | 3  |                 |         |  |
|                       | J  |                 |         |  |
| Action                | Input a valid username in the registration form                              |                 |         |  |
| Input data            | 3-15 characters (latin letters, number                                       | rs, symbol "_") |         |  |
| Expected result       | Username is displayed without errors   | :               |         |  |
| Char                  |  |                 |         |  |
| Step                  | 4  |                 |         |  |
| Action                | Input a valid password in the registra                                       | tion form       |         |  |
| Input data            | >=8 characters (latin letters and numbers at least 1 letter and 1 number)    |                 |         |  |
| Expected result       | Password is masked   |                 |         |  |
|                       |  |                 |         |  |
| Step                  | 5  |                 |         |  |
| Action                | Click the "Зарегистрироваться" butt  | ton             |         |  |
| Expected result       | User is registered.<br>The "Войти" button is replaced by the "Выйти" button. |                 |         |  |

### Failed user registration with invalid username and valid

**password** Username: <3 characters (latin letters, numbers, symbol "\_"), Password: >=8 characters (latin letters and numbers, at least 1 letter and 1 number)

StatusTime spentAssigneeFailed00:05:29Olga Titova

#### **Results**

#### Result 1

| Status | Time spent | User        | Defects                      |
|--------|------------|-------------|------------------------------|
| Failed | 00:05:29   | Olga Titova | D-266 (Open)<br>D-269 (Open) |

#### Finish time

2025-09-17 18:52:06

#### **Actual result**



%D0%BD%D0%B... %D0%9D%D0%B...

| Step            | 1  |
|-----------------|--|
| Action          | Open the example.com                               |
| Expected result | The main page is opened                            |
| Step            | 2  |
| Action          | Click the "Регистрация/Войти" button               |
| Expected result | The registration and authorization page is opened  |
| Step            | 3  |
| Action          | Input an invalid username in the registration form |
| Expected result | Username is displayed without errors               |
| Step            | 4  |
| Action          | Input a valid password in the registration form    |
| Expected result | Password is masked                                 |
| Step            | 5  |

| Action          | Click the "Зарегистрироваться" button   |
|-----------------|---|
| Expected result | User is not registered.<br>Error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и<br>символы: Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну<br>цифру". |

### Failed user registration with invalid username and valid

password Username: >15 characters (latin letters, numbers, symbol "\_"), Password: >=8 characters (latin letters and numbers, at least 1 letter and 1 number)

Status Time spent **Assignee** Failed 00:05:17 Olga Titova

#### **Results**

result

цифру".

| Result 1                    |   |                                 |                              |  |  |  |  |  |
|-----------------------------|---|---------------------------------|------------------------------|--|--|--|--|--|
| Status                      | Time spent  | User                            | Defects                      |  |  |  |  |  |
| Failed<br><b>Finish tim</b> | 00:05:17 Olga Titova D-269 (Open)                           |                                 |                              |  |  |  |  |  |
| 2025-09-1                   | 09-17 19:16:41  |                                 |                              |  |  |  |  |  |
| Steps                       |   |                                 |                              |  |  |  |  |  |
|                             |   |                                 |                              |  |  |  |  |  |
| Step                        | 1   |                                 |                              |  |  |  |  |  |
| Action                      | Open the example.com  |                                 |                              |  |  |  |  |  |
| Expected result             | The main page is opened                                     |                                 |                              |  |  |  |  |  |
| Step                        | 2   |                                 |                              |  |  |  |  |  |
| Action                      | Click the "Регистрация/Войти" butt                          | on                              |                              |  |  |  |  |  |
| Expected result             | The registration and authorization page is opened           |                                 |                              |  |  |  |  |  |
| Step                        | 3   |                                 |                              |  |  |  |  |  |
| Action                      | Input an invalid username in the registration form          |                                 |                              |  |  |  |  |  |
| Expected result             | Username is displayed without errors                        |                                 |                              |  |  |  |  |  |
| Step                        | 4   |                                 |                              |  |  |  |  |  |
| Action                      | Input a valid password in the registra                      | ation form                      |                              |  |  |  |  |  |
| Expected result             | Password is masked  |                                 |                              |  |  |  |  |  |
| Step                        | 5   |                                 |                              |  |  |  |  |  |
| Action                      | Click the "Зарегистрироваться" but                          | tton                            |                              |  |  |  |  |  |
| Expected                    | User is not registered.<br>Error message: "Логин должен сод | ержать от 3 до 15 символов и мо | ожет включать буквы, цифры и |  |  |  |  |  |

символы: \_. Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну

### Failed user registration with invalid username and valid

password Username: Empty value, Password: >=8 characters (latin letters and numbers, at least 1 letter and 1

number)

StatusTime spentAssigneePassed00:00:04.484Olga Titova

#### **Results**

#### Result 1

| Status                      | Time spent  | User  | Defects   |  |  |  |
|-----------------------------|---|---|---|--|--|--|
| Passed<br><b>Finish tim</b> | d 00:00:04.484 Olga Titova -  |   |   |  |  |  |
| 2025-09-1                   | 7 18:23:07  |   |   |  |  |  |
| Steps                       |   |   |   |  |  |  |
| Step                        | 1   |   |   |  |  |  |
| Action                      | Open the example.com  |   |   |  |  |  |
| Expected result             | The main page is opened   |   |   |  |  |  |
| Step                        | 2   |   |   |  |  |  |
| Action                      | Click the "Регистрация/Войти" button  |   |   |  |  |  |
| Expected result             | The registration and authorization page is opened   |   |   |  |  |  |
| Step                        | 3   |   |   |  |  |  |
| Action                      | Input an invalid username in the registrat  | ion form  |   |  |  |  |
| Expected result             | Username is displayed without errors  |   |   |  |  |  |
| Step                        | 4   |   |   |  |  |  |
| Action                      | Input a valid password in the registration  | form  |   |  |  |  |
| Expected result             | Password is masked  |   |   |  |  |  |
| Step                        | 5   |   |   |  |  |  |
| Action                      | Click the "Зарегистрироваться" button   |   |   |  |  |  |
| Expected result             | User is not registered.<br>Error message: "Логин должен содержасимволы: Пароль должен содержать | ть от 3 до 15 символов и мо<br>не менее 8 символов, включ | жет включать буквы, цифры и<br>ая минимум одну букву и одну |  |  |  |

### Failed user registration with invalid username and valid

password Username: Cirillic letters, Password: >=8 characters (latin letters and numbers, at least 1 letter and 1

number)

StatusTime spentAssigneePassed00:00:53.736Olga Titova

#### Results

#### Result 1

result

цифру".

| Result 1             |   |             |         |  |  |  |
|----------------------|---|-------------|---------|--|--|--|
| Status               | Time spent  | User        | Defects |  |  |  |
| Passed<br>Finish tim | 00:00:53.736<br>ne                                | Olga Titova | -       |  |  |  |
| 2025-09-1            | 7 18:22:33  |             |         |  |  |  |
| Steps                |   |             |         |  |  |  |
| Step                 | 1   |             |         |  |  |  |
| Action               | Open the example.com                              |             |         |  |  |  |
| Expected result      | The main page is opened                           |             |         |  |  |  |
| Step                 | 2   |             |         |  |  |  |
| Action               | Click the "Регистрация/Войти" button              |             |         |  |  |  |
| Expected result      | The registration and authorization page is opened |             |         |  |  |  |
| Step                 | 3   |             |         |  |  |  |
| Action               | Input an invalid username in the registration     | ion form    |         |  |  |  |
| Expected result      | Username is displayed without errors              |             |         |  |  |  |
| Step                 | 4   |             |         |  |  |  |
| Action               | Input a valid password in the registration        | form        |         |  |  |  |
| Expected result      | Password is masked                                |             |         |  |  |  |
| Step                 | 5   |             |         |  |  |  |
| Action               | Click the "Зарегистрироваться" button             |             |         |  |  |  |
|                      | User is not registered.                           |             |         |  |  |  |

Expected Error message: "Логин должен содержать от 3 до 15 символов и может включать буквы, цифры и

символы: \_. Пароль должен содержать не менее 8 символов, включая минимум одну букву и одну

### Failed user registration with invalid username and valid

password Username: Special symbols except "\_", Password: >=8 characters (latin letters and numbers, at least 1

Status **Time spent Assignee** 00:00:10.004 Passed Olga Titova

#### **Results**

| Result 1             |  |                                   |   |  |  |
|----------------------|--|-----------------------------------|---|--|--|
| Status               |  | Time spent                        | User  | Defects  |  |
| Passed<br>Finish tim | e  | 00:00:10.004                      | Olga Titova   | -  |  |
| 2025-09-17           | 18:25:24   |                                   |   |  |  |
| Steps                |  |                                   |   |  |  |
| Step                 | 1  |                                   |   |  |  |
| Action               | Open the example   | e.com                             |   |  |  |
| Expected result      | The main page is   | opened                            |   |  |  |
| Step                 | 2  |                                   |   |  |  |
| Action               | Click the "Регистр   | рация/Войти" button               |   |  |  |
| Expected result      | The registration a   | nd authorization page is          | opened  |  |  |
| Step                 | 3  |                                   |   |  |  |
| Action               | Input an invalid us  | sername in the registration       | on form   |  |  |
| Expected result      | Username is displayed without errors                                 |                                   |   |  |  |
| Step                 | 4  |                                   |   |  |  |
| Action               | Input a valid passw  | word in the registration f        | orm   |  |  |
| Expected result      | Password is maske  | ed                                |   |  |  |
| Step                 | 5  |                                   |   |  |  |
| Action               | Click the "Зарегис   | стрироваться" button              |   |  |  |
| Expected result      | User is not registe<br>Error message: "Л<br>символы: Паро<br>цифру". | lогин должен содержа <sup>-</sup> | гь от 3 до 15 символов и м<br>не менее 8 символов, вклю | ожет включать буквы, цифры и<br>очая минимум одну букву и одну |  |

### Failed user registration with valid username and invalid

password Username: 3-15 characters (latin letters, numbers, symbol "\_"), Password: Cirillic letters

StatusTime spentAssigneePassed00:00:49.726Olga Titova

#### **Results**

#### Result 1

| Status                      | Time spent   | User   | Defects   |
|-----------------------------|--|--|---|
| Passed<br><b>Finish tim</b> | 00:00:49.726<br><b>ne</b>  | Olga Titova  | -   |
| 2025-09-1                   | 8 13:05:22   |  |   |
| Steps                       |  |  |   |
| Step                        | 1  |  |   |
| Action                      | Open the example.com   |  |   |
| Expected result             | The main page is opened  |  |   |
| Step                        | 2  |  |   |
| Action                      | Click the "Регистрация/Войти" button   |  |   |
| Expected result             | The registration and authorization page  | is opened  |   |
| Step                        | 3  |  |   |
| Action                      | Input a valid username in the registration   | n form   |   |
| Expected result             | Username is displayed without errors   |  |   |
| Step                        | 4  |  |   |
| Action                      | Input an invalid password in the registrat   | ion form   |   |
| Expected result             | Password is masked   |  |   |
| Step                        | 5  |  |   |
| Action                      | Click the "Зарегистрироваться" button  |  |   |
| Expected result             | User is not registered.<br>Error message: "Логин должен содерж<br>символы: Пароль должен содержати | ать от 3 до 15 символов и мо<br>ь не менее 8 символов, включ | жет включать буквы, цифры и<br>ая минимум одну букву и одну |

## Failed user registration with valid username and invalid

password Username: 3-15 characters (latin letters, numbers, symbol "\_"), Password: <8 characters

StatusTime spentAssigneePassed00:02:29.960Olga Titova

#### **Results**

| п |    |   | 14 | 1 |
|---|----|---|----|---|
| п | 25 | u | IL | _ |

| Result 1                    |   |  |  |
|-----------------------------|---|--|--|
| Status                      | Time spent  | User   | Defects  |
| Passed<br><b>Finish tin</b> | 00:02:29.960<br>ne  | Olga Titova  | -  |
| 025-09-1                    | 8 13:04:26  |  |  |
| Steps                       |   |  |  |
|                             |   |  |  |
| Step                        | 1   |  |  |
| Action                      | Open the example.com  |  |  |
| Expected result             | The main page is opened   |  |  |
| Step                        | 2   |  |  |
| Action                      | Click the "Регистрация/Войти" button  |  |  |
| Expected result             | The registration and authorization page is  | s opened   |  |
| Step                        | 3   |  |  |
| Action                      | Input a valid username in the registration  | form   |  |
| Expected result             | Username is displayed without errors  |  |  |
| Step                        | 4   |  |  |
| Action                      | Input an invalid password in the registrati   | on form  |  |
| Expected result             | Password is masked  |  |  |
| Step                        | 5   |  |  |
| Action                      | Click the "Зарегистрироваться" button   |  |  |
| Expected result             | User is not registered.<br>Error message: "Логин должен содержа<br>символы: Пароль должен содержать | ать от 3 до 15 символов и мо<br>не менее 8 символов, включ | жет включать буквы, цифры и<br>ная минимум одну букву и одну |

## Failed user registration with valid username and invalid

password Username: 3-15 characters (latin letters, numbers, symbol "\_"), Password: Special symbols

StatusTime spentAssigneePassed00:00:57.896Olga Titova

#### **Results**

#### Result 1

| Status                      | Time spent   | User   | Defects  |
|-----------------------------|--|--|--|
| Passed<br><b>Finish tim</b> | 00:00:57.896<br><b>ne</b>  | Olga Titova  | -  |
| 2025-09-1                   | 8 13:07:22   |  |  |
| Steps                       |  |  |  |
| Step                        | 1  |  |  |
| Action                      | Open the example.com   |  |  |
| Expected result             | The main page is opened  |  |  |
| Step                        | 2  |  |  |
| Action                      | Click the "Регистрация/Войти" button   |  |  |
| Expected result             | The registration and authorization page  | s opened   |  |
| Step                        | 3  |  |  |
| Action                      | Input a valid username in the registration   | n form   |  |
| Expected result             | Username is displayed without errors   |  |  |
| Step                        | 4  |  |  |
| Action                      | Input an invalid password in the registrat   | ion form   |  |
| Expected result             | Password is masked   |  |  |
| Step                        | 5  |  |  |
| Action                      | Click the "Зарегистрироваться" button  |  |  |
| Expected result             | User is not registered.<br>Error message: "Логин должен содерж<br>символы: Пароль должен содержати | ать от 3 до 15 символов и мо<br>ь не менее 8 символов, включ | жет включать буквы, цифры и<br>гая минимум одну букву и одну |

## Failed user registration with valid username and invalid

password Username: 3-15 characters (latin letters, numbers, symbol "\_"), Password: Only latin letters

Status Time spent **Assignee** 00:00:29.389 Olga Titova Passed

#### **Results**

#### Docult 1

| Result 1        |   |  |   |
|-----------------|---|--|---|
| Status          | Time spent  | User   | Defects   |
| Passed          | 00:00:29.389  | Olga Titova  | -   |
| inish tim       |   |  |   |
|                 | 3 13:05:59  |  |   |
| Steps           |   |  |   |
|                 |   |  |   |
| Step            | 1   |  |   |
| Action          | Open the example.com  |  |   |
| Expected result | The main page is opened   |  |   |
| Step            | 2   |  |   |
| Action          | Click the "Регистрация/Войти" button  |  |   |
| Expected result | The registration and authorization page is  | opened   |   |
| Step            | 3   |  |   |
| Action          | Input a valid username in the registration  | form   |   |
| Expected result | Username is displayed without errors  |  |   |
| Step            | 4   |  |   |
| Action          | Input an invalid password in the registration   | on form  |   |
| Expected result | Password is masked  |  |   |
| Step            | 5   |  |   |
| Action          | Click the "Зарегистрироваться" button   |  |   |
| Expected result | User is not registered.<br>Error message: "Логин должен содержасимволы: Пароль должен содержать | ть от 3 до 15 символов и мо<br>не менее 8 символов, вклю | эжет включать буквы, цифры и<br>чая минимум одну букву и одну |

## Failed user registration with valid username and invalid

password Username: 3-15 characters (latin letters, numbers, symbol "\_"), Password: Only numbers

StatusTime spentAssigneePassed00:00:20.559Olga Titova

#### **Results**

| D    |    | • |
|------|----|---|
| Resu | ιτ | 1 |

| result 1                    |   |  |  |  |
|-----------------------------|---|--|--|--|
| Status                      | Time spent  | User   | Defects  |  |
| Passed<br><b>Finish tim</b> | 00:00:20.559<br>ne  | Olga Titova  | -  |  |
| 2025-09-1                   | 3 13:06:22  |  |  |  |
| Steps                       |   |  |  |  |
|                             |   |  |  |  |
| Step                        | 1   |  |  |  |
| Action                      | Open the example.com  |  |  |  |
| Expected result             | The main page is opened   |  |  |  |
| Step                        | 2   |  |  |  |
| Action                      | Click the "Регистрация/Войти" button  |  |  |  |
| Expected result             | The registration and authorization page is  | s opened   |  |  |
| Step                        | 3   |  |  |  |
| Action                      | Input a valid username in the registration  | form   |  |  |
| Expected result             | Username is displayed without errors  |  |  |  |
| Step                        | 4   |  |  |  |
| Action                      | Input an invalid password in the registration   | on form  |  |  |
| Expected result             | Password is masked  |  |  |  |
| Step                        | 5   |  |  |  |
| Action                      | Click the "Зарегистрироваться" button   |  |  |  |
| Expected result             | User is not registered.<br>Error message: "Логин должен содержа<br>символы: Пароль должен содержать | ть от 3 до 15 символов и мо<br>не менее 8 символов, вклю | жет включать буквы, цифры и<br>чая минимум одну букву и одну |  |

### Successful authorization of a registered user

StatusTime spentAssigneePassed00:01:38.714Olga Titova

#### **Results**

#### Result 1

| Status                | Time spent                       | User                 | Defects |
|-----------------------|----------------------------------|----------------------|---------|
| Passed<br>Finish time | 00:01:38.714                     | Olga Titova          | -       |
| 2025-09-18 13:09:04   |                                  |                      |         |
| Steps                 |                                  |                      |         |
|                       |                                  |                      |         |
| Step                  | 1                                |                      |         |
| Action                | Open the example.com             |                      |         |
| Expected result       | The main page is opened          |                      |         |
|                       |                                  |                      |         |
| Step                  | 2                                |                      |         |
| Action                | Click the "Регистрация/Войті     | ุ่น" button          |         |
| Expected result       | The registration and authorize   | ation page is opened |         |
|                       |                                  |                      |         |
| Step                  | 3                                |                      |         |
| Action                | Input the registered username    | e in the login form  |         |
| Input data            | test_test                        |                      |         |
| Expected result       | Login is displayed without erro  | ors                  |         |
| Step                  | 4                                |                      |         |
| Action                | Input the associated password    | d in the login form  |         |
| Input data            | qwerty12                         |                      |         |
| Expected result       | Password is masked               |                      |         |
| Step                  | 5                                |                      |         |
|                       |                                  |                      |         |
| Action                | Click the "Войти" button         |                      |         |
| Expected result       | User is logged in and redirector | ed to the main page  |         |
|                       |                                  |                      |         |

# Failed authorization with registered username and wrong password

StatusTime spentAssigneeFailed00:04:30Olga Titova

#### **Results**

#### Result 1

StatusTime spentUserDefectsFailed00:04:30Olga TitovaD-270 (Open)

Finish time

2025-09-18 13:14:35

#### **Actual result**

Wrong error message:"Произошла ошибка при обработке запроса"



| Step            | 1   |
|-----------------|---|
| Action          | Open the example.com                              |
| Expected result | The main page is opened                           |
| Step            | 2   |
| Action          | Click the "Регистрация/Войти" button              |
| Expected result | The registration and authorization page is opened |
| Step            | 3   |
| Action          | Input the registered username in the login form   |
| Input data      | test_test   |
| Expected result | Login is displayed without errors                 |
| Step            | 4   |
| Action          | Input the wrong password in the login form        |
| Input data      | errorerror<br>(actual password: qwerty12)         |
| Expected result | Password is masked                                |

| Step            | 5   |
|-----------------|---|
| Action          | Click the "Войти" button  |
| Expected result | User is unauthorized.<br>Error message: "Неверное имя пользователя или пароль". |

### Successful access to the cart page by authorized user

StatusTime spentAssigneePassed00:01:03.553Olga Titova

**Results** 

Result 1

Status Time spent User Defects

Passed 00:01:03.553 Olga Titova

Finish time

2025-09-18 13:27:09

Steps

Step 1

Action Open the example.com

Step 2

Action Click the "Корзина" button in the website header

### Successful access to the checkout page by authorized user

StatusTime spentAssigneePassed00:00:15.497Olga Titova

#### **Results**

#### Result 1

Expected result

| Status                | Time spent                                      | User        | Defects |
|-----------------------|---|-------------|---------|
| Passed<br>Finish time | 00:00:15.497                                    | Olga Titova | -       |
| 2025-09-18 13:27:26   |   |             |         |
| Steps                 |   |             |         |
|                       |   |             |         |
| Step                  | 1   |             |         |
| Action                | Open the example.com                            |             |         |
| Expected result       | The main page is opened                         |             |         |
|                       |   |             |         |
| Step                  | 2   |             |         |
| Action                | Click the "Оплата" button in the website header |             |         |
|                       |   |             |         |

The checkout page is opened

### **User logout**

StatusTime spentAssigneeFailed00:02:15Olga Titova

00:02:15

#### **Results**

#### Result 1

Status Time spent User Defects

Finish time

Failed

2025-09-18 13:41:39

#### **Actual result**

User is not redirected to the main page or login page

#### Steps

| Step            | 1   |
|-----------------|---|
| Action          | Open the example.com  |
| Expected result | The main page is opened   |
| Step            | 2   |
| Action          | Click the "Выйти" button in the website header                        |
| Expected result | The user is logged out and redirected to the main page or login page. |

Olga Titova

D-271 (Open)

### Failed access to the cart page by unauthorized user

StatusTime spentAssigneePassed00:05:58.704Olga Titova

**Passed** 

**Results** 

Result 1

Status Time spent User Defects

Passed 00:05:58.704 Olga Titova

Finish time

2025-09-18 13:59:37

Steps

Status

 Step
 1

 Action
 Open the example.com

 Expected result
 The main page is opened

 Step
 2

 Action
 Click the "Корзина" button in the website header

 Expected result
 The cart page isn't opened. User sees the authorization message with a link to the login page.

# Authorization message includes a link that redirects to the login page

StatusTime spentAssigneeFailed00:00:25Olga Titova

#### **Results**

#### Result 1

StatusTime spentUserDefectsFailed00:00:25Olga TitovaD-272 (Open)

Finish time

2025-09-18 14:04:33

#### **Actual result**

The /login link leads to the main page



auth%20link.png

| Step            | 1   |
|-----------------|---|
| Action          | Open the example.com  |
| Expected result | The main page is opened   |
| Step            | 2   |
| Action          | Click the "Корзина", "Оплата" or "История заказов" button in the website header |
| Expected result | The authorization message with /login link is appeared                          |
| Step            | 3   |
| Action          | Click the /login link in the authorization message                              |
| Expected result | The user is redirected to the login page  |
|                 |   |

### Adding valid quantity of products to the cart by authorized user

StatusTime spentAssigneePassed00:02:13.905Olga Titova

#### **Results**

#### Result 1

StatusTime spentUserDefectsPassed00:02:13.905Olga Titova-

Finish time

2025-09-18 14:22:28

| Step            | 1  |
|-----------------|--|
| Action          | Open the example.com   |
| Expected result | The main page is opened  |
| Step            | 2  |
| Action          | Choose the product and change the quantity   |
| Input data      | For example, 2 (>=1 and =< than quantity of products in stock)   |
| Expected result | The quantity is shown correctly  |
| Step            | 3  |
| Action          | Click the "Добавить в корзину" button  |
| Expected result | The message about successful adding to the cart is shown. The counter next to the cart icon in the header shows the correct number of added items. |

# Adding invalid quantity (=0) of products to the cart by authorized user

StatusTime spentAssigneeFailed00:01:14Olga Titova

00:01:14

#### **Results**

#### Result 1

Failed

Status Time spent User Defects

Olga Titova

D-273 (Open)

Finish time

2025-09-18 14:26:50

#### **Actual result**



0%20items.png

in%20the%20cart..

| Step            | 1   |  |
|-----------------|---|--|
| Action          | Open the example.com  |  |
| Expected result | The main page is opened                                       |  |
| Step            | 2   |  |
| Action          | Choose the product and change the quantity                    |  |
| Expected result | The quantity is shown correctly                               |  |
| Step            | 3   |  |
| Action          | Click the "Добавить в корзину" button                         |  |
| Expected result | Products aren't added to the cart.<br>Error message is shown. |  |

### Adding products to the cart by unauthorized user

StatusTime spentAssigneePassed00:24:25.860Olga Titova

Results

Result 1

Status Time spent User Defects

Passed 00:24:25.860 Olga Titova

Finish time

2025-09-18 15:02:20

Steps

Step 1

Action Open the example.com

Step 2

Action Choose the product and press the "Добавить в корзину" button

Expected result Adding to the cart is failed.
Authorization message is shown.

### **Product cards include all required information**

Status Time spent **Assignee** Passed 00:02:20.123 Olga Titova

**Results** 

Result 1

Time spent **Status** User **Defects** 

Olga Titova 00:02:20.123 Passed

Finish time

2025-09-18 15:04:42

**Steps** 

1 Step

Action Open the example.com

Expected result The main page is opened

2 Step

Check some different product cards Action

They include: an image, title, description, price, category, manufacturer, and free shipping information Expected result

And it's shown correctly.

### Using pangination in the product list

Status Time spent Assignee

Failed 00:01:22 Olga Titova

**Results** 

Result 1

Status Time spent User Defects

Failed 00:01:22 Olga Titova D-274 (Open)

Finish time

2025-09-18 15:06:35

| Step            | 1  |
|-----------------|--|
| Action          | Open the example.com   |
| Expected result | The main page with the first page of the product catalogue is opened |
| Step            | 2  |
| Action          | Click the pangination button for the last page                       |
| Expected result | The products on the page are refreshed.                              |
| Step            | 3  |
| Action          | Click the browser's 'Back' button                                    |
| Expected result | The previous page (1st) is displayed                                 |

### Product list displays 6 items on the pages

StatusTime spentAssigneeFailed00:03:26Olga Titova

#### **Results**

#### Result 1

Status Time spent User Defects

Failed 00:03:26 Olga Titova D-275 (Open)

Finish time

2025-09-18 15:18:44

| 1  |
|--|
| Open the example.com   |
| The main page with the product catalogue is opened                               |
| 2  |
| Check if the first page shows correct number of products according to the mockup |
| <u>Mockup</u>  |
| It contains 6 products if there's >=6 products in stock                          |
| 3  |
| Go to some other max filled pages  |
| For example 2, 3, 4  |
| It contains 6 products   |
| 4  |
| Go to the last page  |
| It contains =<6 products   |
|  |

Product list sorting options work Sorting options: Цена по возрастанию

Status Time spent **Assignee** Failed 00:00:20 Olga Titova

**Results** 

Result 1

**Status Time spent** User **Defects** 

Failed 00:00:20 Olga Titova D-276 (Open)

Finish time

2025-09-18 15:25:42

Steps

Step 1

Open the example.com Action

Expected result The main page with the product catalogue is opened

Step 2

Action Choose the sorting option

Expected result The product list is refreshed according to the chosen sorting option

### Product list sorting options work Sorting options: A to Z

StatusTime spentAssigneePassed00:00:21.221Olga Titova

**Results** 

Result 1

Status Time spent User Defects

Passed 00:00:21.221 Olga Titova

Finish time

2025-09-18 15:24:54

Steps

Step 1

Action Open the example.com

Step 2

Action Choose the sorting option

### Product list sorting options work sorting options: Z to A

StatusTime spentAssigneePassed00:00:12.392Olga Titova

**Results** 

Result 1

Status Time spent User Defects

Passed 00:00:12.392 Olga Titova

Finish time

2025-09-18 15:25:14

| Step            | 1  |
|-----------------|--|
| Action          | Open the example.com   |
| Expected result | The main page with the product catalogue is opened                   |
| Step            | 2  |
| Action          | Choose the sorting option  |
| Expected result | The product list is refreshed according to the chosen sorting option |

Product list sorting options work Sorting options: Цена по убыванию

Status Time spent **Assignee** Failed 00:00:01 Olga Titova

**Results** 

Result 1

**Status Time spent** User **Defects** 

Failed 00:00:01 Olga Titova D-276 (Open)

Finish time

2025-09-18 15:36:59

Steps

Step 1

Open the example.com Action

Expected result The main page with the product catalogue is opened

Step 2

Action Choose the sorting option

Expected result The product list is refreshed according to the chosen sorting option

### Product list filtration by the category works Саtegories: Все категории

Status Time spent Assignee Passed 00:00:00.911 Olga Titova

**Results** 

Result 1

**Status** Time spent User **Defects** 

00:00:00.911 Passed Olga Titova

Finish time

2025-09-18 15:50:11

| Step            | 1  |
|-----------------|--|
| Action          | Open the example.com   |
| Expected result | The main page with the product catalogue is opened                           |
| Step            | 2  |
| Action          | Click the "Все категории" field  |
| Expected result | The category list is opened and all categories from the parameters are shown |
| Step            | 3  |
| Action          | Choose the category  |
| Expected result | The category field is showing the chosen filter                              |
| Step            | 4  |
| Action          | Click the "Применить фильтры" button   |
| Expected result | The product list is refreshed according to the chosen filter                 |

### Product list filtration by the category works Categories: Laptops

Status Time spent

00:01:04.482

**Results** 

Result 1

Passed

**Status** Time spent User **Defects** 

Assignee

Olga Titova

00:01:04.482 Passed Olga Titova

Finish time

2025-09-18 15:50:03

| Step            | 1  |
|-----------------|--|
| Action          | Open the example.com   |
| Expected result | The main page with the product catalogue is opened                           |
| Step            | 2  |
| Action          | Click the "Все категории" field  |
| Expected result | The category list is opened and all categories from the parameters are shown |
| Step            | 3  |
| Action          | Choose the category  |
| Expected result | The category field is showing the chosen filter                              |
| Step            | 4  |
| Action          | Click the "Применить фильтры" button   |
| Expected result | The product list is refreshed according to the chosen filter                 |

### Product list filtration by the category works Categories: Phones

Status Time spent Assignee Passed 00:00:02.018 Olga Titova

**Results** 

Result 1

**Status** Time spent User **Defects** 

00:00:02.018 Passed Olga Titova

Finish time

2025-09-18 15:50:07

| Step            | 1  |
|-----------------|--|
| Action          | Open the example.com   |
| Expected result | The main page with the product catalogue is opened                           |
| Step            | 2  |
| Action          | Click the "Все категории" field  |
| Expected result | The category list is opened and all categories from the parameters are shown |
| Step            | 3  |
| Action          | Choose the category  |
| Expected result | The category field is showing the chosen filter                              |
| Step            | 4  |
| Action          | Click the "Применить фильтры" button   |
| Expected result | The product list is refreshed according to the chosen filter                 |

### Product list filtration by the category works Categories: Watches

StatusTime spentAssigneePassed00:00:01.549Olga Titova

**Results** 

Result 1

Status Time spent User Defects

Passed 00:00:01.549 Olga Titova

Finish time

2025-09-18 15:50:09

| Step            | 1  |
|-----------------|--|
| Action          | Open the example.com   |
| Expected result | The main page with the product catalogue is opened                           |
| Step            | 2  |
| Action          | Click the "Все категории" field  |
| Expected result | The category list is opened and all categories from the parameters are shown |
| Step            | 3  |
| Action          | Choose the category  |
| Expected result | The category field is showing the chosen filter                              |
| Step            | 4  |
| Action          | Click the "Применить фильтры" button   |
| Expected result | The product list is refreshed according to the chosen filter                 |

### Filter reset function is working

For example, 1

The field is filled with this value

Input data

Expected result

StatusTime spentAssigneePassed00:00:40.407Olga Titova

#### Results

#### Result 1

**Status** Time spent **Defects** User **Passed** 00:00:40.407 Olga Titova Finish time 2025-09-18 15:51:03 **Steps** 1 Step Open the example.com Action Expected result The main page with the product catalogue is opened 2 Step Action Click the "Все категории" field and choose the category Input data For example, phones Expected result The category field is changed according to the chosen category 3 Step Click the "Все производители" field and choose the manufacturer Action Input data For example, Apple Expected result The manufacturer field is changed according to the chosen manufacturer 4 Step Action Click the "Бесплатная доставка" checkbox Expected result The checkbox is checked 5 Step Action Enter the value in "Мин. цена" field

| Step            | 6   |
|-----------------|---|
| Action          | Enter the value in "Макс. цена" field       |
| Input data      | For example 500                             |
| Expected result | The field is filled with this value         |
| Step            | 7   |
| Action          | Click the "Сбросить фильтры" button         |
| Expected result | All filters are reset to the default values |

### Notification when filters don't match any products

StatusTime spentAssigneeFailed00:08:17Olga Titova

#### **Results**

#### Result 1

StatusTime spentUserDefectsFailed00:08:17Olga TitovaD-277 (Open)

Finish time

2025-09-18 16:01:14

#### **Actual result**



filters.png

| Step            | 1  |
|-----------------|--|
| Action          | Open the example.com   |
| Expected result | The main page with product catalogue is opened                     |
| Step            | 2  |
| Action          | Set the filter that doesn't match any product                      |
| Input data      | For example, fill the "Мин. цена" with the price too high (100000) |
| Expected result | The field is filled with the chosen value                          |
| Step            | 3  |
| Action          | Click the "Применить фильтры" button                               |
| Expected result | The notification that there's no items is shown                    |
|                 |  |