

OLYXEE DESIGN RESOURCES AND VISUAL SYSTEM

Olyxee products may learn from Apple's clarity, hierarchy, restraint, motion, and attention to detail. However, Olyxee must maintain its own identity rather than copying Apple interfaces directly.

Apple resources should primarily be used to study:

- Proportion
- Spacing
- Typography
- Icon consistency
- Interaction behaviour
- Motion
- Layering
- Accessibility
- Platform conventions

1. OFFICIAL APPLE DESIGN RESOURCES

Apple provides official Figma and Sketch UI kits, icon templates, colour guides, fonts, product templates, and other design resources.

Main resource library

[Apple Design Resources](#)

The library currently includes UI kits for Apple platforms, app-icon templates, SF fonts, SF Symbols, Icon Composer, and platform-specific templates.

Human Interface Guidelines

[Apple Human Interface Guidelines](#)

Use the guidelines to study the reasoning behind Apple's visual and interaction decisions rather than reproducing individual screens.

Apple design overview

[Apple Developer Design](#)

ICONS

2. SF SYMBOLS

[Download SF Symbols](#)

SF Symbols Guidelines

General Icon Guidelines

SF Symbols provides thousands of consistent interface symbols with multiple weights, scales, colour-rendering modes, accessibility features, directional adaptation, and animation support.

OLYXEE ICON RULES

Olyxee icons should follow these principles:

- Use simple geometric forms.
- Use consistent stroke widths.
- Align icons optically rather than only mathematically.
- Match icon weight to nearby text weight.
- Use familiar symbols for familiar actions.
- Avoid unnecessary internal detail.
- Do not mix outlined, filled, and multicolour styles without semantic reason.
- Use filled icons primarily for active or selected states.
- Provide labels when an icon's meaning is not immediately recognisable.
- Keep icons inside consistent optical boundaries.
- Never use icons as decoration when they do not communicate meaning.

RECOMMENDED IMPLEMENTATION

For Apple-native Olyxee applications, use SF Symbols where the licence and platform permit it.

For web and cross-platform Olyxee products, create an independent Olyxee icon system or use a properly licensed library with similar structural discipline.

Suitable cross-platform alternatives include:

- **Lucide**
- **Material Symbols**
- **Phosphor Icons**

The chosen library must be standardised across the entire Olyxee product family.

TYPOGRAPHY

3. APPLE FONTS

Apple Fonts

Apple Typography Guidelines

Apple provides:

- **SF Pro:** general interface typography
- **SF Compact:** compact interfaces and narrow spaces
- **SF Mono:** technical values, code, identifiers, and aligned data
- **New York:** editorial and serif typography

SF Pro includes multiple weights, widths, optical sizes, and extensive language support.

IMPORTANT LICENSING RULE

Apple's downloadable San Francisco fonts are licensed mainly for creating interfaces and mock-ups for software running on Apple platforms. They must not automatically be treated as unrestricted web fonts or general brand fonts.

Olyxee should therefore use its own licensed typeface for web applications and cross-platform products.

RECOMMENDED OLYXEE FONT SYSTEM

Primary interface font

Use one of:

- Inter
- Geist
- IBM Plex Sans
- Manrope

Recommended default:

Inter Variable

[Download Inter](#)

Inter provides a neutral, clear, operational appearance and can be used consistently across websites and product interfaces.

Monospace font

Use one of:

- Geist Mono
- IBM Plex Mono
- JetBrains Mono

Use monospace typography only for:

- Transaction references
- IDs
- Code
- Logs

- Technical values
- Structured machine outputs

OLYXEE TYPE SCALE

Token	Size	Weight	Use
Display	40–48 px	600	Marketing hero headings
Page title	28–32 px	600	Main application pages
Section title	20–24 px	600	Major page sections
Component title	16–18 px	600	Cards, panels and modals
Body	14–16 px	400	Standard interface content
Label	13–14 px	500	Forms and controls
Metadata	12–13 px	400–500	Dates, secondary details
Data value	14–24 px	500–600	Important figures

TYPOGRAPHY LAWS

- Use sentence case.
 - Avoid unnecessary uppercase text.
 - Do not use more than three font weights on one screen.
 - Use line height between approximately 1.4 and 1.6 for body content.
 - Keep paragraphs narrow enough to read comfortably.
 - Use tabular numbers for financial tables where supported.
 - Allow text to scale without breaking layouts.
 - Typography must establish hierarchy before colour or decoration is added.
-

COLOUR, WHITE AND GREY SHADES

4. APPLE COLOUR GUIDANCE

Apple Colour Guidelines

Apple Dark Mode Guidelines

Apple recommends using colour to communicate hierarchy, state, interactivity, and emphasis while allowing interfaces to adapt to different backgrounds and appearance modes.

Olyxee should follow the same principle but use its own colour tokens.

OLYXEE NEUTRAL PALETTE

The Olyxee interface should primarily use white, off-white, and restrained grey surfaces.

Token	Suggested value	Purpose
-------	-----------------	---------

Token	Suggested value	Purpose
neutral-0	#FFFFFF	Primary surface
neutral-25	#FCFCFD	Elevated or quiet surface
neutral-50	#F8F9FA	Application background
neutral-100	#F1F3F5	Secondary surface
neutral-200	#E9ECEF	Subtle border
neutral-300	#DEE2E6	Stronger border
neutral-400	#ADB5BD	Disabled content
neutral-500	#868E96	Secondary text
neutral-600	#5C636A	Supporting text
neutral-700	#343A40	Primary body text
neutral-800	#212529	Strong text
neutral-900	#111315	Headings and dark surfaces

These values are an Olyxee starting palette, not Apple's proprietary colour specification.

SURFACE HIERARCHY

Use surfaces in this order:

1. **Application background:** **neutral-50**
2. **Primary working surface:** **neutral-0**
3. **Secondary grouped surface:** **neutral-25** or **neutral-100**
4. **Selected surface:** brand colour at low opacity
5. **Overlay surface:** white with controlled transparency or solid white
6. **Dark inverse surface:** **neutral-900**

BORDER RULES

Use borders sparingly.

- Default border: **neutral-200**
- Strong divider: **neutral-300**
- Focus border: Olyxee accent colour
- Error border: semantic red
- Selected border: accent colour

Prefer spacing and background contrast before adding borders around every component.

SEMANTIC COLOURS

5. MEANING BEFORE DECORATION

Every semantic colour must communicate a stable meaning.

Meaning	Suggested colour
Information	Blue
Success	Green
Warning	Amber
Error	Red
Review required	Orange
Neutral status	Grey
Active selection	Olyxee accent

Rules:

- Do not use semantic colours decoratively.
- Do not communicate state through colour alone.
- Pair colour with text, icons, shape, or labels.
- Use pale backgrounds with darker text for status badges.
- Reserve saturated colours for small, important areas.
- Test contrast against WCAG accessibility requirements.

MATERIALS, BLUR AND LAYERING

6. APPLE MATERIALS

Apple Materials Guidelines

Apple describes materials as visual effects that establish depth, layering, separation, and context.

Olyxee may use material-like effects, but they must not reduce readability or become the product's main visual identity.

OLYXEE MATERIAL RULES

Use transparency or blur only when it communicates:

- A persistent navigation layer
- An overlay above moving content
- A modal relationship
- Separation between foreground controls and background content
- Temporary context without completely hiding the previous screen

Do not use blur:

- Behind long-form text
- Inside large tables
- On data-heavy dashboards
- Where contrast becomes unreliable
- Merely to create a fashionable glass appearance

SUGGESTED MATERIAL VALUES

```
--material-background: rgba(255, 255, 255, 0.82);  
--material-border: rgba(17, 19, 21, 0.08);  
--material-blur: blur(20px);  
--material-saturate: saturate(140%);
```

Use a solid-surface fallback for browsers, devices, or accessibility settings where blur is unsuitable.

SHADOWS AND ELEVATION

7. SHADOW SYSTEM

Olyxee shadows should be soft, restrained, and functional.

They should communicate layer relationships rather than decorate flat components.

```
--shadow-xs:  
  0 1px 2px rgba(0, 0, 0, 0.04);  
  
--shadow-sm:  
  0 1px 3px rgba(0, 0, 0, 0.06),  
  0 1px 2px rgba(0, 0, 0, 0.04);  
  
--shadow-md:  
  0 4px 12px rgba(0, 0, 0, 0.08);  
  
--shadow-lg:  
  0 12px 32px rgba(0, 0, 0, 0.12);  
  
--shadow-overlay:  
  0 24px 64px rgba(0, 0, 0, 0.16);
```

ELEVATION LEVELS

Level	Use
0	Standard page content
1	Cards requiring slight separation

Level	Use
2	Menus, dropdowns and sticky controls
3	Modals and sheets
4	Critical overlays

Rules:

- Do not add shadows to every card.
- Prefer surface colour and spacing for normal grouping.
- Do not use heavy black shadows.
- Shadows must be consistent across products.
- Dark mode requires lower-opacity, broader shadows or border-based separation.

RADIUS AND SHAPE

8. CORNER RADIUS SYSTEM

Use a limited radius scale.

```
--radius-xs: 4px;  
--radius-sm: 6px;  
--radius-md: 10px;  
--radius-lg: 14px;  
--radius-xl: 20px;  
--radius-full: 999px;
```

Suggested usage:

- Small fields and compact controls: **6px**
- Buttons and standard cards: **8-10px**
- Panels and modals: **12-14px**
- Large marketing surfaces: **16-20px**
- Pills, avatars and circular controls: full radius

Do not make every component excessively rounded.

Shape should reflect structure:

- Operational products should remain precise.
- Pills should primarily represent tags, filters, or compact states.
- Large rounded containers must not waste working space.

MOTION

9. APPLE MOTION GUIDANCE

Apple Motion Guidelines

Apple treats motion as a way to communicate status, feedback, spatial relationships, continuity, and the result of user actions.

Olyxee motion must always explain something.

PURPOSES OF MOTION

Motion may be used to show:

- An element entering or leaving
- A change in state
- A relationship between two views
- Progress
- Selection
- Expansion or collapse
- Success or failure
- Reordering
- Cause and effect

Motion must not delay work.

MOTION DURATION TOKENS

```
--duration-instant: 80ms;  
--duration-fast: 140ms;  
--duration-standard: 220ms;  
--duration-emphasised: 320ms;  
--duration-complex: 450ms;
```

Recommended usage:

Duration	Use
80 ms	Press feedback
140 ms	Hover, focus and small state changes
220 ms	Menus, dropdowns and normal transitions
320 ms	Modals, sheets and major state changes
450 ms	Complex transitions with meaningful spatial movement

Animations should rarely exceed 500 milliseconds in operational interfaces.

MOTION EASING TOKENS

```
--ease-standard: cubic-bezier(0.2, 0, 0, 1);
--ease-enter: cubic-bezier(0, 0, 0.2, 1);
--ease-exit: cubic-bezier(0.4, 0, 1, 1);
--ease-emphasised: cubic-bezier(0.2, 0.8, 0.2, 1);
```

MOTION LAWS

- User-triggered motion must begin immediately.
- Entering elements may decelerate into place.
- Exiting elements may accelerate away.
- Related elements should move as one coordinated system.
- Avoid animating many unrelated elements simultaneously.
- Use opacity and transform rather than expensive layout properties where possible.
- Never animate critical data in a way that delays reading.
- Loading animation must not imply progress that is not measurable.
- Support reduced-motion preferences.
- Avoid continuous motion in dashboards.
- Do not use spring effects on serious financial or compliance actions.

RECOMMENDED TRANSITIONS

Dropdown

```
transition:
  opacity 140ms var(--ease-enter),
  transform 140ms var(--ease-enter);
```

Begin approximately 4–6 pixels from the final position.

Modal

```
transition:
  opacity 220ms var(--ease-standard),
  transform 320ms var(--ease-emphasised);
```

Use a subtle scale from approximately **0.98** to **1**.

Sidebar

Use a standard 220–320 millisecond transition. Content reflow and sidebar movement must remain synchronised.

Button

Use an 80–140 millisecond state transition. Press feedback may use a very small scale change, but the button must not feel elastic.

Status change

Use a brief colour and opacity transition. Avoid celebratory animation for routine enterprise actions.

REDUCED MOTION

10. ACCESSIBILITY REQUIREMENT

All Olyxee products must respect the operating system's reduced-motion preference.

```
@media (prefers-reduced-motion: reduce) {  
  *,  
  *::before,  
  *::after {  
    scroll-behavior: auto !important;  
    animation-duration: 0.01ms !important;  
    animation-iteration-count: 1 !important;  
    transition-duration: 0.01ms !important;  
  }  
}
```

Where motion communicates important meaning, replace it with:

- Immediate state changes
- Text feedback
- Icons
- Progress labels
- Clear visual hierarchy

LAYOUT AND SPACING

11. APPLE LAYOUT GUIDANCE

Apple Layout Guidelines

Apple's layout guidance emphasises hierarchy, consistency, readable content, adaptable structures, and platform-aware spacing.

OLYXEE SPACING SCALE

Use a four-pixel base grid.

```
--space-1: 4px;  
--space-2: 8px;  
--space-3: 12px;  
--space-4: 16px;
```

--space-5: 20px;
--space-6: 24px;
--space-8: 32px;
--space-10: 40px;
--space-12: 48px;
--space-16: 64px;

Rules:

- Related elements use smaller spacing.
- Unrelated groups use larger spacing.
- Avoid arbitrary values unless optical correction requires them.
- Table layouts may use denser spacing than marketing pages.
- Mobile layouts require adequate touch spacing.
- Do not create empty space that forces users to scroll without adding clarity.

RECOMMENDED OLYXEE DESIGN STACK

DESIGN

- [Figma](#)
- [Apple Design Resources](#)
- [SF Symbols](#) for Apple-platform reference
- Lucide for Olyxee web interface icons
- Inter Variable for web typography

MOTION PROTOTYPING

- Figma Smart Animate
- [Rive](#) for controlled interactive animation
- [Lottie](#) for exported vector animation
- CSS transitions for normal product interactions

Use Rive and Lottie only when a normal CSS transition cannot communicate the interaction adequately.

WEB IMPLEMENTATION

- Design tokens through CSS variables
- Tailwind theme tokens
- Radix UI primitives
- shadcn/ui as a structural starting point
- Framer Motion for complex React transitions
- Native CSS for common hover, focus, dropdown, and modal transitions

A component library must not determine the Olyxee identity. Components must be adapted to this doctrine.

OLYXEE ASSET RULE

Apple resources are references and platform tools, not the Olyxee brand system.

Olyxee must not:

- Copy complete Apple screens
- Present Apple symbols as Olyxee-owned artwork
- Use Apple trademarks as product decoration
- Use restricted Apple fonts outside their permitted scope
- Reproduce Apple's exact visual identity
- Use Apple product images without following Apple's guidelines

Olyxee should adopt the underlying discipline:

- Restrained colour
- Clear hierarchy
- Consistent icons
- Excellent typography
- Contextual motion
- Purposeful materials
- Strong accessibility
- Careful details

The goal is not to make Olyxee look like Apple.

The goal is to apply the same level of design discipline while building a recognisable Olyxee system.