Stylus Color Line Eraser Backgrounds Undo Redo Pages Previous Next Erase Board Web Documents Desktop OpenBoard

Anagram

S_1 = m a n a n

S_2 = n a m a n

map	
~~(a, 1)~~	(a, 0)
(n, 1)	
~~(n, 2)~~	(n, 0)
~~(a, 2)~~	
~~(n, 1)~~	
~~(a, 1)~~	
~~(m, 1)~~	(m, 0)

S_1 = maanan

S_2 = namanan

map	
~~(a, 2)~~	(a, 1)
~~(n, 1)~~	(n, 0)
~~(a, 3)~~	
~~(n, 2)~~	
~~(m, 1)~~	(m, 0)

S_2 = naman.

Stylus Color Line Eraser Backgrounds Undo Redo Pages Previous Next Erase Board Web Documents Desktop OpenBoard

Longest Substring with non repeating characters

a b c a b c d a a e f

ans = 4

Stylus Color Line Eraser Backgrounds Undo Redo Pages Previous Next Erase Board Web Documents Desktop OpenBoard

i i i i

S = ulangwar

j j j j j j j j

r
w
g
n
a
~~l~~
~~k~~

set

maxlen = ~~r~~ 6

len = j - i = 5

Stylus Color Line Eraser Backgrounds Undo Redo Pages Previous Next Erase Board Web Documents Desktop OpenBoard

0 1 2 3 4 5 6 7

S = u l a n g w a r u l

i j

(w, 5)
(g, 4)
(n, 3)
(a, 2).
(l, 1)
(u, 0) 8

Top View of BT



4 2 1 3 7

Stylus Color Line Eraser Backgrounds Undo Redo Pages Previous Next Erase Board Web Documents Desktop OpenBoard

BFS $\boxed{\text{node} \mid \text{level}}$

Hashmap<Int, Int>

Int → hd dist

Int → val in node



these 0, 1, 2
-1, -2

are horizontal distances

ans = {6 4 2 1 9}