

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQLWorkbench

practice1 practice2

Limit to 1000 rows

```
62 select ename,dname from emp group by ename,dname;
63 select sum(salary),dname as total from emp group by dname;
64 select avg(salary),dname from emp where dname='software';
65 select avg(salary),dname from emp group by dname having dname='software';
66
67 /*27 July*/
68 update emp set salary=salary*(salary*0.05) where (salary between 10000 and 50000);
69 select * from emp;
```

Result Grid

empno	ename	designation	salary	date_of_joining	email	city	phone_no	dname
1	Mr.Advait	Sr.Assistant	56700	22/07/2024	advait@gmail.com	Pune	9988557744	statics
2	Mr.Raghav	Sr.Manager	441000	22/07/2024	raghav@gmail.com	Mumbai	9988557742	electronics
3	Mr.Roy	CEO	598500	22/07/2024	roy@gmail.com	Pune	9988557742	software
4	Mr.Gautam	AGM	733002	22/07/2019	gautam@gmail.com	Pune	9988557741	testing
5	Mr.Ravi	Assistant	10500	22/06/2023	ravi@gmail.com	Nagpur	9988557740	electronics
6	Mr.Shankar	CEO	620000	02/06/2012	shankar@gmail.com	Nashik	9986552233	software
7	Mr.Ganesh	Vice-President	2200000	02/05/2009	ganesh@gmail.com	Pune	9866552233	testing
8	Mr.Vijay	AGM	420000	01/05/2019	vijay@gmail.com	Satara	9866452233	statics

emp 1 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	09:29:02	use demo	0 row(s) affected	0.000 sec
2	09:29:50	update emp set salary=salary*(salary*0.05) where (salary between 10000 and 50000)	Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that uses a...	0.000 sec
3	09:30:40	SET SQL_SAFE_UPDATES=0	0 row(s) affected	0.000 sec
4	09:30:45	update emp set salary=salary*(salary*0.05) where (salary between 10000 and 50000)	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
5	09:30:58	select * from emp LIMIT 0, 1000	8 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQLWorkbench

practice1 practice2

Limit to 1000 rows

```
61 select * from emp;
62 select ename,dname from emp group by ename,dname;
63 select sum(salary),dname as total from emp group by dname;
64 select avg(salary),dname from emp where dname='software';
65 select avg(salary),dname from emp group by dname having dname='software';
66
67 /*27 July*/
68 update emp set salary=salary*(salary*0.05) where (salary between 10000 and 50000);
69 select * from emp;
70 create table dept(dno int primary key,ename varchar(20),loc varchar(20));
71 insert into dept values(101,'computer','pune');
72 insert into dept values(102,'testing','mumbai');
73 insert into dept values(103,'hardware','nagpur');
74 create table employee(eno int primary key,ename varchar(20) not null,designation varchar(20),salary bigint check(salary>0),doj varchar(20));
75 insert into employee values(1,'advait','assistant','54000','23/03/2002','101');
76 insert into employee values(2,'roy','ceo','500000','15/06/2019','102');
77 insert into employee values(3,'abhay','manager','60000','10/06/2013','102');
78 insert into employee values(4,'raghav','manager','420000','01/03/2003','103');
79
80 alter table employee add column phone bigint;
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	14:42:41	select * from dept LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
7	14:43:55	insert into employee values(1,'advait','assistant','54000','23/03/2002','101')	1 row(s) affected	0.016 sec
8	14:44:51	insert into employee values(2,'roy','ceo','500000','15/06/2019','102')	1 row(s) affected	0.016 sec
9	14:45:41	insert into employee values(3,'abhay','manager','60000','10/06/2013','102')	1 row(s) affected	0.016 sec
10	14:46:33	insert into employee values(4,'raghav','manager','420000','01/03/2003','103')	1 row(s) affected	0.000 sec
11	14:47:37	alter table employee add column phone bigint	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.016 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL Editor

```
63 * select sum(salary),dname as total from emp group by dname;
64 * select avg(salary),dname from emp where dname='software';
65 * select avg(salary),dname from emp group by dname having dname='software';
66
67 /*27 july*/
68 * update emp set salary=salary*(salary*0.05) where (salary between 10000 and 50000);
69 * select * from emp;
70 * create table dept(dno int primary key,dname varchar(20),loc varchar(20));
71 * insert into dept values(10,'computer','pune');
72 * insert into dept values(20,'testing','mumbai');
73 * insert into dept values(30,'hardware','nagpur');
74 * create table employee(eno int primary key,ename varchar(20) not null,designation varchar(20),salary bigint check(salary>0),doj varchar(20));
75 * insert into employee values(1,'advait','assistant',54000,'23/03/2002',10);
76 * insert into employee values(2,'roy','ceo',500000,'15/06/2019',10);
77 * insert into employee values(3,'abhay','manager',60000,'10/06/2013',10);
78 * insert into employee values(4,'raghav','manager',420000,'01/03/2003',10);
79
80 * alter table employee add column phone bigint;
81
82 * update employee set phone=1023456789 where eno=1;
```

Output

#	Time	Action	Message	Duration / Fetch
7	14:43:55	insert into employee values(1,'advait','assistant',54000,'23/03/2002',10)	1 row(s) affected	0.016 sec
8	14:44:51	insert into employee values(2,'roy','ceo',500000,'15/06/2019',10)	1 row(s) affected	0.016 sec
9	14:45:41	insert into employee values(3,'abhay','manager',60000,'10/06/2013',10)	1 row(s) affected	0.016 sec
10	14:46:33	insert into employee values(4,'raghav','manager',420000,'01/03/2003',10)	1 row(s) affected	0.000 sec
11	14:47:37	alter table employee add column phone bigint	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.016 sec
12	14:48:17	update employee set phone=1023456789 where eno=1	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec

Object Info Session

Heavy rain Tomorrow

Search

ENG IN 02:48 27-07-2024

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL Editor

```
65 * select avg(salary),dname from emp group by dname having dname='software';
66
67 /*27 july*/
68 * update emp set salary=salary*(salary*0.05) where (salary between 10000 and 50000);
69 * select * from emp;
70 * create table dept(dno int primary key,dname varchar(20),loc varchar(20));
71 * insert into dept values(10,'computer','pune');
72 * insert into dept values(20,'testing','mumbai');
73 * insert into dept values(30,'hardware','nagpur');
74 * create table employee(eno int primary key,ename varchar(20) not null,designation varchar(20),salary bigint check(salary>0),doj varchar(20));
75 * insert into employee values(1,'advait','assistant',54000,'23/03/2002',10);
76 * insert into employee values(2,'roy','ceo',500000,'15/06/2019',10);
77 * insert into employee values(3,'abhay','manager',60000,'10/06/2013',10);
78 * insert into employee values(4,'raghav','manager',420000,'01/03/2003',10);
79
80 * alter table employee add column phone bigint;
81
82 * update employee set phone=1023456789 where eno=1;
83
84 * delete from employee where designation='manager';
```

Output

#	Time	Action	Message	Duration / Fetch
10	14:46:33	insert into employee values(4,'raghav','manager',420000,'01/03/2003',10)	1 row(s) affected	0.000 sec
11	14:47:37	alter table employee add column phone bigint	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.016 sec
12	14:48:17	update employee set phone=1023456789 where eno=1	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
13	14:48:59	delete from employee where designation='manager'	Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that uses...	0.000 sec
14	14:49:07	SET SQL_SAFE_UPDATES=0	0 row(s) affected	0.000 sec
15	14:49:11	delete from employee where designation='manager'	2 row(s) affected	0.000 sec

Object Info Session

25°C Cloudy

Search

ENG IN 02:49 27-07-2024

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator: sql_workbench practice1 practice2

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL Editor

```

79
80 • alter table employee add column phone bigint;
81
82 • update employee set phone=1023456789 where eno=1;
83
84 • delete from employee where designation='manager';
85
86 • select count(eno),dname from employee,dept where dept.dno=employee.dno group by dname;

```

Result Grid

count(eno)	dname
1	computer
2	testing
1	hardware

Output

Action Output

#	Time	Action	Message	Duration / Fetch
14	14:49:07	SET SQL_SAFE_UPDATES=0	0 row(s) affected	0.000 sec
15	14:49:11	delete from employee where designation='manager'	2 row(s) affected	0.000 sec
16	14:50:14	insert into employee values(3,'abhay','manager','60000','10/06/2013',102)	Error Code: 1136. Column count doesn't match value count at row 1	0.000 sec
17	14:50:35	insert into employee values(3,'abhay','manager','60000','10/06/2013',102,1203456789)	1 row(s) affected	0.000 sec
18	14:50:44	insert into employee values(4,'raghav','manager','420000','01/03/2003',103,1230456789)	1 row(s) affected	0.015 sec
19	14:51:49	select count(eno),dname from employee,dept where dept.dno=employee.dno group by dname LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SH114 / universi... Construction

25°C Cloudy

27-07-2024

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator: sql_workbench practice1 practice2

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL Editor

```

84
85 • update employee set phone=1023456789 where eno=1;
86
87 • delete from employee where designation='manager';
88
89 • select count(eno),dname from employee,dept where dept.dno=employee.dno group by dname;
90
91 • select ename,dname from employee,dept where dept.dno=employee.dno and (designation='manager' or dname='account');

```

Result Grid

ename	dname
abhay	testing
raghav	hardware
ntin	account

Output

Action Output

#	Time	Action	Message	Duration / Fetch
21	14:57:02	select ename,dname from employee,dept where dept.dno=employee.dno and (designation='manager' or dname=...	2 row(s) returned	0.000 sec / 0.000 sec
22	14:58:08	select * from employee LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
23	14:58:24	select * from dept LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
24	14:58:31	insert into dept values(104,'account','pune')	1 row(s) affected	0.015 sec
25	14:58:34	select * from dept LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
26	14:58:40	select ename,dname from employee,dept where dept.dno=employee.dno and (designation='manager' or dname=...	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

25°C Cloudy

27-07-2024

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator: sql_workbench practice1 practice2

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Result Grid

Filter Rows: Export: Wrap Cell Content: 15

Result 10 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
22	14:58:08	select * from employee LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
23	14:58:24	select * from dept LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
24	14:58:31	insert into dept values(104,'account','pune')	1 row(s) affected	0.015 sec
25	14:58:34	select * from dept LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
26	14:58:40	select ename,dname from employee,dept where dept.dno=employee.dno and (designation='manager' or dname='account');	3 row(s) returned	0.000 sec / 0.000 sec
27	14:59:48	select dname from employee,dept where dept.dno=employee.dno and loc='pune' and ename='advait' LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

25°C Cloudy

Search

ENG IN 27-07-2024 02:59

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator: sql_workbench practice1 practice2

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Result Grid

Filter Rows: Export: Wrap Cell Content: 15

Result 11 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
26	14:58:40	select ename,dname from employee,dept where dept.dno=employee.dno and (designation='manager' or dname='account');	3 row(s) returned	0.000 sec / 0.000 sec
27	14:59:48	select dname from employee,dept where dept.dno=employee.dno and loc='pune' and ename='advait' LIMIT 0, ...	1 row(s) returned	0.000 sec / 0.000 sec
28	15:02:43	insert into dept values(105,'quality','hashik')	1 row(s) affected	0.016 sec
29	15:02:49	insert into employee values(5,'ganesh','assistant manager',40000,'24/05/2015',105,123456789)	1 row(s) affected	0.016 sec
30	15:02:53	insert into employee values(7,'suresh','manager',70000,'02/07/2009',105,123456789)	1 row(s) affected	0.016 sec
31	15:04:05	select ename from employee,dept where dept.dno=employee.dno and salary>50000 and dname='quality' LIMIT ...	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

25°C Cloudy

Search

ENG IN 27-07-2024 03:04

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator: sql_workbench practice1 practice2

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL Editor

```
83 * insert into employee values(6,'ganesh','assistant-manager',40000,'24/05/2015',105,123456789);
84 * insert into employee values(7,'suresh','manager',70000,'02/07/2009',105,123456789);
85 * select * from dept;
86 * select * from employee;
87
88 * alter table employee add column phone bigint;
89
90 * update employee set phone=1023456789 where eno=1;
91
92 * delete from employee where designation='manager';
93
94 * select count(eno),dname from employee,dept where dept.dno=employee.dno group by dname;
95
96 * select ename,dname from employee,dept where dept.dno=employee.dno and (designation='manager' or dname='account');
97
98 * select dname from employee,dept where dept.dno=employee.dno and loc='pune' and ename='advait';
99
100 * select ename from employee,dept where dept.dno=employee.dno and salary>50000 and dname='quality';
101
102 * update employee,dept set doj='15/07/2019' where dept.dno=employee.dno and dname='testing' and ename='roy' ;
```

Output

#	Time	Action	Message	Duration / Fetch
29	15:02:49	insert into employee values(6,'ganesh','assistant-manager',40000,'24/05/2015',105,123456789)	1 row(s) affected	0.016 sec
30	15:02:53	insert into employee values(7,'suresh','manager',70000,'02/07/2009',105,123456789)	1 row(s) affected	0.016 sec
31	15:04:05	select ename from employee,dept where dept.dno=employee.dno and salary>50000 and dname='quality' LIMIT...	1 row(s) returned	0.000 sec / 0.000 sec
32	15:06:15	update employee set doj='15/07/2019' where dept.dno=employee.dno and dname='testing' and ename='roy'	Error Code: 1054. Unknown column 'dept.dno' in 'where clause'	0.016 sec
33	15:08:29	update employee set doj='15/07/2019' where ename=select ename from employee,dept where dept.dno=empl...	Error Code: 1093. You can't specify target table 'employee' for update in FROM clause	0.000 sec
34	15:09:33	update employee,dept set doj='15/07/2019' where dept.dno=employee.dno and dname='testing' and ename=...	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.032 sec

Object Info Session

25°C Cloudy

Search

ENG IN 03:09 27-07-2024

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator: sql_workbench practice1 practice2

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL Editor

```
99
100 * select ename from employee,dept where dept.dno=employee.dno and salary>50000 and dname='quality';
101
102 * update employee,dept set doj='15/07/2019' where dept.dno=employee.dno and dname='testing' and ename='roy' ;
103
104 * create table client_t(cno int primary key,cname varchar(20),addr varchar(20));
105 * insert into client_t values(1,'patil','pune');
106 * insert into client_t values(2,'patil','nashik');
107 * insert into client_t values(3,'roy','pimpri');
108 * insert into client_t values(4,'arun','pune');
109 * create table sales_order(ordno int primary key,ordDate varchar(20),cno int references client_t);
110 * insert into sales_order values(101,'09/08/2019',1);
111 * insert into sales_order values(102,'09/08/2018',2);
112 * insert into sales_order values(103,'18/03/2019',1);
113 * insert into sales_order values(104,'09/01/2022',3);
114 * insert into sales_order values(105,'19/01/2022',4);
115 * select * from sales_order;
116 * select * from client_t;
117
118 * alter table sales_order add column sales_amt float;
```

Output

#	Time	Action	Message	Duration / Fetch
45	15:34:12	insert into sales_order values(103,'18/03/2019',1)	1 row(s) affected	0.000 sec
46	15:34:12	insert into sales_order values(104,'09/01/2022',3)	1 row(s) affected	0.015 sec
47	15:34:12	insert into sales_order values(105,'19/01/2022',4)	1 row(s) affected	0.000 sec
48	15:34:43	select * from sales_order LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	15:34:50	select * from client_t LIMIT 0, 1000	4 row(s) returned	0.016 sec / 0.000 sec
50	15:35:41	alter table sales_order add column sales_amt float	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.031 sec

Object Info Session

25°C Cloudy

Search

ENG IN 03:35 27-07-2024

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL Editor

```
102 • update employee,dept set doj='15/07/2019' where dept.dno=employee.dno and dname='testing' and ename='roy' ;
103
104 • create table client_t(cno int primary key,cname varchar(20),addr varchar(20));
105 • insert into client_t values(1,'patil','pune');
106 • insert into client_t values(2,'patil','nashik');
107 • insert into client_t values(3,'roy','pimpri');
108 • insert into client_t values(4,'arun','pune');
109 • create table sales_order(ordno int primary key,ordDate varchar(20),cno int references client_t);
110 • insert into sales_order values(101,'09/08/2019',1);
111 • insert into sales_order values(102,'09/02/2018',2);
112 • insert into sales_order values(103,'10/03/2019',1);
113 • insert into sales_order values(104,'09/01/2022',3);
114 • insert into sales_order values(105,'19/01/2022',4);
115 • insert into sales_order values(106,'10/01/2022',1,400);
116 • select * from sales_order;
117 • select * from client_t;
118
119 • alter table sales_order add column sales_amt float;
120
121 • delete from client_t where cname like 'a%';
```

Output

#	Time	Action	Message	Duration / Fetch
48	15:34:43	select * from sales_order LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
49	15:34:50	select * from client_t LIMIT 0, 1000	4 row(s) returned	0.016 sec / 0.000 sec
50	15:35:41	alter table sales_order add column sales_amt float	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.031 sec
51	15:36:55	insert into sales_order values(106,'10/01/2022',1)	Error Code: 1136. Column count doesn't match value count at row 1	0.000 sec
52	15:37:09	insert into sales_order values(106,'10/01/2022',1,400)	1 row(s) affected	0.031 sec
53	15:39:20	delete from client_t where cname like 'a%'	1 row(s) affected	0.000 sec

Object Info Session

25°C Cloudy

Search

ENG IN 03:39 27-07-2024

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL Editor

```
104 • create table client_t(cno int primary key,cname varchar(20),addr varchar(20));
105 • insert into client_t values(1,'patil','pune');
106 • insert into client_t values(2,'patil','nashik');
107 • insert into client_t values(3,'roy','pimpri');
108 • insert into client_t values(4,'arun','pune');
109 • create table sales_order(ordno int primary key,ordDate varchar(20),cno int references client_t);
110 • insert into sales_order values(101,'09/08/2019',1);
111 • insert into sales_order values(102,'09/02/2018',2);
112 • insert into sales_order values(103,'10/03/2019',1);
113 • insert into sales_order values(104,'09/01/2022',3);
114 • insert into sales_order values(105,'19/01/2022',4);
115 • insert into sales_order values(106,'10/01/2022',1,400);
116 • select * from sales_order;
117 • select * from client_t;
118
119 • alter table sales_order add column sales_amt float;
120
121 • delete from client_t where cname like 'a%';
122
123 • delete from client_t | sales_order where sales_order.cno=client_t.cno and cname='patil' and ordDate='09/08/2019';
```

Output

#	Time	Action	Message	Duration / Fetch
49	15:34:50	select * from client_t LIMIT 0, 1000	4 row(s) returned	0.016 sec / 0.000 sec
50	15:35:41	alter table sales_order add column sales_amt float	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.031 sec
51	15:36:55	insert into sales_order values(106,'10/01/2022',1)	Error Code: 1136. Column count doesn't match value count at row 1	0.000 sec
52	15:37:09	insert into sales_order values(106,'10/01/2022',1,400)	1 row(s) affected	0.031 sec
53	15:39:20	delete from client_t where cname like 'a%'	1 row(s) affected	0.000 sec
54	15:44:25	delete from client_t sales_order where sales_order.cno=client_t.cno and cname='patil' and ordDate='09/08/2019'	Error Code: 1054. Unknown column 'client_t.cno' in 'where clause'	0.000 sec

Object Info Session

25°C Cloudy

Search

ENG IN 03:45 27-07-2024

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
51	15:36:55	insert into sales_order values(106,'10/01/2022',1)	Error Code: 1136. Column count doesn't match value count at row 1	0.000 sec
52	15:37:09	insert into sales_order values(106,'10/01/2022',1,400)	1 row(s) affected	0.031 sec
53	15:39:20	delete from client_t where cname like 'a%'	1 row(s) affected	0.000 sec
54	15:44:25	delete from client_t sales_order where sales_order.cno=client_t.cno and cname='patil' and ordDate='09/08/2019'	Error Code: 1054. Unknown column 'client_t.cno' in 'where clause'	0.000 sec
55	15:48:05	update client_t sales_order set ordDate='18/04/2019' where sales_order.cno=client_t.cno and cno=1	Error Code: 1052. Column 'cno' in where clause is ambiguous	0.000 sec
56	15:48:20	update client_t sales_order set ordDate='18/04/2019' where sales_order.cno=client_t.cno and sales_order.cno=1	3 row(s) affected Rows matched: 3 Changed: 3 Warnings: 0	0.016 sec

Object Info Session

25°C Cloudy

Search

ENG IN 03:48 27-07-2024

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
52	15:37:09	insert into sales_order values(106,'10/01/2022',1,400)	1 row(s) affected	0.031 sec
53	15:39:20	delete from client_t where cname like 'a%'	1 row(s) affected	0.000 sec
54	15:44:25	delete from client_t sales_order where sales_order.cno=client_t.cno and cname='patil' and ordDate='09/08/2019'	Error Code: 1054. Unknown column 'client_t.cno' in 'where clause'	0.000 sec
55	15:48:05	update client_t sales_order set ordDate='18/04/2019' where sales_order.cno=client_t.cno and cno=1	Error Code: 1052. Column 'cno' in where clause is ambiguous	0.000 sec
56	15:48:20	update client_t sales_order set ordDate='18/04/2019' where sales_order.cno=client_t.cno and sales_order.cno=1	3 row(s) affected Rows matched: 3 Changed: 3 Warnings: 0	0.016 sec
57	15:49:53	delete from sales_order where ordDate='10/02/2018'	2 row(s) affected	0.000 sec

Object Info Session

25°C Cloudy

Search

ENG IN 03:50 27-07-2024

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator: sql_workbench practice1 practice2

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL Editor

```
110 insert into sales_order values(101,'09/08/2019',1);
111 insert into sales_order values(102,'09/02/2019',2);
112 insert into sales_order values(103,'10/03/2019',1);
113 insert into sales_order values(104,'09/01/2022',3);
114 insert into sales_order values(105,'10/01/2022',4);
115 insert into sales_order values(106,'10/01/2022',1,400);
116 select * from sales_order;
117 select * from client_t;
118
119 alter table sales_order add column sales_amt float;
120
121 delete from client_t where cname like 'a%';
122
123 delete from client_t,sales_order where sales_order.cno=client_t.cno and cname='patil' and ordDate='09/08/2019';
124
125 update client_t,sales_order set ordDate='10/04/2019' where sales_order.cno=client_t.cno and sales_order.cno=1;
126
127 delete from sales_order where ordDate='10/02/2018';
128
129 update client_t set addr='pinpri-chinchwad' where cname='roy';
```

Output

#	Time	Action	Message	Duration / Fetch
1	17:01:58	use demo	0 row(s) affected	0.000 sec
2	17:03:14	update client_t set addr='pinpri-chinchwad' where cname='roy'	Error Code: 1054. Unknown column 'cname' in 'where clause'	0.015 sec
3	17:03:22	update client_t set addr='pinpri-chinchwad' where cname='roy'	Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that uses a ...	0.000 sec
4	17:03:28	SET SQL_SAFE_UPDATES=0	0 row(s) affected	0.000 sec
5	17:03:35	update client_t set addr='pinpri-chinchwad' where cname='roy'	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec

Object Info Session

76°F Cloudy

Search

ENG IN 27-07-2024 05:03

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator: sql_workbench practice1 practice2

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL Editor

```
124
125 update client_t,sales_order set ordDate='10/04/2019' where sales_order.cno=client_t.cno and sales_order.cno=1;
126
127 delete from sales_order where ordDate='10/02/2018';
128
129 update client_t set addr='pinpri-chinchwad' where cname='roy';
130
131 select count(*) from sales_order where (ordDate between '01/01/2022' and '31/01/2022') limit 0, 1000;
```

Result Grid

count(*)
4

Output

#	Time	Action	Message	Duration / Fetch
1	17:01:58	use demo	0 row(s) affected	0.000 sec
2	17:03:14	update client_t set addr='pinpri-chinchwad' where cname='roy'	Error Code: 1054. Unknown column 'cname' in 'where clause'	0.015 sec
3	17:03:22	update client_t set addr='pinpri-chinchwad' where cname='roy'	Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that uses a ...	0.000 sec
4	17:03:28	SET SQL_SAFE_UPDATES=0	0 row(s) affected	0.000 sec
5	17:03:35	update client_t set addr='pinpri-chinchwad' where cname='roy'	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
6	17:06:21	select count(*) from sales_order where (ordDate between '01/01/2022' and '31/01/2022') LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

76°F Cloudy

Search

ENG IN 27-07-2024 05:06

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL workbench practice1 practice2

Limit to 1000 rows

127

128 • delete from sales_order where ordDate='18/02/2018';

129

130 • update client_t set addr='pinpri-chinchwad' where cname='roy';

131

132 • select count(*) from sales_order where (ordDate between '01/01/2022' and '31/01/2022');

133

134 • select sum(sales_amt) from sales_order where (ordDate between '01/01/2022' and '31/01/2022');

Result Grid

sum(sales_amt)

900

Output

Action Output

#	Time	Action	Message	Duration / Fetch
11	17:12:48	select max(purch_amt),customer_id,ord_date from orders where (purch_amt) in(2000,3000,5760,6000) group b...	1 row(s) returned	0.000 sec / 0.000 sec
12	17:13:07	select max(purch_amt),customer_id from orders where (customer_id between 3002 and 3007) group by custom...	5 row(s) returned	0.000 sec / 0.000 sec
13	17:17:06	use demo	0 row(s) affected	0.000 sec
14	17:20:08	update sales_order set sales_amt+500 where ordno=105	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.032 sec
15	17:20:13	select total(sales_amt) from sales_order where (ordDate between '01/01/2022' and '31/01/2022') LIMIT 0, 1000	Error Code: 1305: FUNCTION demo total does not exist	0.016 sec
16	17:20:38	select sum(sales_amt) from sales_order where (ordDate between '01/01/2022' and '31/01/2022') LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

76°F Cloudy

Search

ENG IN

05:20 27-07-2024

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL workbench practice1 practice2

Limit to 1000 rows

129

130 • update client_t set addr='pinpri-chinchwad' where cname='roy';

131

132 • select count(*) from sales_order where (ordDate between '01/01/2022' and '31/01/2022');

133

134 • select sum(sales_amt) from sales_order where (ordDate between '01/01/2022' and '31/01/2022');

135

136 • select count(*) from client_t where addr='pune';

Result Grid

count(*)

1

Output

Action Output

#	Time	Action	Message	Duration / Fetch
16	17:20:38	select sum(sales_amt) from sales_order where (ordDate between '01/01/2022' and '31/01/2022') LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
17	17:20:50	use practice2	0 row(s) affected	0.000 sec
18	17:21:05	select max(purch_amt),salesman_id from orders where (salesman_id between 5003 and 5008) group by salesm...	4 row(s) returned	0.000 sec / 0.000 sec
19	17:21:21	use demo	0 row(s) affected	0.000 sec
20	17:22:37	select count(*) from client_t where loc='pune' LIMIT 0, 1000	Error Code: 1054: Unknown column 'loc' in 'where clause'	0.000 sec
21	17:22:48	select count(*) from client_t where addr='pune' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

76°F Cloudy

Search

ENG IN

05:23 27-07-2024

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL Editor

practice1 practice2

Limit to 1000 rows

```
121
122 • delete from client_t where cname like 'ak';
123
124 • delete from client_t,sales_order where sales_order.cno=client_t.cno and cname='patil' and ordDate='09/08/2019';
125
126 • update client_t,sales_order set ordDate='18/04/2019' where sales_order.cno=client_t.cno and sales_order.cno=1;
127
128 • delete from sales_order where ordDate='10/02/2018';
129
130 • update client_t set addr='pimpri-chinchwad' where cname='roy';
131
132 • select count(*) from sales_order where (ordDate between '01/01/2022' and '31/01/2022');
133
134 • select sum(sales_amt) from sales_order where (ordDate between '01/01/2022' and '31/01/2022');
135
136 • select count(*) from client_t where addr='pune';
137
138
139 • create table hospital(hno int primary key,hname varchar(20),year int,addr varchar(20));
140 • alter table hospital drop column addr;
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
18	17:21:05	select max(purch_amt)salesman_id from orders where (salesman_id between 5003 and 5008) group by salesm...	4 row(s) returned	0.000 sec / 0.000 sec
19	17:21:21	use demo	0 row(s) affected	0.000 sec
20	17:22:37	select count(*) from client_t where loc='pune' LIMIT 0, 1000	Error Code: 1054. Unknown column 'loc' in 'where clause'	0.000 sec / 0.000 sec
21	17:22:48	select count(*) from client_t where addr='pune' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
22	17:28:42	create table hospital(hno int primary key,hname varchar(20),year int,addr varchar(20))	0 row(s) affected	0.031 sec
23	17:29:45	alter table hospital drop column addr	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.047 sec

Object Info Session

76°F Cloudy

Search

ENG IN

05:29 27-07-2024

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL Editor

practice1 practice2

Limit to 1000 rows

```
140 • insert into doctor values(1,'ajay','pune','heart surgen',100000,102);
141 • insert into doctor values(2,'vijay','pune','dentist',90000,102);
142 • insert into doctor values(3,'ganesh','karjat','skin',80000,105);
143 • insert into doctor values(4,'more','pune','surgen',100000,103);
144 • insert into doctor values(5,'ajay','pimpri','dentist',70000,101);
145 • select * from doctor;
146
147 • select dname,hname,specialty from hospital,doctor where hospital.hno=doctor.hno and doctor.addr='pune';
```

Result Grid

dname	hname	specialty
ajay	ruby	heart surgen
more	dnanrh	surgen

Output

Action Output

#	Time	Action	Message	Duration / Fetch
36	17:41:15	insert into doctor values(1,'ajay','pune','heart surgen',100000,102)	1 row(s) affected	0.000 sec
37	17:42:45	insert into doctor values(2,'ganesh','karjat','skin',80000,105)	1 row(s) affected	0.015 sec
38	17:44:26	insert into doctor values(4,'more','pune','surgen',100000,103)	1 row(s) affected	0.016 sec
39	17:45:19	insert into doctor values(5,'ajay','pimpri','dentist',70000,101)	1 row(s) affected	0.000 sec
40	17:45:41	select * from doctor LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
41	17:46:51	select dname,hname,specialty from hospital,doctor where hospital.hno=doctor.hno and doctor.addr='pune' LIM...	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

76°F Cloudy

Search

ENG IN

05:46 27-07-2024

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

hospital7 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
37	17:43:45	insert into doctor values(3,'ganesh','karjat','skin',80000,105);	1 row(s) affected	0.015 sec
38	17:44:26	insert into doctor values(4,'more','pune','surgen',100000,103);	1 row(s) affected	0.016 sec
39	17:45:19	insert into doctor values(5,'jay','pimpri','dentist',70000,101);	1 row(s) affected	0.000 sec
40	17:45:41	select * from doctor LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
41	17:46:51	select dname,hname,speciality from hospital,doctor where hospital.hno=doctor.hno and doctor.addr='pune' LIM...	2 row(s) returned	0.000 sec / 0.000 sec
42	17:47:22	select hname from hospital where addr='pimpri' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

76°F Cloudy

Search

ENG IN

05:47

27-07-2024

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Result 8 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
39	17:45:19	insert into doctor values(5,'jay','pimpri','dentist',70000,101);	1 row(s) affected	0.000 sec
40	17:45:41	select * from doctor LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
41	17:46:51	select dname,hname,speciality from hospital,doctor where hospital.hno=doctor.hno and doctor.addr='pune' LIM...	2 row(s) returned	0.000 sec / 0.000 sec
42	17:47:22	select hname from hospital where addr='pimpri' LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
43	17:48:37	insert into doctor values(6,'suresh','chinchwad','skin',80000,101);	1 row(s) affected	0.015 sec
44	17:49:50	select dname from doctor,hospital where hospital.hno=doctor.hno and doctor.addr='chinchwad' and hname='bir...	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

76°F Cloudy

Search

ENG IN

05:49

27-07-2024

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQLWorkbench

practice1 practice2

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```
155
156 • select dname,hname,speciality from hospital,doctor where hospital.hno=doctor.hno and doctor.addr='pune';
157
158 • select hname from hospital where addr='pimpri';
159
160 • select dname from doctor,hospital where hospital.hno=doctor.hno and doctor.addr='chinchwad' and hname='birla';
161
162 • select speciality from doctor,hospital where hospital.hno=doctor.hno and hname='ruby';
```

Result Grid

speciality
heart surgen
dentist

Result 13 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
45	17:50:34	select speciality from doctor,hospital where hospital.hno=doctor.hno and hname='ruby' LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
46	17:51:14	select * from doctor LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
47	17:51:24	insert into doctor values(2,'vijay','pune','dentist','90000,102)	1 row(s) affected	0.016 sec
48	17:51:26	select * from doctor LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
49	17:51:27	select * from doctor LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
50	17:51:47	select speciality from doctor,hospital where hospital.hno=doctor.hno and hname='ruby' LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

76°F Cloudy

Search

ENG IN

05:51

27-07-2024

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQLWorkbench

practice1 practice2

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```
157
158 • select hname from hospital where addr='pimpri';
159
160 • select dname from doctor,hospital where hospital.hno=doctor.hno and doctor.addr='chinchwad' and hname='birla';
161
162 • select speciality from doctor,hospital where hospital.hno=doctor.hno and hname='ruby';
163
164 • select count(*),hname from doctor,hospital where hospital.hno=doctor.hno and hospital.addr='pimple gurav' group by hname;
```

Result Grid

count(*)	hname
1	adnath

Result 18 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
51	17:53:31	select count(*)hname from doctor,hospital where hospital.hno=doctor.hno and doctor.addr='pimple gurav' grou...	0 row(s) returned	0.000 sec / 0.000 sec
52	17:54:02	select * from doctor LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
53	17:54:10	select * from hospital LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
54	17:55:00	select count(*)hname from doctor,hospital where hospital.hno=doctor.hno and doctor.addr='pimple gurav' grou...	0 row(s) returned	0.000 sec / 0.000 sec
55	17:55:40	select count(*)hname from doctor where doctor.addr='pimple gurav' group by hname LIMIT 0, 1000	Error Code: 1054. Unknown column 'hname' in field list	0.000 sec
56	17:56:15	select count(*)hname from doctor,hospital where hospital.hno=doctor.hno and hospital.addr='pimple gurav' grou...	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

USD/CNY +0.2%

Search

ENG IN

05:56

27-07-2024

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

practice1 practice2

Limit to 1000 rows

```
147 • create table doctor(dno int primary key,dname varchar(20),addr varchar(20),speciality varchar(20),salary bigint,hno int references hospital)
148 • insert into doctor values(1,'ajay','pune','heart surgen',100000,102);
149 • insert into doctor values(2,'vijay','pune','dentist',90000,102);
150 • insert into doctor values(3,'ganesh','karjat','skin',80000,102);
151 • insert into doctor values(4,'more','pune','surgen',100000,101);
152 • insert into doctor values(5,'ajay','pimpri','dentist',70000,101);
153 • insert into doctor values(6,'suresh','chinchwad','skin',80000,101);
154 • select * from doctor;
155
156 • select dname,hname,speciality from hospital,doctor where hospital.hno=doctor.hno and doctor.addr='pune';
157
158 • select hname from hospital where addr='pimpri';
159
160 • select dname from doctor,hospital where hospital.hno=doctor.hno and doctor.addr='chinchwad' and hname='birla';
161
162 • select speciality from doctor,hospital where hospital.hno=doctor.hno and hname='ruby';
163
164 • select count(*),hname from doctor,hospital where hospital.hno=doctor.hno and hospital.addr='pimple gurav' group by hname;
165
166 • update doctor,hospital set doctor.addr='pimpri' where hospital.hno=doctor.hno and hname='ruby';
```

Output

#	Time	Action	Message	Duration / Fetch
52	17:54:02	select * from doctor LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec
53	17:54:10	select * from hospital LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
54	17:55:00	select count(*)hname from doctor,hospital where hospital.hno=doctor.hno and doctor.addr='pimple gurav' grou...	0 row(s) returned	0.000 sec / 0.000 sec
55	17:55:40	select count(*)hname from doctor where doctor.addr='pimple gurav' group by hname LIMIT 0, 1000	Error Code: 1054. Unknown column 'hname' in field list	0.000 sec
56	17:56:15	select count(*)hname from doctor,hospital where hospital.hno=doctor.hno and hospital.addr='pimple gurav' gro...	1 row(s) returned	0.000 sec / 0.000 sec
57	17:57:42	update doctor,hospital set doctor.addr='pimpri' where hospital.hno=doctor.hno and hname='ruby'	2 row(s) affected Rows matched: 2 Changed: 2 Warnings: 0	0.032 sec

Object Info Session

75°F Cloudy

Search

ENG IN

05:57 27-07-2024

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

practice1 practice2

Limit to 1000 rows

```
162 • select speciality from doctor,hospital where hospital.hno=doctor.hno and hname='ruby';
164
165 • select count(*),hname from doctor,hospital where hospital.hno=doctor.hno and hospital.addr='pimple gurav' group by hname;
166
167 • update doctor,hospital set doctor.addr='pimpri' where hospital.hno=doctor.hno and hname='ruby';
168
169 • select speciality,dname,doctor.hno from doctor,hospital where hospital.hno=doctor.hno and speciality='heart surgen' and hospital.addr='p...
```

Result Grid

speciality	dname	hno
heart surgen	ajay	102

Result 22 x

Output

#	Time	Action	Message	Duration / Fetch
61	18:02:20	select * from doctor where speciality=(select speciality from doctor,hospital where hospital.hno=doctor.hno and...	1 row(s) returned	0.000 sec / 0.000 sec
62	18:02:58	insert into doctor values(6,'suresh','chinchwad','heart surgen',80000,105)	Error Code: 1062. Duplicate entry '6' for key 'doctor.PRIMARY'	0.000 sec
63	18:03:05	insert into doctor values(7,'suresh','chinchwad','heart surgen',80000,105)	1 row(s) affected	0.000 sec
64	18:03:10	select * from doctor where speciality=(select speciality from doctor,hospital where hospital.hno=doctor.hno and...	2 row(s) returned	0.000 sec / 0.000 sec
65	18:06:11	select speciality,dname,hno from doctor,hospital where hospital.hno=doctor.hno and speciality='heart surgen' a...	Error Code: 1052. Column 'hno' in field list is ambiguous	0.000 sec
66	18:06:30	select speciality,dname,doctor.hno from doctor,hospital where hospital.hno=doctor.hno and speciality='heart su...	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

22 min delay SH114 / Kallwad...

Search

ENG IN

06:06 27-07-2024

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL Editor

```
152 * insert into doctor values(5,'ajay','piapri','dentist',70000,101);
153 * insert into doctor values(6,'suresh','chinchwad','skin',80000,101);
154 * insert into doctor values(7,'suresh','chinchwad','heart surgen',80000,105);
155 * select * from doctor;
156
157 * select dname,hname,speciality from hospital,doctor where hospital.hno=doctor.hno and doctor.addr='pune';
158
159 * select hname from hospital where addr='piapri';
160
161 * select dname from doctor,hospital where hospital.hno=doctor.hno and doctor.addr='chinchwad' and hname='birla';
162
163 * select speciality from doctor,hospital where hospital.hno=doctor.hno and hname='ruby';
164
165 * select count(*),hname from doctor,hospital where hospital.hno=doctor.hno and hospital.addr='pieple gurav' group by hname;
166
167 * update doctor,hospital set doctor.addr='piapri' where hospital.hno=doctor.hno and hname='ruby';
168
169 * select speciality,dname,doctor.hno from doctor,hospital where hospital.hno=doctor.hno and speciality='heart surgen' and hospital.addr='p';
170
171 * update hospital set addr='pune' where year=2000;
```

Output

#	Time	Action	Message	Duration / Fetch
62	18.02.58	insert into doctor values(5,'ajay','piapri','dentist',70000,101);	Error Code: 1062. Duplicate entry '5' for key 'doctor.PRIMARY'	0.000 sec
63	18.03.05	insert into doctor values(7,'suresh','chinchwad','heart surgen',80000,105)	1 row(s) affected	0.000 sec
64	18.03.10	select "from doctor where speciality=select speciality from doctor/hospital where hospital.hno=doctor.hno and...	2 row(s) returned	0.000 sec / 0.000 sec
65	18.06.11	select speciality,dname,hno from doctor/hospital where hospital.hno=doctor.hno and speciality='heart surgen' a...	Error Code: 1052. Column 'hno' in field list is ambiguous	0.000 sec
66	18.06.30	select speciality,dname,doctor.hno from doctor/hospital where hospital.hno=doctor.hno and speciality='heart su...	1 row(s) returned	0.000 sec / 0.000 sec
67	18.07.22	update hospital set addr='pune' where year=2000	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec

Object Info Session

75°F Cloudy

Search

ENG IN

06:07 27-07-2024

MySQL Workbench

hp x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

SQL Editor

```
166 * update doctor,hospital set doctor.addr='piapri' where hospital.hno=doctor.hno and hname='ruby';
168
169 * select speciality,dname,doctor.hno from doctor,hospital where hospital.hno=doctor.hno and speciality='heart surgen' and hospital.addr='p';
170
171 * update hospital set addr='pune' where year=2000;
172
173 * select sum(salary),hname from doctor,hospital where hospital.hno=doctor.hno group by hname;
```

Result Grid

sum(salary)	hname
190000	ruby
160000	adnath
100000	dhrath
150000	birla

Result 23 x

Output

#	Time	Action	Message	Duration / Fetch
63	18.03.05	insert into doctor values(7,'suresh','chinchwad','heart surgen',80000,105)	1 row(s) affected	0.000 sec
64	18.03.10	select "from doctor where speciality=select speciality from doctor/hospital where hospital.hno=doctor.hno and...	2 row(s) returned	0.000 sec / 0.000 sec
65	18.06.11	select speciality,dname,hno from doctor/hospital where hospital.hno=doctor.hno and speciality='heart surgen' a...	Error Code: 1052. Column 'hno' in field list is ambiguous	0.000 sec
66	18.06.30	select speciality,dname,doctor.hno from doctor/hospital where hospital.hno=doctor.hno and speciality='heart su...	1 row(s) returned	0.000 sec / 0.000 sec
67	18.07.22	update hospital set addr='pune' where year=2000	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
68	18.08.32	select sum(salary),hname from doctor/hospital where hospital.hno=doctor.hno group by hname LIMIT 0, 1000	4 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

75°F Cloudy

Search

ENG IN

06:08 27-07-2024

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

doctor 24 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
64	18.03.10	select * from doctor where speciality=(select speciality from doctor.hospital where hospital.hno=doctor.hno and...	2 row(s) returned	0.000 sec / 0.000 sec
65	18.06.11	select speciality,dname,hno from doctor.hospital where hospital.hno=doctor.hno and speciality='heart surgen' a...	Error Code: 1052. Column 'hno' in field list is ambiguous	0.000 sec
66	18.06.30	select speciality,dname,doctor.hno from doctor.hospital where hospital.hno=doctor.hno and speciality='heart su...	1 row(s) returned	0.000 sec / 0.000 sec
67	18.07.22	update hospital set add='pune' where year=2000	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
68	18.08.32	select sum(salary),hname from doctor.hospital where hospital.hno=doctor.hno group by hname LIMIT 0, 1000	4 row(s) returned	0.015 sec / 0.000 sec
69	18.09.12	select salary from doctor where add='pune' LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

75°F Cloudy

Search

ENG IN

06:09

27-07-2024