

HttpActionExecutedContext Class

Represents the action of the HTTP executed context.

Namespace: [System.Web.Http.Filters](#)

Assembly: System.Web.Http (in System.Web.Http.dll)

Inheritance Hierarchy

[System.Object](#)


System.Web.Http.Filters.HttpActionExecutedContext

Syntax




C#


```
public class HttpActionExecutedContext
```

Constructors







	Name	Description
	HttpActionExecutedContext()	Initializes a new instance of the HttpActionExecutedContext class.
	HttpActionExecutedContext(HttpActionContext, Exception)	Initializes a new instance of the HttpActionExecutedContext class.

Properties

	Name	Description
	ActionContext	Gets or sets the HTTP action context.
	Exception	Gets or sets the exception that was raised during the execution.
	Request	Gets the HttpRequestMessage object for the context.

	Response	Gets or sets the HttpResponseMessage for the context.
---	-----------------	---

Methods

	Name	Description
	Equals(Object)	(Inherited from Object .)
	Finalize()	(Inherited from Object .)
	GetHashCode()	(Inherited from Object .)
	GetType()	(Inherited from Object .)
	MemberwiseClone()	(Inherited from Object .)
	ToString()	(Inherited from Object .)

Thread Safety

Any public static (**Shared** in Visual Basic) members of this type are thread safe. Any instance members are not guaranteed to be thread safe.

See Also

[System.Web.Http.Filters Namespace](#)

[Return to top](#)

© 2017 Microsoft