


SEMANTIC VS NON SEMANTIC ELEMENTS




ADDING FAVICON ICON

How to add favicon icon ?



ANCHOR TAG





website

Send email

Call Me

WHAT IS HTML DOM?





INTRODUCTION TO CSS

CSS (Cascading Style Sheets) is a stylesheet language used for describing the look and formatting of a document written in HTML (Hypertext Markup Language). CSS is used to define the layout, font, color, and other visual aspects of a webpage, and it helps to separate the content of a webpage from its presentation. CSS allows you to apply styles to multiple HTML elements at once, and it makes it easy to maintain and update the styling of a webpage. You can use CSS to specify styles for different devices, such as desktop computers, tablets, and mobile phones, which makes it easier to create responsive designs that look good on any device. To use CSS, you can include a stylesheet in your HTML document using a `<link>` element, or you can use inline styles in your HTML elements using the `style` attribute. You can also use CSS to style elements in other documents, such as XML or SVG, and you can use CSS in combination with other technologies, such as JavaScript, to create dynamic and interactive webpages.

Selectors in CSS

1. Simple Selector


1. Element Selector
2. Class Selector
3. ID Selector

2. Pseudo-class selector

3. Multiple Selector

colors in css

Explore Time




Specificity:

Because elements can have multiple css selectors, there is a hierarchy for the weight given to each type of selector.

- tag selector
- class selector
- id selector
- inline css

!important

Box Model



content will be in rectangular form

Unit in CSS

1. Absolute Unit **px**

2. Percentage Unit **%**

3. Relative Unit


- Relative to font size em and rem
- Related to document vh and vw

Audio and Video Tag

```
<video autoplay controls loop >  
  <source src="doremon.mp4" type="video/mp4">  
</video>
```

```
<audio controls>  
  <source src="song.mp3" type="audio/mp3" >  
</audio>
```

CSS gradients



CSS gradients let you display smooth transitions between two or more specified colors.


- **CSS defines three types of gradients:**
- **Linear Gradients (goes down/up/left/right/diagonally)**
- **Radial Gradients (defined by their center)**
- **Conic Gradients (rotated around a center point)**

Font

Explore Time

- Font-family
- Font-weight
- Font-style
- Emphasis & Importance
- How to add External Fonts ?

CSS Shadow Effect



With CSS you can add shadow to text and to elements.

- **Text-shadow**
- **Box-shadow**

CSS Dimension properties:

- **Width**
- **Height**
- **Min-height**
- **Min-width**
- **Max-height**
- **Max-width**


Overflow Property:

The overflow CSS shorthand property sets the desired behavior for an element's overflow — i.e. when an element's content is too big to fit in its block formatting context — in both directions.

Values:

- Visible
- Hidden
- Scroll
- Auto

CSS Position Property




- **Static**
- **Relative**
- **Fixed**
- **Absolute**
- **Sticky**

z-index

The z-index CSS property sets the z-order of a positioned element and its descendants or flex and grid items. Overlapping elements with a larger z-index cover those with a smaller one.

Let's Practice

CSS FlexBox



Flexbox is a great way to get more flexibility in your layouts and to simplify responsive layout design. It makes it easy to align elements on a 2D plane and is pretty easy to use once you get familiar with the main properties.

- The first step is to set display: flex on a “container” element. The “children” to the flex container become flex items.

A set of properties can be applied to flex containers, and have an effect to all the items as a whole, and a different set of properties can be applied to flex items and have their effect on the targeted items. Flex items can in turn also be flex containers for the elements it contains, making it easy to create complex layouts.

Flex-container Properties:

- **Flex-direction**
- **Flex-wrap**
- **Flex-flow**
- **Justify-content**
- **align-items**
- **Align-content**

Flex-items Properties:

The direct child elements of a flex container automatically becomes flexible (flex) items.

- **Order**
- **Flex-grow**
- **Flex-shrink**
- **Flex-basis**
- **Align-self**