






Activities
Terminal
Sep 23 13:33
administrator@administrator-OptiPlex-5060: ~/33364/Student
1 node stopped.
administrator@administrator-OptiPlex-5060:~/33364/Student$ minikube start
minikube v1.39.0 on Ubuntu 20.04
Using the docker driver based on existing profile
Starting "minikube" primary control-plane node in "minikube" cluster
Pulling base image v0.0.51 ...
Restarting existing docker container for "minikube" ...
Found network options:
▪ NO_PROXY=localhost,127.0.0.0/8,::1
▪ NO_PROXY=localhost,127.0.0.0/8,::1
Preparing Kubernetes v1.37.0 on containerd 2.3.4 ...
▪ env NO_PROXY=localhost,127.0.0.0/8,::1
Verifying Kubernetes components...
▪ Using image gcr.io/k8s-minikube/storage-provisioner:v5
▪ Using image docker.io/kubernetesui/dashboard:v2.7.0
▪ Using image docker.io/kubernetesui/metrics-scraper:v1.0.8
Some dashboard features require the metrics-server addon. To enable all features please run:
minikube addons enable metrics-server
Enabled addons: storage-provisioner, default-storageclass, dashboard
Done! kubectl is now configured to use "minikube" cluster and "default" namespace by default
administrator@administrator-OptiPlex-5060:~/33364/Student$ minikube status
minikube
type: Control Plane
host: Running
kubelet: Running
apiserver: Running
kubeconfig: Configured
administrator@administrator-OptiPlex-5060:~/33364/Student$ kubectl get nodes
NAME STATUS ROLES AGE VERSION
minikube Ready control-plane 24h v1.37.0
administrator@administrator-OptiPlex-5060:~/33364/Student$ docker images | grep stu_name
stu_name_1 latest 9b5a53181073 2 weeks ago 69MB
administrator@administrator-OptiPlex-5060:~/33364/Student$ minikube image ls | grep stu_name
docker.io/library/stu_name_1:latest
administrator@administrator-OptiPlex-5060:~/33364/Student$ kubectl get deployments
NAME READY UP-TO-DATE AVAILABLE AGE
stu-name 4/4 4 4 21m
student-task-manager 2/2 2 2 23h
administrator@administrator-OptiPlex-5060:~/33364/Student$ kubectl get pods
NAME READY STATUS RESTARTS AGE
stu-name-585cd48587-5rht7 1/1 Running 1 (2m36s ago) 15m
stu-name-585cd48587-6bhhq 1/1 Running 1 (2m36s ago) 15m
stu-name-585cd48587-cjbzw 1/1 Running 1 (2m36s ago) 13m


Activities
Terminal
Sep 23 13:33
administrator@administrator-OptiPlex-5060: ~/33364/Student
student-task-manager 2/2 2 2 23h
administrator@administrator-OptiPlex-5060:~/33364/Student$ kubectl get pods
NAME READY STATUS RESTARTS AGE
stu-name-585cd48587-5rht7 1/1 Running 1 (2m36s ago) 15m
stu-name-585cd48587-6bhhq 1/1 Running 1 (2m36s ago) 15m
stu-name-585cd48587-cjbzw 1/1 Running 1 (2m36s ago) 13m
stu-name-585cd48587-sxfqf 1/1 Running 1 (2m36s ago) 15m
student-task-manager-559fc9445d-cmsr5 1/1 Running 2 (2m36s ago) 23h
student-task-manager-559fc9445d-j87sk 1/1 Running 2 (2m36s ago) 23h
administrator@administrator-OptiPlex-5060:~/33364/Student$ kubectl get deployment stu-name
NAME READY UP-TO-DATE AVAILABLE AGE
stu-name 4/4 4 4 21m
administrator@administrator-OptiPlex-5060:~/33364/Student$ kubectl get services
NAME TYPE CLUSTER-IP EXTERNAL-IP PORT(S) AGE
kubernetes ClusterIP 10.96.0.1 <none> 443/TCP 24h
stu-name NodePort 10.104.119.67 <none> 80:31644/TCP 28m
student-task-manager-service NodePort 10.109.125.182 <none> 5000:30877/TCP 23h
administrator@administrator-OptiPlex-5060:~/33364/Student$ minikube service stu-name
NAMESPACE NAME TARGET PORT URL
default stu-name 80 http://192.168.49.2:31644
Opening service default/stu-name in default browser...
administrator@administrator-OptiPlex-5060:~/33364/Student$ Opening in existing browser session.
^C
administrator@administrator-OptiPlex-5060:~/33364/Student$ kubectl get pods
NAME READY STATUS RESTARTS AGE
stu-name-585cd48587-5rht7 1/1 Running 1 (4m10s ago) 16m
stu-name-585cd48587-6bhhq 1/1 Running 1 (4m10s ago) 16m
stu-name-585cd48587-cjbzw 1/1 Running 1 (4m10s ago) 14m
stu-name-585cd48587-sxfqf 1/1 Running 1 (4m10s ago) 16m
student-task-manager-559fc9445d-cmsr5 1/1 Running 2 (4m10s ago) 23h
student-task-manager-559fc9445d-j87sk 1/1 Running 2 (4m10s ago) 23h
administrator@administrator-OptiPlex-5060:~/33364/Student$ kubectl delete pod stu-name-585cd48587-5rht7
pod "stu-name-585cd48587-5rht7" deleted from default namespace
administrator@administrator-OptiPlex-5060:~/33364/Student$ kubectl get pods
NAME READY STATUS RESTARTS AGE
stu-name-585cd48587-4d9bt 1/1 Running 0 16s
stu-name-585cd48587-6bhhq 1/1 Running 1 (4m51s ago) 17m
stu-name-585cd48587-cjbzw 1/1 Running 1 (4m51s ago) 15m
stu-name-585cd48587-sxfqf 1/1 Running 1 (4m51s ago) 17m
student-task-manager-559fc9445d-cmsr5 1/1 Running 2 (4m51s ago) 23h
student-task-manager-559fc9445d-j87sk 1/1 Running 2 (4m51s ago) 23h
administrator@administrator-OptiPlex-5060:~/33364/Student$ kubectl logs stu-name-585cd48587-4d9bt
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration


Activities
Terminal
Sep 23 13:33
administrator@administrator-OptiPlex-5060: ~/33364/Student
stu-name-585cd48587-sxfqf 1/1 Running 1 (4m51s ago) 17m
student-task-manager-559fc9445d-cmsr5 1/1 Running 2 (4m51s ago) 23h
student-task-manager-559fc9445d-j87sk 1/1 Running 2 (4m51s ago) 23h
administrator@administrator-OptiPlex-5060:~/33364/Student$ kubectl logs stu-name-585cd48587-4d9bt
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: Getting the checksum of /etc/nginx/conf.d/default.conf
10-listen-on-ipv6-by-default.sh: info: Enabled listen on IPv6 in /etc/nginx/conf.d/default.conf
/docker-entrypoint.sh: Sourcing /docker-entrypoint.d/15-local-resolvers.envsh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2026/09/23 08:01:19 [notice] 1#1: using the "epoll" event method
2026/09/23 08:01:19 [notice] 1#1: nginx/1.31.5
2026/09/23 08:01:19 [notice] 1#1: built by gcc 15.2.0 (Alpine 15.2.0)
2026/09/23 08:01:19 [notice] 1#1: OS: Linux 5.15.0-139-generic
2026/09/23 08:01:19 [notice] 1#1: getrlimit(RLIMIT_NOFILE): 1048576:1048576
2026/09/23 08:01:19 [notice] 1#1: start worker processes
2026/09/23 08:01:19 [notice] 1#1: start worker process 30
2026/09/23 08:01:19 [notice] 1#1: start worker process 31
2026/09/23 08:01:19 [notice] 1#1: start worker process 32
2026/09/23 08:01:19 [notice] 1#1: start worker process 33
2026/09/23 08:01:19 [notice] 1#1: start worker process 34
2026/09/23 08:01:19 [notice] 1#1: start worker process 35
administrator@administrator-OptiPlex-5060:~/33364/Student$ kubectl get deployment stu-name
NAME READY UP-TO-DATE AVAILABLE AGE
stu-name 4/4 4 4 24m
administrator@administrator-OptiPlex-5060:~/33364/Student$ kubectl get pods
NAME READY STATUS RESTARTS AGE
stu-name-585cd48587-4d9bt 1/1 Running 0 87s
stu-name-585cd48587-6bhhq 1/1 Running 1 (6m2s ago) 18m
stu-name-585cd48587-cjbzw 1/1 Running 1 (6m2s ago) 16m
stu-name-585cd48587-sxfqf 1/1 Running 1 (6m2s ago) 18m
student-task-manager-559fc9445d-cmsr5 1/1 Running 2 (6m2s ago) 23h
student-task-manager-559fc9445d-j87sk 1/1 Running 2 (6m2s ago) 23h
administrator@administrator-OptiPlex-5060:~/33364/Student$ kubectl get services
NAME TYPE CLUSTER-IP EXTERNAL-IP PORT(S) AGE
kubernetes ClusterIP 10.96.0.1 <none> 443/TCP 24h
stu-name NodePort 10.104.119.67 <none> 80:31644/TCP 31m
student-task-manager-service NodePort 10.109.125.182 <none> 5000:30877/TCP 23h
administrator@administrator-OptiPlex-5060:~/33364/Student$ minikube stop
Stopping node "minikube" ...
Powering off "minikube" via SSH ...
1 node stopped.
administrator@administrator-OptiPlex-5060:~/33364/Student$


Activities
Google Chrome
Sep 23 13:30
Student Task Manager
Not secure
192.168.49.2:31644
New Chrome available
Student Task Manager
Total Tasks: 0
Enter task
Add


Activities
Text Editor
Sep 23 13:36
Open
deployment.yaml
~/33364/Student
Save
.dockerignore
deployment.yaml
apiVersion: apps/v1
kind: Deployment
metadata:
name: stu-name
spec:
replicas: 1
selector:
matchLabels:
app: stu-name
template:
metadata:
labels:
app: stu-name
spec:
containers:
- name: stu-name-1
image: stu_name_1:latest
imagePullPolicy: Never
ports:
- containerPort: 80
YAML
Tab Width: 13
Ln 1, Col 1
INS


Activities
Text Editor
Sep 23 14:14
Open
service.yaml
~/33364/Student
Save
.dockerignore
deployment.yaml
service.yaml
apiVersion: v1
kind: Service
metadata:
name: stu-name
spec:
type: NodePort
selector:
app: stu-name
ports:
- port: 80
targetPort: 80
protocol: TCP
Loading file "/home/administrator/33364/Student/service.yaml"...
YAML
Tab Width: 13
Ln 1, Col 1
INS