# Service Oriented Computing IT31063

Name: A.W.M.O.K. Bandara

**Index: IT2020122** 

Senior Lecturer: Mr. Daminda Herath

### **HORIZON CAMPUS**


**Faculty of IT** 

**BSc (Hons) in Information technology** 


## **Table of Contents**

01). Question 1	1
02. Question 2	2
03). Question 3	
	4
04 Source Codes	6


#### 01). Question 1



Restful Web Service 1



country.php 1.1



countydetails.php 1.3

## 02. Question 2



cityinformation 2. 1

	Research and Development Lab	
		Home RestFull Web Service
	City Information	
Search Cities:	kandy	

## **City Details**

ID	City Name	State Name	Country Name	
2788	Kandy District	No data available	Sri Lanka	City Details
65687	Kandyagash	Aktobe Region	Kazakhstan	City Details
66489	Kandy	Central Province	Sri Lanka	City Details
66490	Kandy District	Central Province	Sri Lanka	City Details
146168	Kandy Four Gravets	Kandy District	Sri Lanka	City Details

cityinformation 2. 2

Research and Development Lab

Home RestFull Web Service

## **City Information**

City ID:	146168
City Name:	Kandy Four Gravets
State Name:	Kandy District
Country Name:	Sri Lanka
Country Flag:	


Google Maps Platform rejected your request. This API project is not authorized to use this API.


cityinformation 2. 3

## 03). Question 3

		Research and Developme	ent Lab		
	60)//D1	·			Home RestFull V
	COVIDI	9 Information	on in Euro	pe	
Country	Population	Total Covid Cases	Total Deaths	Tests	Continent
Vatican-City	799	29	0	0	Europe
Isle-of-Man	85732	38008	116	150753	Europe
Faeroe-Islands	49233	34658	28	778000	Europe
Iceland	345393	209191	229	1996384	Europe
Channel-Islands	176463	101717	228	1252808	Europe
Gibraltar	33704	20550	113	534283	Europe
Andorra	77463	48015	165	249838	Europe
Liechtenstein	38387	21446	94	112457	Europe
San-Marino	34085	24298	125	196855	Europe
Malta	444033	118815	839	2140075	Europe
Monaco	39783	16804	67	78646	Europe
Belarus	9432800	994037	7118	13646641	Europe

covid19 .php 3. 2





Data Base 4, 1

#### 04. Source Codes

• Rest. Php

```
<!DOCTYPE html>
    <title>RestFull Web Service</title>
    <meta charset="UTF-8">
    <title>Asian Countries</title>
    k rel="stylesheet" href="bootstrap-5.0.2-dist/css/bootstrap.min.css" />
    <div id="main">
       <div id="header" class="bg bg-dark text text-white"><center>Research and
Development Lab </center></div>
       <div id="navigation" class="container-fluid" align="right" > <a class="li"</pre>
href="rest.php">Home</a>&nbsp; RestFull Web Service</div>
       <div id="content">
         <div class="container">
           <div class="row">
              <div class="col-md-3">&nbsp;</div>
             <div class="col-md-6" >
                <h5 class="ali">RestFull Web Services</h5>
 <div class="card">
   <div class="card-body">
      <a href="country.php" class="11">Country Information (Asia)</a>
     <a href="cityinformation.php" class="11">Search Cities</a>
     <a href="covid19.php" class="11">COVID-19 Europe</a>
     <a href="covid19chart.php" class="11">COVID-19 Europe - Chart</a>
              <div class="col-md-3">&nbsp;</div>
```

```
    </div>
    </div>
    </div>
    </body>
    </html>
```

#### Country. Php

```
$path="https://restcountries.com/v3.1/region/asia";
   $data = json_decode(file_get_contents($path),true);
 <!DOCTYPE html>
   <title>Asian Countries</title>
    <meta charset="UTF-8">
    k rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" />
  <div id="main">
 div id="header" class="bg bg-dark text text-white"><center>Research and Development Lab
      <div id="navigation" class="container-fluid" align="right" > <a class="li"</pre>
href="rest.php">Home</a>&nbsp;
      <a href="rest.php"> RestFull Web Service</a></div>
    <div class="container">
      <h2 class="text-primary alert"><center>Asian Countries </center></h2>
     Flag 
        Country Name 
         Capital City 
         Region 
        Subregion 
        Currencies 
        Country Code
```

```
<?php foreach($data as $value){ ?>
    <img src="<?php echo $value['flags']['png'];?>" width="40" height="20"/>
    <?php echo $value['name']['common']; ?>
        if(empty($value['capital'][0])){
        else echo $value['capital'][0];
    <?php echo $value['region']; ?>
    <?php echo $value['subregion']; ?>
        $currency_array = $value['currencies'];
        foreach ($currency_array as $c){
           $currency=$c['name'];
           $symbol=$c['symbol'];
           print($currency . "(" . $symbol . ")");
           echo "</br>";
  <?php echo $value['cca2']; ?>
  <a href="countrydetails.php?q=<?php echo $value['cca2'];?>">
  <button class="btn btn-success" type="button">View</button></a>
```

#### • Countrydetails.php

```
<?php</li>
//set path
$c=$_GET['q'];
$path="https://restcountries.com/v3.1/alpha/$c";
$data = json_decode(file_get_contents($path),true);
?>
<!DOCTYPE html>
<html>
<head>
```

```
<meta charset="UTF-8">
    <title>Asian Countries</title>
    k rel="stylesheet" href="bootstrap-5.0.2-dist/css/bootstrap.min.css" />
  <div id="main">
<div id="header" class="bg bg-dark text text-white"><center>Research and
Development Lab </center></div>
      <div id="navigation" class="container-fluid" align="right" > <a class="li"</pre>
href="rest.php">Home</a>&nbsp;
      <a href="rest.php"> RestFull Web Service</a></div>
    <h2><center><?php echo $data[0]['name']['common'];?></center></h2>
    <div class="row">
    <div class="col-2">&nbsp;</div>
        <div class="col-8">
      <img src = "<?php echo $data[0]['flags']['png'];?>"" width="220"
height="160"/>
        Official Name
        <?php echo $data[0]['name']['official'];?>
        Capital
        <?php echo $data [0]['capital'][0];?>
        Code
        <?php echo $data[0]['cca2'];?>
        Currency
        <?php
              $currency_array = $data[0]['currencies'];
              foreach ($currency_array as $c){
                $currency=$c['name'];
                print($currency);
                echo "</br>";
```

```
Subregion
  <?php echo $data[0]['subregion'];?>
 Continent
 <?php echo $data[0]['region'];?>
Languages
 <?php if(isset($data[0]['borders'])){</pre>
   $borders=$data[0]['borders'];
    echo join(",",$borders);
  }else{
   echo "No Borders";
Polpulation
  <?php echo $data[0]['population'];</pre>
Area
  <?php echo number_format( $data[0]['area'])?>
```

#### • Cityinformation.php

```
function showCities(event, input) {
       if (event.keyCode === 13) {
         var searchTerm = input.value.trim();
         if (searchTerm === "") {
           document.getElementById("city-details").innerHTML = "";
         const xhr = new XMLHttpRequest();
         xhr.onreadystatechange = function() {
           if (this.readyState === 4 && this.status === 200) {
              document.getElementById("city-details").innerHTML = this.responseText;
         xhr.open("GET", "getinformation.php?q=" + searchTerm, true);
         xhr.send();
 <div id="main">
 div id="header" class="bg bg-dark text text-white"><center>Research and Development Lab
       <div id="navigation" class="container-fluid" align="right" > <a class="li"</pre>
href="rest.php">Home</a>&nbsp; <a href="rest.php"> RestFull Web Service</a></div>
  <div id="main">
  <div id="content">
  <div class="container">
  <div class="row">
  <div class="col-md-1">&nbsp;</div>
  <div class="col-md-10">
    <h5 class="text-center">City Information</h5>
       <div class="container">
         <h5 class="text text-primary">
           <div class="row">
           <div class="col-md-4">Search Cities:</div>
           <div class="col-md-8">
              <input type="text" id="search" class="form-control" onkeyup="showCities(event, this)" />
         </h5>
       <div id="city-details">Load Cities</div>
```

```
</div>
</div>
<div class="col-md-1">&nbsp;</div>
</div>
</div>
</div>
</div>
</div>
</div>
</html>
```

#### • Getinformation.php

```
c = GET['q'];
$curl = curl_init();
curl_setopt_array($curl, [
  CURLOPT_URL => "https://city-and-state-search-api.p.rapidapi.com/search?q=$c",
  CURLOPT_RETURNTRANSFER => true,
  CURLOPT_ENCODING => "",
  CURLOPT_MAXREDIRS => 10,
  CURLOPT_TIMEOUT => 30,
  CURLOPT_HTTP_VERSION => CURL_HTTP_VERSION_1_1,
  CURLOPT_CUSTOMREQUEST => "GET",
  CURLOPT_HTTPHEADER => [
    "X-RapidAPI-Host: city-and-state-search-api.p.rapidapi.com",
    "X-RapidAPI-Key: 7d404d4562mshabcd2912a57ec7ap181217jsna0b7caaf1660"
]);
$response = curl_exec($curl);
$error = curl_error($curl);
curl_close($curl);
if ($error) {
  echo "cURL Error #:" . $error;
  $c = json_decode($response, true);
```

```
<meta charset="UTF-8">
  link rel="stylesheet" href="bootstrap-5.0.2-dist/css/bootstrap.min.css" />
  <title>City Details</title>
<div class="container">
  <h1>City Details</h1>
  ID
      City Name
      State Name
      Country Name
    <?php foreach ($c as $v) { ?>
        <?php echo $v['id']; ?>
        <?php echo $v['name']; ?>
            if (isset($v['state_name'])) {
              echo $v['state_name'];
            else {
              echo 'No data available';
          <?php
            if (isset($v['country_name'])) {
              echo $v['country_name'];
            else {
              echo 'No data available';
```

```
<php echo $v['id'];?>"><?php echo '<button
<pre>type="button" class="btn btn-success">City Details</button>'; ?></a>

<php } ?></php } ?>
</ph>
</ph>
<phtoday>
</ph>
</pr>
</pr>
</pr>
</ph>
</pr>

<
```

#### • Citydetails.php

```
$city = $_GET['q'];
$curl = curl_init();
curl_setopt_array($curl, [
  CURLOPT_URL => "https://city-and-state-search-api.p.rapidapi.com/cities/$city",
  CURLOPT RETURNTRANSFER => true,
  CURLOPT_ENCODING => "",
  CURLOPT_MAXREDIRS => 10,
  CURLOPT_TIMEOUT => 30,
  CURLOPT_HTTP_VERSION => CURL_HTTP_VERSION_1_1,
  CURLOPT_CUSTOMREQUEST => "GET",
  CURLOPT_HTTPHEADER => [
    "X-RapidAPI-Host: city-and-state-search-api.p.rapidapi.com",
    "X-RapidAPI-Key:7d404d4562mshabcd2912a57ec7ap181217jsna0b7caaf1660"
]);
$response = curl_exec($curl);
$error = curl_error($curl);
```

```
curl_close($curl);
if ($error) {
  echo "cURL Error #:" . $error;
} else {
  $cityDetails = json_decode($response, true);
function displayData($label, $value)
  echo '
    ' . $label . ':
    ' . $value . '
 !DOCTYPE html>
<a href="html">html lang="en">
 meta charset="UTF-8">
 k rel="stylesheet" href="bootstrap-5.0.2-dist/css/bootstrap.min.css" />
  <title>City Details</title>
 <div id="main">
 div id="header" class="bg bg-dark text text-white"><center>Research and Development Lab
      <div id="navigation" class="container-fluid" align="right" > <a class="li" href="rest.php" > Home</a>
  <a href="rest.php"> RestFull Web Service</a></div>
<h1><center>City Information</center></h1>
<div class="row">
<div class="col-2">&nbsp;</div>
<div class="col-8">
 <div class="clearfix">&nbsp;</div>
 <a href="container">
      <hr />
  <?php
      $data = [
         ['City ID', $cityDetails['id']],
         ['City Name', $cityDetails['name']],
```

```
['State Name', $cityDetails['state_name'] ?? 'No data available'],
         ['Country Name', $cityDetails['country_name'] ?? 'No data available'],
       foreach ($data as $row) {
         displayData($row[0], $row[1]);
    Country Flag:
       <?php
         echo "<img src='https://flagcdn.com/w320/" . strtolower($cityDetails['country_code']) . ".png' alt="" .
$cityDetails['country_name'] . " Flag' width='100' height='50'>";
    width="100%"
         height="250"
         frameborder="1" style="border:1"
         referrerpolicy="no-referrer-when-downgrade"
         src="https://www.google.com/maps/embed/v1/place?key=AIzaSyDsHr7Ogo7rhF_qEIXLx4jiIuDz5z
zsOUQ&q=<?php echo urlencode($cityDetails['name'] . ', ' . $cityDetails['country_name']); ?>&zoom=12"
         llowfullscreen>
```

#### • Covid19.php

```
• <?php
• 
$curl = curl_init();</pre>
```

```
curl_setopt_array($curl, [
  CURLOPT_URL => "https://covid-193.p.rapidapi.com/statistics",
  CURLOPT_RETURNTRANSFER => true,
  CURLOPT_ENCODING => "",
  CURLOPT_MAXREDIRS => 10,
  CURLOPT_TIMEOUT => 30,
  CURLOPT_HTTP_VERSION => CURL_HTTP_VERSION_1_1,
  CURLOPT_CUSTOMREQUEST => "GET",
  CURLOPT_HTTPHEADER => [
    "X-RapidAPI-Host: covid-193.p.rapidapi.com",
    "X-RapidAPI-Key: 7d404d4562mshabcd2912a57ec7ap181217jsna0b7caaf1660"
$response = curl_exec($curl);
$error = curl_error($curl);
curl_close($curl);
if ($error) {
  echo "cURL Error #:" . $error;
  $result = json_decode($response, true);
  $c = $result['response'];
<!DOCTYPE html>
<html lang="en">
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  rel="stylesheet" href="bootstrap-5.0.2-dist/css/bootstrap.min.css" />
  <title>COVID19 Information in Europe</title>
<div id="header" class="bg bg-dark text text-white"><center>Research and Development Lab
      <div id="navigation" class="container-fluid" align="right" > <a class="li"</pre>
href="rest.php">Home</a> &nbsp; <a href="rest.php">RestFull Web Service</a></div>
  <div class="container">
    <h1><center>COVID19 Information in Europe</center></h1>
```

#### Covid19chart.php

```
$error = curl_error($curl);
curl_close($curl);
if ($error) {
  echo "cURL Error #:" . $error;
  $data = json_decode($response, true);
  $c = $data['response'];
<!DOCTYPE html>
<html lang="en">
  link rel="stylesheet" href="bootstrap-5.0.2-dist/css/bootstrap.min.css" />
  <script type="text/javascript" src="https://www.gstatic.com/charts/loader.js"></script>
  <script type="text/javascript">
   google.charts.load('current', {'packages':['corechart']});
    google.charts.setOnLoadCallback(drawChart);
    function drawChart() {
     var dataTable = new google.visualization.DataTable();
     dataTable.addColumn('string', 'Country');
     dataTable.addColumn('number', 'Cases');
     <?php
     foreach ($c as $v) {
       if ($v['continent'] == 'Europe') {
          $countryName = $v['country'];
          $cases = $v['cases']['total'];
       echo "dataTable.addRow(['$countryName', $cases]);";
     var options = {
       'title': 'COVID-19 Cases in European Countries',
```

Covid19save.php

```
<?php
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "covid2023";
$conn = new mysqli($servername, $username, $password, $dbname);
if ($conn->connect_error) {
  die("Connection failed: " . $conn->connect_error);
$curl = curl_init();
curl_setopt_array($curl, [
  CURLOPT_URL => "https://covid-193.p.rapidapi.com/statistics",
  CURLOPT_RETURNTRANSFER => true,
  CURLOPT_ENCODING => "",
  CURLOPT_MAXREDIRS => 10,
  CURLOPT_TIMEOUT => 30,
  CURLOPT_HTTP_VERSION => CURL_HTTP_VERSION_1_1,
  CURLOPT_CUSTOMREQUEST => "GET",
```

```
CURLOPT_HTTPHEADER => [
     "X-RapidAPI-Host: covid-193.p.rapidapi.com",
     "X-RapidAPI-Key: 7d404d4562mshabcd2912a57ec7ap181217jsna0b7caaf1660"
]);
$response = curl_exec($curl);
$err = curl_error($curl);
curl_close($curl);
if ($err) {
  echo "cURL Error #:" . $err;
} else {
  $data = json_decode($response, true);
  $c = $data['response'];
foreach ($c as $v) {
  $countryName = $v['country'];
  $population = $v['population'];
  $totalcases = $v['cases']['total'];
  $deaths = $v['deaths']['total'];
  $tests = $v['tests']['total'];
  $continent = $v['continent'];
  det{day'};
  $sql = "INSERT INTO covidcases (countryName, population, totalcases, deaths, tests, continent, date)
       VALUES ('$countryName', '$population', '$totalcases', '$deaths', '$tests', '$continent', '$date')";
  if ($conn->query($sql) === TRUE) {
  } else {
    echo "Error: ";
echo "Data Insertion successfully";
$conn->close();
```