

INSTITUTO TECNOLÓGICO DE CANCUN



Nombre De La Materia: Fundamentos De Telecomunicaciones

Nombre De La Unidad: Sistemas de comunicación


N.º De Actividad: Laboratorio 30

Nombre Del Alumno: Vazquez Canto Andres Omar

N.º De Control: 17530439

Lab30- Export a List of HTTP Host Field Values from a Trace File

Paso 1:



Wireshark - Open Capture File

Buscar en: wireshark101v2files

Nombre	Fecha de modificación	Tipo	Tamaño
http-au101b.pcapng	23/10/2012 17:09	Wireshark capture...	747 KB
http-browse101.pcapng	20/10/2012 17:50	Wireshark capture...	1.719 KB
http-browse101b.pcapng	08/11/2012 14:55	Wireshark capture...	119 KB
http-browse101c.pcapng	04/11/2012 20:31	Wireshark capture...	838 KB
http-browse101d.pcapng	04/11/2012 20:31	Wireshark capture...	838 KB
http-chappellu101.pcapng	24/10/2012 16:10	Wireshark capture...	948 KB
http-chappellu101b.pcapng	24/01/2013 18:41	Wireshark capture...	615 KB
http-cheez101.pcapng	03/01/2013 17:51	Wireshark capture...	4.004 KB
http-college101.pcapng	07/11/2012 12:44	Wireshark capture...	1.717 KB
http-disney101.pcapng	24/10/2012 16:03	Wireshark capture...	6.216 KB
httpdnsprofile.zip	30/10/2012 19:37	Archivo WinRAR Z...	34 KB
http-download101.pcapng	24/10/2012 15:06	Wireshark capture...	5.676 KB
http-download101c.pcapng	02/11/2012 12:40	Wireshark capture...	27.344 KB
http-download101d.pcapng	02/11/2012 17:23	Wireshark capture...	22.147 KB
http-download-a.pcapng	08/05/2012 17:14	Wireshark capture...	168.118 KB
http-errors101.pcapng	02/11/2012 13:27	Wireshark capture...	119 KB
http-espn101.pcapng	30/10/2012 18:02	Wireshark capture...	4.589 KB
http-google101.pcapng	08/11/2012 19:15	Wireshark capture...	379 KB
http-jezebel101.pcapng	05/11/2012 20:08	Wireshark capture...	8.204 KB
http-misttraffic101.pcapng	05/11/2012 23:24	Wireshark capture...	892 KB
http-nonstandard101.pcapng	29/10/2012 22:42	Wireshark capture...	685 KB

Nombre de archivo: http-au101b.pcapng

Tipo de archivo: All Files

Read filter: Format: Wireshark/... - pcapng

Automatically detect file type

Size: 746KB, 854 data records

Start / elapsed: 2012-10-23 18:03:02 / 00:00:17

0000 00 01 5c 31 bb c1 00 21 cc 40 d6 91 08 00 45 00 ..\1...! .@...E.
0010 02 e5 0f f6 40 00 80 06 29 76 18 06 b5 a0 6b 06 ...@...)v...k.
0020 85 fa 04 f2 00 50 97 7c eb 8a bc 0b 71 f6 50 18P..| ...q.P.
0030 40 29 82 3f 00 00 47 45 54 20 2f 64 61 74 61 2f @).?...GE T /data/
0040 72 65 6c 65 61 73 65 73 2f 6d 65 74 61 73 70 6c releases /metasp
0050 6f 69 74 2d 6c 61 74 65 73 74 2d 77 69 6e 64 6f oit-late st-windo
0060 77 73 2d 69 6e 73 74 61 6c 6c 65 72 2e 65 78 65 ws-insta ller.exe
0070 20 48 54 54 50 2f 31 2e 31 0d 0a 41 63 63 65 70 HTTP/1. 1..Accep
0080 74 3a 20 74 65 78 74 2f 68 74 6d 6c 2c 20 61 70 t: text/ html, ap
0090 70 6c 69 63 61 74 69 6f 6e 2f 78 68 74 6d 6c 2b plicatio n/xhtml1+
00a0 78 6d 6c 2c 20 2a 2f 2a 0d 0a 52 65 66 65 72 65 xml, /* ..Refere
00b0 72 3a 20 68 74 74 70 3a 2f 2f 77 77 7e 6d 65 r: http: //www.me
00c0 74 61 73 70 6c 6f 69 74 2e 63 6f 6d 2f 64 6f 77 tasplot .com/dow
00d0 6e 6c 6f 61 64 2f 0d 0a 41 63 63 65 70 74 2d 4c nload/.. Accept-L
00e0 61 6e 67 75 61 67 65 3a 20 65 6e 2d 55 53 0d 0a anguage: en-US..
00f0 55 73 65 72 2d 41 67 65 6e 74 3a 20 4d 6f 7a 69 User-Age nt: Mozi
0100 6c 6c 61 2f 35 2e 30 20 28 63 6f 6d 70 61 74 69 lla/5.0 (compati
0110 62 6c 65 3b 20 4d 53 49 45 20 39 2e 30 3b 20 57 ble; MSI E 9.0; W
0120 69 6e 64 6f 77 73 20 4e 54 20 36 2e 31 3b 20 57 indows N T 6.1; W
0130 4f 57 36 34 3b 20 54 72 69 64 65 6e 74 2f 35 2e OW64; Tr ident/5.

http-misttraffic101.pcapng | Packets: 682 · Displayed: 682 (100.0%) | Profile: wireshark101


Paso 2:

The image shows the Wireshark network traffic analysis interface. The top menu bar includes File, Edit, View, Go, Capture, Analyze, Statistics, Telephony, Wireless, Tools, and Help. Below the menu is a toolbar with various icons for file operations, capture control, and analysis. The main display area is divided into three panes:

- Packet List:** Shows a list of captured packets. The first packet is selected, showing its details in the packet details pane.
- Packet Details:** Displays the hierarchical structure of the selected packet. It shows the following layers:
 - Host
 - Coloring Rule Name
 - 50.57.118.49
 - Host (http.host)
 - Checksum Errors
 - HTTP
 - Checksum Errors
 - HTTP
 - Checksum Errors
 - HTTP
 - HTTP
 - HTTP
 - Checksum Errors
 - HTTP
 - Checksum Errors
 - UDP
 - Checksum Errors
 - 5.100 A 208.48.81.134 A 64...
 - UDP
 - Checksum Errors
- Packet Bytes:** Displays the raw packet data in hexadecimal and ASCII. The data is shown in a table format with columns for offset, hexadecimal, and ASCII.

The bottom status bar shows the file name "http-au101b.pcapng", the number of packets (854), the number of displayed packets (854, 100.0%), and the profile name "wireshark101".

Paso 3:



The image shows a Wireshark packet capture analysis of a file named `http-au101b.pcapng`. The interface includes a menu bar (File, Edit, View, Go, Capture, Analyze, Statistics, Telephony, Wireless, Tools, Help), a toolbar, and a packet list pane at the top. The packet list pane displays a list of captured packets, with the selected packet (No. 8) highlighted in blue. The packet details pane below the list shows the structure of the selected packet, including the Ethernet II header, Internet Protocol Version 4 header, and Hypertext Transfer Protocol header. The packet bytes pane at the bottom shows the raw data of the selected packet in hexadecimal and ASCII.

No.	Time	TCP Delta	Source	Destination	Protocol	Info
777	0.303257	1.908060...	24.6.173.220	208.48.81.133	HTTP	GET /favicon.ico HTTP/1.1
35	0.052922	0.014707...	24.6.173.220	208.48.81.133	HTTP	GET /common/fabulousdomains/skins/fab/images/b...
26	0.000379	0.055113...	24.6.173.220	208.48.81.133	HTTP	GET /common/fabulousdomains/skins/fab/images/b...
25	0.061105	0.008828...	24.6.173.220	208.48.81.133	HTTP	GET /common/fabulousdomains/skins/fab/images/b...
18	0.021377	0.000530...	24.6.173.220	208.48.81.133	HTTP	GET /?pagesection=forsale HTTP/1.1
14	0.042474	0.015812...	24.6.173.220	208.48.81.133	HTTP	GET /?pagesection=body HTTP/1.1
11	0.100123	0.032040...	24.6.173.220	208.48.81.133	HTTP	GET /unique/track.js?referrer=about%3Ablank HT...
8	0.000000	0.000512...	24.6.173.220	208.48.81.133	HTTP	GET / HTTP/1.1
39	0.054243	0.000419...	24.6.173.220	50.57.118.49	HTTP	GET / HTTP/1.1
328	0.021948	0.000499...	24.6.173.220	72.21.91.19	HTTP	GET /js/woopra.js HTTP/1.1
816	11.290599	11.55954...	24.6.173.220	173.193.174.199	HTTP	GET /ping/?ra=L76P01UYBL6UX91N&alias=domainnam...
439	0.003568	0.000438...	24.6.173.220	173.193.174.199	HTTP	GET /visit/?ra=UCYVAJQQSH8I9FW0&alias=domainna...
602	0.001524	0.000478...	24.6.173.220	50.57.118.49	HTTP	GET /images/footer_bg.jpg HTTP/1.1
597	0.053701	0.000619...	24.6.173.220	50.57.118.49	HTTP	GET /images/full_email.png HTTP/1.1
563	0.001833	0.000528...	24.6.173.220	50.57.118.49	HTTP	GET /images/web_hosting.png HTTP/1.1
559	0.001362	0.000485...	24.6.173.220	50.57.118.49	HTTP	GET /images/website_creator.png HTTP/1.1
555	0.027254	0.000830...	24.6.173.220	50.57.118.49	HTTP	GET /images/opt_cont_links_bg.jpg HTTP/1.1
547	0.060803	0.000623...	24.6.173.220	50.57.118.49	HTTP	GET /images/view_samples_wide.jpg HTTP/1.1

Frame 8: 351 bytes on wire (2808 bits), 351 bytes captured (2808 bits) on interface \Device\NPF_{6E79FEC0-FF79-4970-96E4-EEFF300A9B...}

Interface id: 0 (\Device\NPF_{6E79FEC0-FF79-4970-96E4-EEFF300A9B...})

Encapsulation type: Ethernet (1)

Arrival Time: Oct 23, 2012 18:03:02.161667000 Hora estándar del Este (México)

[Time shift for this packet: 0.000000000 seconds]

Epoch Time: 1351033382.161667000 seconds

[Time delta from previous captured frame: 0.000512000 seconds]

[Time delta from previous displayed frame: 0.000000000 seconds]

[Time since reference or first frame: 0.113872000 seconds]

Frame Number: 8

Frame Length: 351 bytes (2808 bits)

Capture Length: 351 bytes (2808 bits)

[Frame is marked: False]

0000 00 01 5c 31 bb c1 d4 85 64 a7 bf a3 08 00 45 00 ..\1.... d....E-

0010 01 51 62 3b 40 00 80 06 00 00 18 06 ad dc d0 30 Qb;@...

0020 51 85 52 bc 00 50 14 2c 7c b7 60 ab 14 3b 50 18 Q.R...P., |...;P-

0030 40 b0 e8 db 00 00 47 45 54 20 2f 20 48 54 54 50 @.....GE T / HTTP

0040 2f 31 2e 31 0d 0a 48 6f 73 74 3a 20 77 77 77 2e /1.1...Ho st: www.

0050 66 72 65 65 77 65 62 73 69 74 65 73 2e 63 6f 6d freewebs ites.com

0060 2e 61 75 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a .au...Use r-Agent:

0070 20 4d 6f 7a 69 6c 6c 61 2f 35 2e 30 20 28 57 69 Mozilla /5.0 (Wi

0080 6e 64 6f 77 73 20 4e 54 20 36 2e 31 3b 20 57 4f ndows NT 6.1; WO

0090 57 36 34 3b 20 72 76 3a 31 36 2e 30 29 20 47 65 W64; rv: 16.0) Ge

00a0 63 6b 6f 2f 32 30 31 30 30 31 30 31 20 46 69 72 cko/2010 0101 Fir

00b0 65 66 6f 78 2f 31 36 2e 30 0d 0a 41 63 63 65 70 efox/16. 0...Accep

00c0 74 3a 20 74 65 78 74 2f 68 74 6d 6c 2c 61 70 70 t: text/ html,app

00d0 6c 69 63 61 74 69 6f 6e 2f 78 68 74 6d 6c 2b 78 lication /xhtml+x

00e0 6d 6c 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 ml,appli cation/x

00f0 6d 6c 3b 71 3d 30 2e 39 2c 2a 2f 2a 3b 71 3d 30 ml;q=0.9 ,*/;q=0

0100 2e 38 0d 0a 41 63 63 65 70 74 2d 4c 61 6e 67 75 .8...Acce pt-Langu

0110 61 67 65 3a 20 65 6e 2d 55 53 2c 65 6e 3b 71 3d age: en- US,en;q=

0120 30 2e 35 0d 0a 41 63 63 65 70 74 2d 45 6e 63 6f 0.5...Acc ept-Enco

0130 64 69 6e 67 3a 20 67 7a 69 70 2c 20 64 65 66 6c ding: gz ip, defl

http-au101b.pcapng | Packets: 854 · Displayed: 63 (7.4%) | Profile: wireshark101

Paso 4:

http-au101b.pcapng

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Open Ctrl+O
Open Recent
Merge...
Import from Hex Dump...
Close Ctrl+W
Save Ctrl+S
Save As... Ctrl+Shift+S
File Set
Export Specified Packets...
Export Packet Dissections
Export Packet Bytes... Ctrl+Shift+X
Export PDUs to File...
Export TLS Session Keys...
Export Objects
Print... Ctrl+P
Quit Ctrl+Q

As Plain Text...
As CSV...
As "C" Arrays...
As PSML XML...
As PDML XML...
As JSON...

No.	Time	Destination	Protocol	Info
220	0.000000	208.48.81.133	HTTP	GET /favicon.ico HTTP/1.1
220	0.000000	208.48.81.133	HTTP	GET /common/fabulousdomains/skins/fab/images/b...
220	0.000000	208.48.81.133	HTTP	GET /common/fabulousdomains/skins/fab/images/b...
220	0.000000	208.48.81.133	HTTP	GET /common/fabulousdomains/skins/fab/images/b...
220	0.000000	208.48.81.133	HTTP	GET /?pagesection=forsale HTTP/1.1
220	0.000000	208.48.81.133	HTTP	GET /?pagesection=body HTTP/1.1
220	0.000000	208.48.81.133	HTTP	GET /unique/track.js?referrer=about%3Ablank HT...
220	0.000000	208.48.81.133	HTTP	GET / HTTP/1.1
220	0.000000	50.57.118.49	HTTP	GET / HTTP/1.1
220	0.000000	174.199.174.199	HTTP	GET /js/woopra.js HTTP/1.1
220	0.000000	174.199.174.199	HTTP	GET /ping/?ra=L76P01UYBL6UX91N&alias=domainnam...
220	0.000000	174.199.174.199	HTTP	GET /visit/?ra=UCYVAJQQSH8I9FW0&alias=domainna...
220	0.000000	8.49.8.49	HTTP	GET /images/footer_bg.jpg HTTP/1.1
220	0.000000	8.49.8.49	HTTP	GET /images/full_email.png HTTP/1.1
220	0.000000	8.49.8.49	HTTP	GET /images/web_hosting.png HTTP/1.1
220	0.000000	8.49.8.49	HTTP	GET /images/website_creator.png HTTP/1.1
220	0.000000	8.49.8.49	HTTP	GET /images/opt_cont_links_bg.jpg HTTP/1.1
220	0.000000	8.49.8.49	HTTP	GET /images/view_samples_wide.jpg HTTP/1.1


Frame 8: 351 bytes on wire (2808 bits), 351 bytes captured (2808 bits) on interface \Device\NPF_{6E79FEC0-FF79-4970-96E4-EEFF300A9B9F}

Interface id: 0 (\Device\NPF_{6E79FEC0-FF79-4970-96E4-EEFF300A9B9F})
Encapsulation type: Ethernet (1)
Arrival Time: Oct 23, 2012 18:03:02.161667000 Hora estándar del Este (México)
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1351033382.161667000 seconds
[Time delta from previous captured frame: 0.000512000 seconds]
[Time delta from previous displayed frame: 0.000000000 seconds]
[Time since reference or first frame: 0.113872000 seconds]
Frame Number: 8
Frame Length: 351 bytes (2808 bits)
Capture Length: 351 bytes (2808 bits)
[Frame is marked: False]

0000 00 01 5c 31 bb c1 d4 85 64 a7 bf a3 08 00 45 00 ..\1....d.....E.
0010 01 51 62 3b 40 00 80 06 00 00 18 06 ad dc d0 30 .Qb;@.....0
0020 51 85 52 bc 00 50 14 2c 7c b7 60 ab 14 3b 50 18 Q.R.P., |...;P.
0030 40 b0 e8 db 00 00 47 45 54 20 2f 20 48 54 54 50 @.....GE T / HTTP
0040 2f 31 2e 31 0d 0a 48 6f 73 74 3a 20 77 77 77 2e /1.1..Host: www.
0050 66 72 65 65 77 65 62 73 69 74 65 73 2e 63 6f 6d freewebs ites.com
0060 2e 61 75 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a .au..Use r-Agent:
0070 20 4d 6f 7a 69 6c 6c 61 2f 35 2e 30 20 28 57 69 Mozilla /5.0 (Wi
0080 6e 64 6f 77 73 20 4e 54 20 36 2e 31 3b 20 57 4f ndows NT 6.1; WO
0090 57 36 34 3b 20 72 76 3a 31 36 2e 30 29 20 47 65 W64; rv: 16.0) Ge
00a0 63 6b 6f 2f 32 30 31 30 30 31 30 31 20 46 69 72 cko/2010 0101 Fir
00b0 65 66 6f 78 2f 31 36 2e 30 0d 0a 41 63 63 65 70 efox/16.0..Accep
00c0 74 3a 20 74 65 78 74 2f 68 74 6d 6c 2c 61 70 70 t: text/ html,app
00d0 6c 69 63 61 74 69 6f 6e 2f 78 68 74 6d 6c 2b 78 lication /xhtml+x
00e0 6d 6c 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 ml,appli cation/x
00f0 6d 6c 3b 71 3d 30 2e 39 2c 2a 2f 2a 3b 71 3d 30 ml;q=0.9 ,*/;q=0
0100 2e 38 0d 0a 41 63 63 65 70 74 2d 4c 61 6e 67 75 .8..Acce pt-Langu
0110 61 67 65 3a 20 65 6e 2d 55 53 2c 65 6e 3b 71 3d age: en- US,en;q=
0120 30 2e 35 0d 0a 41 63 63 65 70 74 2d 45 6e 63 6f 0.5..Acc ept-Enco
0130 64 69 6e 67 3a 20 67 7a 69 70 2c 20 64 65 66 6c ding: gz ip, defl

http-au101b.pcapng | Packets: 854 · Displayed: 63 (7.4%) | Profile: wireshark101

Paso 5:



The image shows the 'Wireshark - Export Packet Dissections' dialog box. The 'Guardar en:' field is set to 'wireshark101v2files'. The 'Nombre de archivo:' field is empty. The 'Tipo:' dropdown is set to 'CSV (Comma Separated Values summary) (*.csv)'. The 'Packet Range' section has 'All packets' selected. The 'Packet Format' section has 'Packet summary line', 'Include column headings', and 'Packet details' checked. The 'As displayed' dropdown is visible. The 'Guardar' button is highlighted.

Wireshark - Export Packet Dissections

Guardar en: wireshark101v2files

Nombre: Fecha de modificación: Tipo: Tamaño:

Ningún elemento coincide con el criterio de búsqueda.

Nombre de archivo: Tipo: CSV (Comma Separated Values summary) (*.csv)

Packet Range: ☒ All packets, ☐ Selected packet, ☐ Marked packets, ☐ First to last marked, ☐ Range: , ☐ Remove ignored packets

Packet Format: ☒ Packet summary line, ☒ Include column headings, ☒ Packet details: As displayed, ☐ Packet Bytes, ☐ Each packet on a new page

Guardar, Cancelar, Ayuda

0000 00 01 5c 31 bb c1 d4 85 64 a7 bf a3 08 00 45 00 ..\.... d....E-
0010 01 51 62 3b 40 00 80 06 00 00 18 06 ad dc d0 30 .Qb;@... ..0
0020 51 85 52 bc 00 50 14 2c 7c b7 60 ab 14 3b 50 18 Q-R..P., |...;P-
0030 40 b0 e8 db 00 00 47 45 54 20 2f 20 48 54 54 50 @....GE T / HTTP
0040 2f 31 2e 31 0d 0a 48 6f 73 74 3a 20 77 77 77 2e /1.1..Ho st: www.
0050 66 72 65 65 77 65 62 73 69 74 65 73 2e 63 6f 6d freewebs ites.com
0060 2e 61 75 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a .au..Use r-Agent:
0070 20 4d 6f 7a 69 6c 6c 61 2f 35 2e 30 20 28 57 69 Mozilla /5.0 (Wi
0080 6e 64 6f 77 73 20 4e 54 20 36 2e 31 3b 20 57 4f ndows NT 6.1; WO
0090 57 36 34 3b 20 72 76 3a 31 36 2e 30 29 20 47 65 W64; rv: 16.0) Ge
00a0 63 6b 6f 2f 32 30 31 30 30 31 30 31 20 46 69 72 cko/2010 0101 Fir
00b0 65 66 6f 78 2f 31 36 2e 30 0d 0a 41 63 63 65 70 efox/16. 0..Accep
00c0 74 3a 20 74 65 78 74 2f 68 74 6d 6c 2c 61 70 70 t: text/ html,app
00d0 6c 69 63 61 74 69 6f 6e 2f 78 68 74 6d 6c 2b 78 lication /xhtml+x
00e0 6d 6c 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 ml,appli cation/x
00f0 6d 6c 3b 71 3d 30 2e 39 2c 2a 2f 2a 3b 71 3d 30 ml;q=0.9 ,*/;*q=0
0100 2e 38 0d 0a 41 63 63 65 70 74 2d 4c 61 6e 67 75 .8..Acce pt-Langu
0110 61 67 65 3a 20 65 6e 2d 55 53 2c 65 6e 3b 71 3d age: en- US,en;q=
0120 30 2e 35 0d 0a 41 63 63 65 70 74 2d 45 6e 63 6f 0.5..Acc ept-Enco
0130 64 69 6e 67 3a 20 67 7a 69 70 2c 20 64 65 66 6c ding: gz ip, defl

http-au101b.pcapng | Packets: 854 · Displayed: 63 (7.4%) | Profile: wireshark101

Paso 6:

Wireshark - Export Packet Dissections

Guardar en: wireshark101v2files

Nombre: Ningún elemento coincide con el criterio de búsqueda.

Fecha de modificación: Tipo: Tamaño:

Nombre de archivo: hostinformation

Tipo: CSV (Comma Separated Values summary) (*.csv)

Packet Range

☒ All packets 854 63

☐ Selected packet 1 1

☐ Marked packets 0 0

☐ First to last marked 0 0

☐ Range: 0 0

☐ Remove Ignored packets 0 0

Packet Format

☒ Packet summary line

☒ Include column headings

☐ Packet details: As displayed

☐ Packet Bytes

☐ Each packet on a new page

0000 00 01 5c 31 bb c1 d4 85 64 a7 bf a3 08 00 45 00 ..\1... d...E.

0010 01 51 62 3b 40 00 80 06 00 00 18 06 ad dc d0 30 .Qb;@...

0020 51 85 52 bc 00 50 14 2c 7c b7 60 ab 14 3b 50 18 Q.R...P., |...;P.

0030 40 b0 e8 db 00 00 47 45 54 20 2f 20 48 54 54 50 @.....GE T / HTTP

0040 2f 31 2e 31 0d 0a 48 6f 73 74 3a 20 77 77 77 2e /1.1..Ho st: www.

0050 66 72 65 65 77 65 62 73 69 74 65 73 2e 63 6f 6d freewebs ites.com

0060 2e 61 75 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a .au..Use r-Agent:

0070 20 4d 6f 7a 69 6c 6c 61 2f 35 2e 30 20 28 57 69 Mozilla /5.0 (Wi

0080 6e 64 6f 77 73 20 4e 54 20 36 2e 31 3b 20 57 4f ndows NT 6.1; W0

0090 57 36 34 3b 20 72 76 3a 31 36 2e 30 29 20 47 65 W64; rv: 16.0) Ge

00a0 63 6b 6f 2f 32 30 31 30 30 31 30 31 20 46 69 72 cko/2010 0101 Fir

00b0 65 66 6f 78 2f 31 36 2e 30 0d 0a 41 63 63 65 70 efox/16. 0..Accep

00c0 74 3a 20 74 65 78 74 2f 68 74 6d 6c 2c 61 70 70 t: text/ html,app

00d0 6c 69 63 61 74 69 6f 6e 2f 78 68 74 6d 6c 2b 78 lication /xhtml+x

00e0 6d 6c 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 ml,appli cation/x

00f0 6d 6c 3b 71 3d 30 2e 39 2c 2a 2f 2a 3b 71 3d 30 ml;q=0.9 ,*/*;q=0

0100 2e 38 0d 0a 41 63 63 65 70 74 2d 4c 61 6e 67 75 .8..Acce pt-Langu

0110 61 67 65 3a 20 65 6e 2d 55 53 2c 65 6e 3b 71 3d age: en- US,en;q=

0120 30 2e 35 0d 0a 41 63 63 65 70 74 2d 45 6e 63 6f 0.5..Acc ept-Enco

0130 64 69 6e 67 3a 20 67 7a 69 70 2c 20 64 65 66 6c ding: gz ip, defl

http-au101b.pcapng

Packets: 854 · Displayed: 63 (7.4%)

Profile: wireshark101

Paso 7:

http-au101b.pcapng

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.host

No.	Time	TCP Delta	Source	Destination	Protocol	Info
777	0.303257	1.908060...	24.6.173.220	208.48.81.133	HTTP	GET /favicon.ico HTTP/1.1
35	0.052922	0.014707...	24.6.173.220	208.48.81.133	HTTP	GET /common/fabulousdomains/skins/fab/images/b...
26	0.000379	0.055113...	24.6.173.220	208.48.81.133	HTTP	GET /common/fabulousdomains/skins/fab/images/b...

hostinformation.csv - Excel Omar Vazquez Canto

Archivo Inicio Insertar Disposición de página Fórmulas Datos Revisar Vista Ayuda ¿Qué des? Compartir

Calibri 11 Fuente Alineación Número Estilos Celdas Edición Confidencialidad

Portapapeles Pegar

A1 : No.,Time,TCP Delta,Source, Destination,Protocol,Info,Host,Coloring

No.	Time	TCP Delta	Source	Destination	Protocol	Info	Host	Coloring Rule Name
8	0.000000	0.000512000	24.6.173.220	208.48.81.133	HTTP	GET / HTTP/1.1	www.freewebsites.com.au	Checksum Error
11	0.100123	0.032040000	24.6.173.220	208.48.81.133	HTTP	GET /unique/track.js?referrer=about%3Ablank HTTP/1.1	www.freewebsites.com.au	Checksum Error
14	0.042474	0.015812000	24.6.173.220	208.48.81.133	HTTP	GET /?pagesection=body HTTP/1.1	www.freewebsites.com.au	Checksum Error
18	0.021377	0.000530000	24.6.173.220	208.48.81.133	HTTP	GET /?pagesection=forsale HTTP/1.1	www.freewebsites.com.au	Checksum Error
25	0.061105	0.008828000	24.6.173.220	208.48.81.133	HTTP	GET /common/fabulousdomains/skins/fab/images/ban...	www.freewebsites.com.au	Checksum Error
26	0.000379	0.055113000	24.6.173.220	208.48.81.133	HTTP	GET /common/fabulousdomains/skins/fab/images/ban...	www.freewebsites.com.au	Checksum Error
35	0.052922	0.014707000	24.6.173.220	208.48.81.133	HTTP	GET /common/fabulousdomains/skins/fab/images/ban...	www.freewebsites.com.au	Checksum Error
39	0.054243	0.000419000	24.6.173.220	50.57.118.49	HTTP	GET / HTTP/1.1	www.domainnames.com.au	Checksum Error
53	0.233015	0.000493000	24.6.173.220	50.57.118.49	HTTP	GET / HTTP/1.1	www.domainnames.com.au	Checksum Error
78	0.194665	0.000407000	24.6.173.220	50.57.118.49	HTTP	GET /style/style.css HTTP/1.1	www.domainnames.com.au	Checksum Error
79	0.000364	0.000757000	24.6.173.220	50.57.118.49	HTTP	GET /style/dropdown.css HTTP/1.1	www.domainnames.com.au	Checksum Error
82	0.004314	0.000587000	24.6.173.220	50.57.118.49	HTTP	GET /js/jquery-1.4.4.js HTTP/1.1	www.domainnames.com.au	Checksum Error
85	0.004547	0.000358000	24.6.173.220	50.57.118.49	HTTP	GET /js/cufon-yui.js HTTP/1.1	www.domainnames.com.au	Checksum Error
88	0.000966	0.000386000	24.6.173.220	50.57.118.49	HTTP	GET /js/Aller_400-Aller_700.font.js HTTP/1.1	www.domainnames.com.au	Checksum Error
90	0.069113	0.000924000	24.6.173.220	50.57.118.49	HTTP	GET /js/Aller_Light_400.font.js HTTP/1.1	www.domainnames.com.au	Checksum Error
101	0.011373	0.001131000	24.6.173.220	50.57.118.49	HTTP	GET /js/jquery.cycle.main.js HTTP/1.1	www.domainnames.com.au	Checksum Error
128	0.082589	0.001231000	24.6.173.220	50.57.118.49	HTTP	GET /js/jquery.cycle.plugin.js HTTP/1.1	www.domainnames.com.au	Checksum Error
143	0.021220	0.004168000	24.6.173.220	50.57.118.49	HTTP	GET /js/fancybox/jquery.mousewheel-3.0.4.pack.js HTTP/1.1	www.domainnames.com.au	Checksum Error
150	0.053399	0.001780000	24.6.173.220	50.57.118.49	HTTP	GET /js/fancybox/jquery.fancybox-1.3.4.pack.js HTTP/1.1	www.domainnames.com.au	Checksum Error
169	0.032257	0.001213000	24.6.173.220	50.57.118.49	HTTP	GET /js/fancybox/jquery.fancybox-1.3.4.css HTTP/1.1	www.domainnames.com.au	Checksum Error
173	0.001738	0.002155000	24.6.173.220	50.57.118.49	HTTP	GET /style/modal.css HTTP/1.1	www.domainnames.com.au	Checksum Error
184	0.053507	0.000503000	24.6.173.220	50.57.118.49	HTTP	GET /js/jquery.modal.js HTTP/1.1	www.domainnames.com.au	Checksum Error
190	0.015957	0.000517000	24.6.173.220	50.57.118.49	HTTP	GET /js/modal.js HTTP/1.1	www.domainnames.com.au	Checksum Error
201	0.013821	0.000601000	24.6.173.220	50.57.118.49	HTTP	GET /js/search.js HTTP/1.1	www.domainnames.com.au	Checksum Error

hostinformation

0100 2e 38 0d 0a 41 63 63 65 70 74 2d 4c 61 6e 67 75 .8..Acce pt-Langu
0110 61 67 65 3a 20 65 6e 2d 55 53 2c 65 6e 3b 71 3d age: en- US,en;q=
0120 30 2e 35 0d 0a 41 63 63 65 70 74 2d 45 6e 63 6f 0.5..Acc ept-Enco
0130 64 69 6e 67 3a 20 67 7a 69 70 2c 20 64 65 66 6c ding: gz ip, defl

http-au101b.pcapng

Packets: 854 · Displayed: 63 (7.4%)

Profile: wireshark101