Estructura HTML & CSS

<!– (-.-)...–|c[_]|–☁ 【ツ☁–|c[_]|–\(^-^)/–|c[_]|–(╯°□°）╯︵ ┻━┻ **`ღ´**>

Estas estructuras nos demuestran como es que la pagina se verá uniformemente a través de las diferentes modalidades de uso.

El contenido de la pagina consta de párrafos, conjuntos de campos, listas sin orden, listas de detalles, y detalles, con resumen. Algunas secciones cuentan con un fondo de color blanco grisáceo, para diferenciar las diferentes secciones dentro de un mismo artículo.

<p> <fieldset> <dl> <details>
<section>

Los subtítulos no llevan .selection_2

Este es el CSS que va dentro de cada uno de los selectores mencionados:

```css
.selection:hover, .selection:focus { /* Add hover effect on hover */
    background-color: #badbfe;
    box-shadow: 0 3px 8px rgba(0, 0, 0, 0.2);
    background-image: linear-gradient(to right, #caf0db, #a5b5d0);
    display: inline-block;
    border-radius: 10px; }
 .selection_2:hover, .selection_2:focus { /* Add hover effect on hover */
    background-color: #24568a;
    box-shadow: 0 3px 8px rgba(0, 0, 0, 0.2);
    background-image: linear-gradient(to right, #caf0db, #a5b5d0);
    cursor: grab;  }
```

\<p\>: usamos un **\<span\>** como subtitulo, y un **\<br\>** después de cada enunciado, Y al principio de los enunciados consecuentes usamos dos ** ** como sangría.

Cada enunciado tiene su propio **:hover** y **:focus**. El enunciado va al interior de un **\<span\>**. El segundo enunciado y consecuentes sus **\<span\>** comienzan después del primer ** **, para crear el efecto deseado de la sangría.


```html
<p tabindex="0" class="selection">
    <span class="sub_sub_title">Ancient and Medieval Times:</span>
    <span tabindex="0" class="selection_2">In ancient civilizations like
    Egypt and Greece, scribes and scholars used simple wooden surfaces to
    write on.</span>
        <br /> 
    <span tabindex="0" class="selection_2"> These <a
    href="#">surfaces</a> were often supported by trestles or stands. In the
    Middle Ages, desks were often large and heavy, used for both writing and
    storage.</span>
</p>
```

<fieldset>: usamos un <legend> como subtitulo. El contenido del conjunto de campos va dentro de un <p>. Cada enunciado es un <span>, también un <br> es usado después de cada enunciado. Al principio de los enunciados después del primero usamos dos   como sangría.

Cada enunciado tiene su propio **:hover** y **:focus**.


```
<fieldset tabindex="0" class="selection">
    <legend tabindex="0" class="sub_sub_title selection">Renaissance and Early
Modern Era:</legend>                      <p>
         <span tabindex="0" class="selection_2"> During the
Renaissance, desks became more specialized, with compartments and drawers for
storing documents.</span><br />
         <span tabindex="0" class="selection_2"> These desks were
often elaborately designed and were primarily used by scholars and
nobility.</span><br />
         <span tabindex="0" class="selection_2"> The "bureau" was a
notable <a href="#">development</a>, featuring a sloping writing surface and
multiple drawers.</span>
                              </p>
</fieldset>
```

Aquí el Subtitulo lleva la clase selector, porque es un <legend>, dependiendo del diseño deseado.

\<dl\>: usamos un \<div\> para separar cada \<dt\> con sus respectivos \<dd\>.

En el subtitulo, \<dt\> usamos un \<strong\>.

Usamos un \<span\> para cada enunciado dentro de \<dd\>.

Cada enunciado tiene su propio :hover y :focus.



```html
<dl><div tabindex="0" class="selection">
<dt class="sub_sub_title">Entry Level Computer User:</dt>
<div class="spacer"></div>
<dd><strong>Basic Hardware and Software:</strong>
   <span tabindex="0" class="selection_2">Understand the main components of a
computer, such as the CPU, monitor, keyboard, and mouse.</span>
   <span tabindex="0" class="selection_2">Also, learn about operating systems and
basic software applications.</span></dd><br />
<dd><strong>Internet Usage:</strong>
   <span tabindex="0" class="selection_2">Familiarize yourself with web browsers,
search engines, and online safety practices.</span>
   <span tabindex="0" class="selection_2">Learn how to navigate websites, perform
searches, and recognize potential online threats.</span></dd><br />
<dd><strong>File Management:</strong>
   <span tabindex="0" class="selection_2">Learn how to organize files and folders
on your computer.</span>
   <span tabindex="0" class="selection_2">Understand concepts like saving,
copying, and deleting files.</span></dd><br />
<dd><strong>Keyboard Shortcuts:</strong>
   <span tabindex="0" class="selection_2">Discover common keyboard shortcuts to
improve your efficiency when navigating your computer and
applications.</span></dd></div>... </dl>
```

<details>: usamos un **<summary>** como subtitulo, y un **<div** class="spacer"**>** después de cada subtitulo. Al principio de los enunciados des pues del primero usamos dos ** ** como sangría.

Cada enunciado tiene su propio **:hover** y **:focus**.   El enunciado va al interior de un **<li>** que a su vez va dentro de un **<ul>** que abarca toda la sección que contenga **<details>.**


```
<details tabindex="0" class="selection">
<summary class="sub_sub_title">Standard Computer Desk:</summary>

<div class="spacer"></div>

      <li><span tabindex="0" class="selection_2">This is a basic desk designed
for computer use.</span></li>
<br /> 

      <li><span tabindex="0" class="selection_2"> It typically features a
flat surface for the computer monitor, a keyboard tray or space for the keyboard
and mouse, and sometimes a lower shelf for the computer tower.</span></li>
<br /> 

      <li><span tabindex="0" class="selection_2"> Suitable for: Entry-level
computer users, students, basic office setups.</span></li>
</details>
```