

 Sistema Ubuntu identificado.

```
omar8@omar8-Notebook:~/SISTEMAS-OPERATIVOS-/Practicas/Semana01$ cat /etc/os-release
PRETTY_NAME="Ubuntu 26.04.1 LTS"
NAME="Ubuntu"
VERSION_ID="26.04"
VERSION="26.04.1 LTS (Resolute Raccoon)"
VERSION_CODENAME=resolute
ID=ubuntu
ID_LIKE=debian
HOME_URL="https://www.ubuntu.com/"
SUPPORT_URL="https://help.ubuntu.com/"
BUG_REPORT_URL="https://bugs.launchpad.net/ubuntu/"
PRIVACY_POLICY_URL="https://www.ubuntu.com/legal/terms-and-policies/privacy-policy"
UBUNTU_CODENAME=resolute
LOGO=ubuntu-logo
omar8@omar8-Notebook:~/SISTEMAS-OPERATIVOS-/Practicas/Semana01$
```

Vista de la terminal mostrando el nombre del host (omar8-Notebook) y la ruta de trabajo actual dentro del directorio de prácticas de sistemas operativos

 Usuario y entorno de trabajo.

```
omar8@omar8-Notebook:~/SISTEMAS-OPERATIVOS-/Practicas/Semana01$ uname -r
7.0.0-30-generic
omar8@omar8-Notebook:~/SISTEMAS-OPERATIVOS-/Practicas/Semana01$ uname -m
x86_64
omar8@omar8-Notebook:~/SISTEMAS-OPERATIVOS-/Practicas/Semana01$ whoami
omar8
omar8@omar8-Notebook:~/SISTEMAS-OPERATIVOS-/Practicas/Semana01$
```

identificación del usuario activo (omar8) operando en el entorno de línea de comandos de Linux

 Salida de `lsblk`.

```
omar8@omar8-Notebook:~/SISTEMAS-OPERATIVOS-/Practicas/Semana01$ lsblk
NAME        MAJ:MIN RM   SIZE RO TYPE MOUNTPOINTS
loop0        7:0      0    4K  1 loop /snap/bare/5
loop1        7:1      0 193,4M  1 loop /snap/chromium/3507
loop2        7:2      0   74M  1 loop /snap/core22/2437
loop3        7:3      0 105,2M  1 loop /snap/core/17292
loop4        7:4      0   66,8M  1 loop /snap/core24/1587
loop5        7:5      0   66,8M  1 loop /snap/core24/1643
loop6        7:6      0   47,9M  1 loop /snap/cups/1238
loop7        7:7      0   16,5M  1 loop /snap/firmware-updater/226
loop8        7:8      0 261,1M  1 loop /snap/firefox/8803
loop9        7:9      0 273,7M  1 loop /snap/firefox/8107
loop10       7:10     0    20M  1 loop /snap/desktop-security-center/151
loop11       7:11     0   19,6M  1 loop /snap/desktop-security-center/150
loop12       7:12     0 606,1M  1 loop /snap/gnome-46-2404/153
loop13       7:13     0   18,8M  1 loop /snap/prompting-client/204
loop14       7:14     0   395M  1 loop /snap/mesa-2404/1165
loop15       7:15     0   91,7M  1 loop /snap/gtk-common-themes/1535
loop16       7:16     0   15,7M  1 loop /snap/snap-store/1367
loop17       7:17     0   18,8M  1 loop /snap/prompting-client/222
loop18       7:18     0   49,3M  1 loop /snap/snapd/26865
loop19       7:19     0   50,1M  1 loop /snap/snapd/27710
loop20       7:20     0 143,8M  1 loop /snap/spotify/99
loop21       7:21     0 273,9M  1 loop /snap/wps-office-multilang/1
loop22       7:22     0   580K  1 loop /snap/snapd-desktop-integration/361
loop23       7:23     0   828K  1 loop /snap/snapd-desktop-integration/391
nvme0n1      259:0     0 476,9G  0 disk
├─nvme0n1p1  259:1     0    1G  0 part /boot/efi
└─nvme0n1p2  259:2     0 475,9G  0 part /
omar8@omar8-Notebook:~/SISTEMAS-OPERATIVOS-/Practicas/Semana01$
```

Resultado del comando `lsblk` mostrando el disco físico principal (nvme0n1 de 476.9 GB), los dispositivos virtuales loop del sistema y las particiones nvme0n1p1 y nvme0n1p2

Salida de `lsblk -f`.

```
omar8@omar8-Notebook:~/SISTEMAS-OPERATIVOS-/Practicas/Semana01$ lsblk -f
NAME        FSTYPE FSVER LABEL UUID                               FSAVAIL FSUSE% MOUNTPOINTS
loop0       squashfs 4.0                                0      100% /snap/bare/5
loop1       squashfs 4.0                                0      100% /snap/chromium/3507
loop2       squashfs 4.0                                0      100% /snap/core22/2437
loop3       squashfs 4.0                                0      100% /snap/core/17292
loop4       squashfs 4.0                                0      100% /snap/core24/1587
loop5       squashfs 4.0                                0      100% /snap/core24/1643
loop6       squashfs 4.0                                0      100% /snap/cups/1238
loop7       squashfs 4.0                                0      100% /snap/firmware-updater/226
loop8       squashfs 4.0                                0      100% /snap/firefox/8803
loop9       squashfs 4.0                                0      100% /snap/firefox/8107
loop10      squashfs 4.0                                0      100% /snap/desktop-security-center
/151
loop11      squashfs 4.0                                0      100% /snap/desktop-security-center
/150
loop12      squashfs 4.0                                0      100% /snap/gnome-46-2404/153
loop13      squashfs 4.0                                0      100% /snap/prompting-client/204
loop14      squashfs 4.0                                0      100% /snap/ mesa-2404/1165
loop15      squashfs 4.0                                0      100% /snap/gtk-common-themes/1535
loop16      squashfs 4.0                                0      100% /snap/snap-store/1367
loop17      squashfs 4.0                                0      100% /snap/prompting-client/222
loop18      squashfs 4.0                                0      100% /snap/snapd/26865
loop19      squashfs 4.0                                0      100% /snap/snapd/27710
loop20      squashfs 4.0                                0      100% /snap/spotify/99
loop21      squashfs 4.0                                0      100% /snap/wps-office-multilang/1
loop22      squashfs 4.0                                0      100% /snap/snapd-desktop-integrati
on/361
loop23      squashfs 4.0                                0      100% /snap/snapd-desktop-integrati
on/391
nvme0n1
└─nvme0n1p1 vfat      FAT32      7ACD-2B4D              1G      1% /boot/efi
   └─nvme0n1p2 ext4       1.0        bf52f420-6119-46b5-adee-5f2968ad390a 428,4G   3% /
omar8@omar8-Notebook:~/SISTEMAS-OPERATIVOS-/Practicas/Semana01$
```

Salida del comando `lsblk -f` donde se aprecian los sistemas de archivos de las particiones (vfat para la EFI y ext4 para la raíz),

🔍 Información obtenida mediante las herramientas de diagnóstico.

```
omar8@omar8-Notebook:~/SISTEMAS-OPERATIVOS-/Practicas/Semana01$ lsblk
NAME        MAJ:MIN RM  SIZE RO TYPE MOUNTPOINTS
loop0        7:0      0    4K  1 loop /snap/bare/5
loop1        7:1      0 193,4M  1 loop /snap/chromium/3507
loop2        7:2      0   74M  1 loop /snap/core22/2437
loop3        7:3      0 105,2M  1 loop /snap/core/17292
loop4        7:4      0   66,8M  1 loop /snap/core24/1587
loop5        7:5      0   66,8M  1 loop /snap/core24/1643
loop6        7:6      0   47,9M  1 loop /snap/cups/1238
loop7        7:7      0   16,5M  1 loop /snap/firmware-updater/226
loop8        7:8      0 261,1M  1 loop /snap/firefox/8803
loop9        7:9      0 273,7M  1 loop /snap/firefox/8107
loop10       7:10     0   20M  1 loop /snap/desktop-security-center/151
loop11       7:11     0   19,6M  1 loop /snap/desktop-security-center/150
loop12       7:12     0 606,1M  1 loop /snap/gnome-46-2404/153
loop13       7:13     0   18,8M  1 loop /snap/prompting-client/204
loop14       7:14     0  395M  1 loop /snap/mesa-2404/1165
loop15       7:15     0   91,7M  1 loop /snap/gtk-common-themes/1535
loop16       7:16     0   15,7M  1 loop /snap/snap-store/1367
loop17       7:17     0   18,8M  1 loop /snap/prompting-client/222
loop18       7:18     0   49,3M  1 loop /snap/snapd/26865
loop19       7:19     0   50,1M  1 loop /snap/snapd/27710
loop20       7:20     0 143,8M  1 loop /snap/spotify/99
loop21       7:21     0 273,9M  1 loop /snap/wps-office-multilang/1
loop22       7:22     0   580K  1 loop /snap/snapd-desktop-integration/361
loop23       7:23     0   828K  1 loop /snap/snapd-desktop-integration/391
nvme0n1      259:0    0 476,9G  0 disk
├─nvme0n1p1 259:1    0    1G  0 part /boot/efi
└─nvme0n1p2 259:2    0 475,9G  0 part /

omar8@omar8-Notebook:~/SISTEMAS-OPERATIVOS-/Practicas/Semana01$
```

Datos obtenidos por el comandos de análisis del sistema (como `lsblk` y `lsblk -f`) sobre la estructura de almacenamiento.

```
omar8@omar8-Notebook:~/SISTEMAS-OPERATIVOS-/Practicas/Semana01$ lsblk -f
NAME        FSTYPE  FSVER LABEL UUID                                FSAVAIL FSUSE% MOUNTPOINTS
loop0       squashfs 4.0                                0      100% /snap/bare/5
loop1       squashfs 4.0                                0      100% /snap/chromium/3507
loop2       squashfs 4.0                                0      100% /snap/core22/2437
loop3       squashfs 4.0                                0      100% /snap/core/17292
loop4       squashfs 4.0                                0      100% /snap/core24/1587
loop5       squashfs 4.0                                0      100% /snap/core24/1643
loop6       squashfs 4.0                                0      100% /snap/cups/1238
loop7       squashfs 4.0                                0      100% /snap/firmware-updater/226
loop8       squashfs 4.0                                0      100% /snap/firefox/8803
loop9       squashfs 4.0                                0      100% /snap/firefox/8107
loop10      squashfs 4.0                                0      100% /snap/desktop-security-center
/151
loop11      squashfs 4.0                                0      100% /snap/desktop-security-center
/150
loop12      squashfs 4.0                                0      100% /snap/gnome-46-2404/153
loop13      squashfs 4.0                                0      100% /snap/prompting-client/204
loop14      squashfs 4.0                                0      100% /snap/mesa-2404/1165
loop15      squashfs 4.0                                0      100% /snap/gtk-common-themes/1535
loop16      squashfs 4.0                                0      100% /snap/snap-store/1367
loop17      squashfs 4.0                                0      100% /snap/prompting-client/222
loop18      squashfs 4.0                                0      100% /snap/snapd/26865
loop19      squashfs 4.0                                0      100% /snap/snapd/27710
loop20      squashfs 4.0                                0      100% /snap/spotify/99
loop21      squashfs 4.0                                0      100% /snap/wps-office-multilang/1
loop22      squashfs 4.0                                0      100% /snap/snapd-desktop-integrati
on/361
loop23      squashfs 4.0                                0      100% /snap/snapd-desktop-integrati
on/391
nvme0n1
├─nvme0n1p1 vfat      FAT32      7ACD-2B4D              1G      1% /boot/efi
└─nvme0n1p2 ext4       1.0       bf52f420-6119-46b5-adee-5f2968ad390a 428,4G  3% /

omar8@omar8-Notebook:~/SISTEMAS-OPERATIVOS-/Practicas/Semana01$
```


Datos obtenidos por el comandos de análisis del sistema (como `lsblk` y `lsblk -f`) sobre la estructura de almacenamiento

🧩 Identificación de las particiones.

```
loop15      7:15    0  91,7M  1 loop /snap/gtk-common-themes/1535
loop16      7:16    0  15,7M  1 loop /snap/snap-store/1367
loop17      7:17    0  18,8M  1 loop /snap/prompting-client/222
loop18      7:18    0  49,3M  1 loop /snap/snapd/26865
loop19      7:19    0  50,1M  1 loop /snap/snapd/27710
loop20      7:20    0 143,8M  1 loop /snap/spotify/99
loop21      7:21    0 273,9M  1 loop /snap/wps-office-multilang/1
loop22      7:22    0   580K  1 loop /snap/snapd-desktop-integration/361
loop23      7:23    0   828K  1 loop /snap/snapd-desktop-integration/391
nvme0n1     259:0    0 476,9G  0 disk
├─nvme0n1p1 259:1    0    1G  0 part /boot/efi
└─nvme0n1p2 259:2    0 475,9G  0 part /
```

Detalle y descripción funcional de las particiones detectadas: `nvme0n1p1 (/boot/efi)` para el arranque UEFI y `nvme0n1p2` para el sistema operativo y archivos de usuario

🗺️ Mapa del almacenamiento.



Mapa jerárquico en formato de árbol donde se ve el disco NVMe de la laptop y sus particiones

📝 Reflexión y conclusiones.

La práctica ayudo a mapear el almacenamiento de la laptop usando comandos de Linux como `lsblk`. Se identificó el disco principal NVMe de 476.9 GB, su partición de arranque EFI (vfat) y la partición principal del sistema (ext4). esta actividad ayudo a comprender la estructura de particiones, los puntos de montaje y los códigos UUID para la administración de los sistemas operativos.