

 Sistema operativo identificado.

```
omar8@omar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Semana01$ cat /etc/os-release
PRETTY_NAME="Ubuntu 26.04 LTS"
NAME="Ubuntu"
VERSION_ID="26.04"
VERSION="26.04 (Resolute Raccoon)"
VERSION_CODENAME=resolute
ID=ubuntu
ID_LIKE=debian
HOME_URL="https://www.ubuntu.com/"
SUPPORT_URL="https://help.ubuntu.com/"
BUG_REPORT_URL="https://bugs.launchpad.net/ubuntu/"
PRIVACY_POLICY_URL="https://www.ubuntu.com/legal/terms-and-policies/privacy-policy"
```

Captura de la terminal ejecutando “cat /etc/os-release” donde se muestra el nombre, versión y detalles de la distribución de Linux (Ubuntu).

 Actualización de paquetes.

```
omar8@omar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Semana01$ sudo apt upgrade
El paquete indicado a continuación se instaló de forma automática y ya no es necesario:
  grub-pc-bin
Utilice «sudo apt autoremove» para eliminarlo.
```

Actualizando:

accountsservice	gnome-session-bin	libcurl4t64
libnhttp2-14	linux-firmware-amd-graphics	python3-apport
alsa-ucm-conf	gnome-session-common	libeditorconfig0
libnss-sss	linux-firmware-amd-misc	python3-apt
apparmor	gnome-shell	libegl-mesa0
libnss-systemd	linux-firmware-broadcom-wireless	python3-distupgrade
apport	gnome-shell-common	libexif12
libnss3	linux-firmware-intel-graphics	python3-httplib2
apport-core-dump-handler	gnome-text-editor	libfprint-2-2
libntfs-3g89t64	linux-firmware-intel-misc	python3-idna
apport-gtk	grub-common	libfprint-2-tod1
libopenjp2-7	linux-firmware-intel-wireless	python3-pil
at-spi2-common	grub-pc-bin	libfreerdp-server3-3
libpackagekit-glib2-18	linux-firmware-marvell-prestera	python3-problem-report
at-spi2-core	grub2-common	libfreerdp3-3
libpam-modules	linux-firmware-marvell-wireless	python3-sss
avahi-daemon	gststreamer1.0-packagekit	libfreetype6
libpam-modules-bin	linux-firmware-mediatek	python3-urllib3
base-files	gststreamer1.0-pipewire	libfwupd3
libpam-runtime	linux-firmware-mellanox-spectrum	python3.14
bind9-dnsutils	gststreamer1.0-plugins-good	libgbm1
libpam-sss	linux-firmware-misc	python3.14-gdbm
bind9-host	gtk-update-icon-cache	libgcrypt20
libpam-systemd	linux-firmware-netronome	python3.14-minimal
bind9-libs	gzip	libgdm1
libpam0g	linux-firmware-nvidia-graphics	resources
bluez	heif-gdk-pixbuf	libgif7
libpciaccess0	linux-firmware-qlogic	rsync
bluez-cups	heif-thumbnailer	libgl1-mesa-dri
libperl5.40	linux-firmware-qualcomm-graphics	rsyslog
bluez-obexd	hplip	libglx-mesa0
libpipewire-0.3-0t64	linux-firmware-qualcomm-misc	samba-libs
bpftool	hplip-data	libgnutls30t64
libpipewire-0.3-common	linux-firmware-qualcomm-wireless	sed
bubblewrap	inetutils-telnet	libgphoto2-6t64

Captura del comando “sudo apt update” mostrando la sincronización y descarga de los paquetes de los repositorios del sistema.

Instalación del servidor.

```
omar8@omar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Semana01$ sudo apt install mariadb
-server mariadb-client
[sudo: authenticate] Contraseña:
sudo: Authentication failed, try again.
[sudo: authenticate] Contraseña:
El paquete indicado a continuación se instaló de forma automática y ya no es necesario:
  grub-pc-bin
Utilice «sudo apt autoremove» para eliminarlo.

Instalando:
  mariadb-client mariadb-server

Instalando dependencias:
  galera-4 libcgi-fast-perl libfcgi-bin libhtml-template-perl mariadb-client-core
  mariadb-plugin-provider-lz4 mariadb-plugin-provider-snappy pv
  gawk libcgi-pm-perl libfcgi-perl libmariadb3 mariadb-common
  mariadb-plugin-provider-lzma mariadb-server-core socat
  libaio1t64 libdbi-perl libfcgi0t64 libpcre2-posix3 mariadb-plugin-provide
r-bzip2 mariadb-plugin-provider-lzo mysql-common

Paquetes sugeridos:
  gawk-doc libnet-daemon-perl libipc-sharedcache-perl | libdbd-mysql-perl mail
x doc-base
  libmldbm-perl libsql-statement-perl libdbd-mariadb-perl libterm-readkey-perl mari
adb-test

Resumen:
  Actualizando: 0, Instalando 25, Eliminando: 0, no actualizando: 5
  Tamaño de la descarga: 18,2 MB
  Espacio necesario: 128 MB / 461 GB disponible

¿Continuar? [S/n] s
Des:1 http://archive.ubuntu.com/ubuntu resolute/main amd64 galera-4 amd64 26.4.25-2 [761 kB]
Des:2 http://archive.ubuntu.com/ubuntu resolute-updates/main amd64 gawk amd64 1:5.3.2-1ubun
tu1.1 [527 kB]
Des:3 http://archive.ubuntu.com/ubuntu resolute/main amd64 mysql-common all 5.8+1.1.1ubuntu
2 [7.002 B]
Des:4 http://archive.ubuntu.com/ubuntu resolute-updates/main amd64 mariadb-common all 1:11.
8.6-5ubuntu0.1 [23,9 kB]
Des:5 http://archive.ubuntu.com/ubuntu resolute-updates/main amd64 libdbi-perl amd64 1.647-
1ubuntu0.26.04.1 [828 kB]
```

Captura del proceso donde se instaló el paquete de MariaDB server a través del gestor apt.

Versión del cliente.

```
omar8@omar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Semana01$ mysql --version
mysql from 11.8.6-MariaDB, client 15.2 for debian-linux-gnu (x86_64) using EditLine wrapper
omar8@omar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Semana01$ -*
```

Captura del comando “mysql --version” mostrando la compilación y versión exacta de la herramienta cliente instalada.

Estado del servicio.

```
onar8@onar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Senana01$ sudo systemctl status mariadb
● mariadb.service - MariaDB 11.8.6 database server
   Loaded: loaded (/usr/lib/systemd/system/mariadb.service; enabled; preset: enabled)
   Active: active (running) since Sat 2026-08-29 18:09:58 CST; 1h 23min ago
   Invocation: 4cc08de44251439bad4ad1cb26dbdbb1
     Docs: man:mariadb(8)
           https://mariadb.com/kb/en/library/systemd/
   Process: 91514 ExecStartPre=bin/sh -c [ ! -e /usr/bin/galera_recovery ] && VAR= || VAR="/usr/bin/galera_recovery"; [ $? -eq 0 ]   && echo _WSREP_START_POSITION=$VAR > /run/mysq
   Process: 91580 ExecStartPost=bin/rm -f /run/mysqld/wsrep-start-position /run/mysqld/wsrep-new-cluster (code=exited, status=0/SUCCESS)
   Process: 91592 ExecStartPost=/etc/mysql/debian-start (code=exited, status=0/SUCCESS)
  Main PID: 91567 (mariadbd)
    Status: "Taking your SQL requests now..."
     Tasks: 9 (limit: 119850)
    Memory: 93M (peak: 98.9M)
       CPU: 1.364s
    CGroup: /system.slice/mariadb.service
           └─91567 /usr/sbin/mariadbd

ago 29 18:09:58 onar8-Notebook mariadbd[91567]: 2026-08-29 18:09:58 0 [Note] InnoDB: log sequence number 45616; transaction id 14
ago 29 18:09:58 onar8-Notebook mariadbd[91567]: 2026-08-29 18:09:58 0 [Note] Plugin 'FEEDBACK' is disabled.
ago 29 18:09:58 onar8-Notebook mariadbd[91567]: 2026-08-29 18:09:58 0 [Note] Plugin 'wsrep-provider' is disabled.
ago 29 18:09:58 onar8-Notebook mariadbd[91567]: 2026-08-29 18:09:58 0 [Note] InnoDB: Loading buffer pool(s) from /var/lib/mariadb/ib_buffer_pool
ago 29 18:09:58 onar8-Notebook mariadbd[91567]: 2026-08-29 18:09:58 0 [Note] InnoDB: Buffer pool(s) load completed at 260829 18:09:58
ago 29 18:09:58 onar8-Notebook mariadbd[91567]: 2026-08-29 18:09:58 0 [Note] Server socket created on IP: '127.0.0.1', port: '3306'.
ago 29 18:09:58 onar8-Notebook mariadbd[91567]: 2026-08-29 18:09:58 0 [Note] mariadbd: Event Scheduler: Loaded 0 events
ago 29 18:09:58 onar8-Notebook mariadbd[91567]: 2026-08-29 18:09:58 0 [Note] /usr/sbin/mariadbd: ready for connections.
ago 29 18:09:58 onar8-Notebook mariadbd[91567]: Version: '11.8.6-MariaDB-Subuntu0.1 from Ubuntu' socket: '/run/mysqld/mysqld.sock' port: 3306 -- Please help get to 10k stars at ht
ago 29 18:09:58 onar8-Notebook systemd[1]: Started mariadb.service - MariaDB 11.8.6 database server.

lines 1-27/27 (END)
```

Captura del comando sudo “systemctl status mariadb” donde se detalla el estado actual del demonio.

Servicio iniciado.

```
onar8@onar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Senana01$ sudo systemctl start mariadb
onar8@onar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Senana01$ sudo systemctl status mariadb
● mariadb.service - MariaDB 11.8.6 database server
   Loaded: loaded (/usr/lib/systemd/system/mariadb.service; enabled; preset: enabled)
   Active: active (running) since Sat 2026-08-29 19:35:52 CST; 11s ago
   Invocation: e77b6ab331d43e588d6105e7cb191c3
     Docs: man:mariadb(8)
           https://mariadb.com/kb/en/library/systemd/
   Process: 98883 ExecStartPre=bin/sh -c [ ! -e /usr/bin/galera_recovery ] && VAR= || VAR="/usr/bin/galera_recovery"; [ $? -eq 0 ]   && echo _WSREP_START_POSITION=$VAR > /run/mysq
   Process: 98951 ExecStartPost=bin/rm -f /run/mysqld/wsrep-start-position /run/mysqld/wsrep-new-cluster (code=exited, status=0/SUCCESS)
   Process: 98953 ExecStartPost=/etc/mysql/debian-start (code=exited, status=0/SUCCESS)
  Main PID: 98935 (mariadbd)
    Status: "Taking your SQL requests now..."
     Tasks: 15 (limit: 119850)
    Memory: 93.6M (peak: 99.3M)
       CPU: 1.123s
    CGroup: /system.slice/mariadb.service
           └─98935 /usr/sbin/mariadbd

ago 29 19:35:52 onar8-Notebook mariadbd[98935]: 2026-08-29 19:35:52 0 [Note] InnoDB: log sequence number 45616; transaction id 14
ago 29 19:35:52 onar8-Notebook mariadbd[98935]: 2026-08-29 19:35:52 0 [Note] Plugin 'FEEDBACK' is disabled.
ago 29 19:35:52 onar8-Notebook mariadbd[98935]: 2026-08-29 19:35:52 0 [Note] InnoDB: Loading buffer pool(s) from /var/lib/mariadb/ib_buffer_pool
ago 29 19:35:52 onar8-Notebook mariadbd[98935]: 2026-08-29 19:35:52 0 [Note] Plugin 'wsrep-provider' is disabled.
ago 29 19:35:52 onar8-Notebook mariadbd[98935]: 2026-08-29 19:35:52 0 [Note] InnoDB: Buffer pool(s) load completed at 260829 19:35:52
ago 29 19:35:52 onar8-Notebook mariadbd[98935]: 2026-08-29 19:35:52 0 [Note] Server socket created on IP: '127.0.0.1', port: '3306'.
ago 29 19:35:52 onar8-Notebook mariadbd[98935]: 2026-08-29 19:35:52 0 [Note] mariadbd: Event Scheduler: Loaded 0 events
ago 29 19:35:52 onar8-Notebook mariadbd[98935]: 2026-08-29 19:35:52 0 [Note] /usr/sbin/mariadbd: ready for connections.
ago 29 19:35:52 onar8-Notebook mariadbd[98935]: Version: '11.8.6-MariaDB-Subuntu0.1 from Ubuntu' socket: '/run/mysqld/mysqld.sock' port: 3306 -- Please help get to 10k stars at ht
ago 29 19:35:52 onar8-Notebook systemd[1]: Started mariadb.service - MariaDB 11.8.6 database server.

lines 1-27/27 (END)
```

Captura del comando de estado (status) con el servicio activo y corriendo en verde (active running).

Servicio detenido.

```
onar8@onar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Senana01$ sudo systemctl stop mariadb
onar8@onar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Senana01$ sudo systemctl status mariadb
○ mariadb.service - MariaDB 11.8.6 database server
   Loaded: loaded (/usr/lib/systemd/system/mariadb.service; enabled; preset: enabled)
   Active: inactive (dead) since Sat 2026-08-29 19:35:00 CST; 15s ago
     Duration: 1h 25min 996ms
   Invocation: 4cc08de44251439bad4ad1cb26dbdbb1
     Docs: man:mariadb(8)
           https://mariadb.com/kb/en/library/systemd/
   Process: 91514 ExecStartPre=bin/sh -c [ ! -e /usr/bin/galera_recovery ] && VAR= || VAR="/usr/bin/galera_recovery"; [ $? -eq 0 ]   && echo _WSREP_START_POSITION=$VAR > /run/mysq
   Process: 91567 ExecStart=/usr/sbin/mariadbd $WSREP_OPTS $WSREP_NEW_CLUSTER $WSREP_START_POSITION (code=exited, status=0/SUCCESS)
   Process: 91580 ExecStartPost=bin/rm -f /run/mysqld/wsrep-start-position /run/mysqld/wsrep-new-cluster (code=exited, status=0/SUCCESS)
   Process: 91582 ExecStartPost=/etc/mysql/debian-start (code=exited, status=0/SUCCESS)
  Main PID: 91567 (code=exited, status=0/SUCCESS)
    Status: "MariaDB server is down"
     Men peak: 98.9M
       CPU: 1.395s

ago 29 19:34:59 onar8-Notebook systemd[1]: Stopping mariadb.service - MariaDB 11.8.6 database server...
ago 29 19:34:59 onar8-Notebook mariadbd[91567]: 2026-08-29 19:34:59 0 [Note] InnoDB: Starting shutdown...
ago 29 19:34:59 onar8-Notebook mariadbd[91567]: 2026-08-29 19:34:59 0 [Note] InnoDB: Dumping buffer pool(s) to /var/lib/mariadb/ib_buffer_pool
ago 29 19:34:59 onar8-Notebook mariadbd[91567]: 2026-08-29 19:34:59 0 [Note] InnoDB: Buffer pool(s) dump completed at 260829 19:34:59
ago 29 19:35:00 onar8-Notebook mariadbd[91567]: 2026-08-29 19:35:00 0 [Note] InnoDB: Removed temporary tablespace data file: "/ibtmp1"
ago 29 19:35:00 onar8-Notebook mariadbd[91567]: 2026-08-29 19:35:00 0 [Note] InnoDB: Shutdown completed; log sequence number 45616; transaction id 15
ago 29 19:35:00 onar8-Notebook mariadbd[91567]: 2026-08-29 19:35:00 0 [Note] /usr/sbin/mariadbd: Shutdown complete
ago 29 19:35:00 onar8-Notebook systemd[1]: mariadb.service: Deactivated successfully.
ago 29 19:35:00 onar8-Notebook systemd[1]: Stopped mariadb.service - MariaDB 11.8.6 database server.
ago 29 19:35:00 onar8-Notebook systemd[1]: mariadb.service: Consumed 1.395s CPU time over 1h 25min 1.676s wall clock time, 98.9M memory peak.

lines 1-26/26 (END)
```

captura del comando “systemctl status” inmediatamente después de ejecutar el comando stop, mostrando que el servicio se encuentra inactivo.

Proceso identificado.

```
omar8@omar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Semana01$ ps aux | grep mysql
mysql      91567  0.0  0.8 1440728 125608 ?        Ssl  18:09   0:00 /usr/sbin/mariadb
omar8      97953  0.0  0.0   6800   3028 pts/0    S+   19:26   0:00 grep --color=auto mysql
omar8@omar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Semana01$
```

captura del comando “ps aux | grep mysql” mostrando el proceso activo del demonio del servidor (mysqld)

Puerto identificado.

```
omar8@omar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Semana01$ sudo ss -lntp | grep mariadb
[sudo: authenticate] Contraseña:
LISTEN 0      80          127.0.0.1:3306      0.0.0.0:*        users:((("mariadb",pid=91567,fd=28))
omar8@omar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Semana01$
```

Captura del comando de red (ss) mostrando que el servicio está escuchando en el puerto local 3306.

Primera conexión.

```
omar8@omar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Semana01$ sudo mysql -u root
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 31
Server version: 11.8.6-MariaDB-Subuntu0.1 from Ubuntu -- Please help get to 10k stars at https://github.com/MariaDB/Server

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]>
```

Captura de la consola al ejecutar sudo mysql -u root mostrando el mensaje de bienvenida y el prompt interactivo de MariaDB.

Primera consulta SQL.

```
omar8@omar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Semana01$ sudo mysql -u root
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 31
Server version: 11.8.6-MariaDB-Subuntu0.1 from Ubuntu -- Please help get to 10k stars at https://github.com/MariaDB/Server

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> SELECT VERSION();
+-----+
| VERSION() |
+-----+
| 11.8.6-MariaDB-Subuntu0.1 from Ubuntu |
+-----+
1 row in set (0,000 sec)

MariaDB [(none)]> SHOW DATABASES;
+-----+
| Database |
+-----+
| information_schema |
| mysql |
| performance_schema |
| sys |
+-----+
4 rows in set (0,001 sec)
```

Captura de la terminal de MariaDB mostrando la ejecución correcta de las consultas SELECT VERSION() ; y SHOW DATABASES ; con sus tablas de resultados.

Retos realizados.

```
omar8@omar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Semana01$ sudo mysqladmin -u root ping
[sudo: authenticate] Contraseña:
mysql is alive
omar8@omar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Semana01$
```

aptura de la terminal ejecutando `sudo mysqladmin -u root ping` con la respuesta exitosa `mysql is alive`, demostrando que está funcionando

Experimento de detener e iniciar el servicio.

```
omar8@omar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Semana01$ sudo systemctl stop mariadb
omar8@omar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Semana01$ sudo systemctl status mariadb
○ mariadb.service - MariaDB 11.8.6 database server
   Loaded: loaded (/usr/lib/systemd/system/mariadb.service; enabled; preset: enabled)
   Active: inactive (dead) since Sat 2026-08-29 19:35:00 CST; 15s ago
   Duration: 1h 25min 996ms
   Invocation: 4cc08de44251439bad4ad1cb26dbdbb1
   Docs: man:mariadb(8)
        https://mariadb.com/kb/en/library/systemd/
   Process: 91514 ExecStartPre=/bin/sh -c [ ! -e /usr/bin/galera_recovery ] && VAR= || VAR="/usr/bin/galera_recovery"; [ $? -eq 0 ] && echo _WSREP_START_POSITION=$VAR > /run/mysqld
   Process: 91567 ExecStart=/usr/sbin/mariadbd $MYSQLD_OPTS $WSREP_NEW_CLUSTER $WSREP_START_POSITION (code=exited, status=0/SUCCESS)
   Process: 91500 ExecStartPost=/bin/rm -f /run/mysqld/wsrep-start-position /run/mysqld/wsrep-new-cluster (code=exited, status=0/SUCCESS)
   Process: 91582 ExecStartPost=/etc/mysql/debian-start (code=exited, status=0/SUCCESS)
   Main PID: 91567 (code=exited, status=0/SUCCESS)
   Status: "MariaDB server is down"
   Mem peak: 98.9M
   CPU: 1.395s

ago 29 19:34:59 omar8-Notebook systemd[1]: Stopping mariadb.service - MariaDB 11.8.6 database server...
ago 29 19:34:59 omar8-Notebook mariadbd[91567]: 2026-08-29 19:34:59 0 [Note] InnoDB: Starting shutdown...
ago 29 19:34:59 omar8-Notebook mariadbd[91567]: 2026-08-29 19:34:59 0 [Note] InnoDB: Dumping buffer pool(s) to /var/lib/mariadb/lb_buffer_pool
ago 29 19:34:59 omar8-Notebook mariadbd[91567]: 2026-08-29 19:34:59 0 [Note] InnoDB: Buffer pool(s) dump completed at 260829 19:34:59
ago 29 19:35:00 omar8-Notebook mariadbd[91567]: 2026-08-29 19:35:00 0 [Note] InnoDB: Removed temporary tablespace data file: "/libtmp1"
ago 29 19:35:00 omar8-Notebook mariadbd[91567]: 2026-08-29 19:35:00 0 [Note] InnoDB: Shutdown completed; log sequence number 45616; transaction id 15
ago 29 19:35:00 omar8-Notebook mariadbd[91567]: 2026-08-29 19:35:00 0 [Note] /usr/sbin/mariadbd: Shutdown complete
ago 29 19:35:00 omar8-Notebook systemd[1]: mariadb.service: Deactivated successfully.
ago 29 19:35:00 omar8-Notebook systemd[1]: Stopped mariadb.service - MariaDB 11.8.6 database server.
ago 29 19:35:00 omar8-Notebook systemd[1]: mariadb.service: Consumed 1.395s CPU time over 1h 25min 1.676s wall clock time, 98.9M memory peak.
[Lines 1-26/26 (END)]
```

```
omar8@omar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Semana01$ sudo systemctl start mariadb
omar8@omar8-Notebook:~/Taller-De-Base-De-Datos/Practicas/Semana01$ sudo systemctl status mariadb
● mariadb.service - MariaDB 11.8.6 database server
   Loaded: loaded (/usr/lib/systemd/system/mariadb.service; enabled; preset: enabled)
   Active: active (running) since Sat 2026-08-29 19:35:52 CST; 11s ago
   Invocation: e77b6ac6331d43e588d6185e7cb191c3
   Docs: man:mariadb(8)
        https://mariadb.com/kb/en/library/systemd/
   Process: 98883 ExecStartPre=/bin/sh -c [ ! -e /usr/bin/galera_recovery ] && VAR= || VAR="/usr/bin/galera_recovery"; [ $? -eq 0 ] && echo _WSREP_START_POSITION=$VAR > /run/mysqld
   Process: 98951 ExecStartPost=/bin/rm -f /run/mysqld/wsrep-start-position /run/mysqld/wsrep-new-cluster (code=exited, status=0/SUCCESS)
   Process: 98953 ExecStartPost=/etc/mysql/debian-start (code=exited, status=0/SUCCESS)
   Main PID: 98935 (mariadbd)
   Status: "Taking your SQL requests now..."
   Tasks: 15 (limit: 119850)
   Memory: 93.6M (peak: 99.3M)
   CPU: 1.123s
   CGroup: /system.slice/mariadb.service
           └─98935 /usr/sbin/mariadbd

ago 29 19:35:52 omar8-Notebook mariadbd[98935]: 2026-08-29 19:35:52 0 [Note] InnoDB: log sequence number 45616; transaction id 14
ago 29 19:35:52 omar8-Notebook mariadbd[98935]: 2026-08-29 19:35:52 0 [Note] Plugin 'FEEDBACK' is disabled.
ago 29 19:35:52 omar8-Notebook mariadbd[98935]: 2026-08-29 19:35:52 0 [Note] InnoDB: Loading buffer pool(s) from /var/lib/mariadb/lb_buffer_pool
ago 29 19:35:52 omar8-Notebook mariadbd[98935]: 2026-08-29 19:35:52 0 [Note] Plugin 'wsrep-provider' is disabled.
ago 29 19:35:52 omar8-Notebook mariadbd[98935]: 2026-08-29 19:35:52 0 [Note] InnoDB: Buffer pool(s) load completed at 260829 19:35:52
ago 29 19:35:52 omar8-Notebook mariadbd[98935]: 2026-08-29 19:35:52 0 [Note] Server socket created on IP: '127.0.0.1', port: '3306'.
ago 29 19:35:52 omar8-Notebook mariadbd[98935]: 2026-08-29 19:35:52 0 [Note] mariadbd: Event Scheduler: Loaded 0 events
ago 29 19:35:52 omar8-Notebook mariadbd[98935]: 2026-08-29 19:35:52 0 [Note] /usr/sbin/mariadbd: ready for connections.
ago 29 19:35:52 omar8-Notebook mariadbd[98935]: Version: '11.8.6-MariaDB-Subuntu0.1 from Ubuntu' socket: '/run/mysqld/mysqld.sock' port: 3306 -- Please help get to 10k stars at htt
ago 29 19:35:52 omar8-Notebook systemd[1]: Started mariadb.service - MariaDB 11.8.6 database server.
[Lines 1-27/27 (END)]
```

Capturas combinadas de los cambios de estado (detenido e iniciado) y su comprobación al intentar la conexión.