

OSHA General Industry Safety and Health Regulations Manual (OSHA 2254)

Page 1 of 3 | Document ID: doc_en_06

Subpart D: Walking-Working Surfaces and Fall Protection Regulations

Employers must ensure that all walking-working surfaces are inspected, maintained free of hazards, and support designed load.

Standard guardrail systems are mandatory for any open-sided floor, platform, or runway elevated 4 feet (1.2 meters) or more above the lower level.

Guardrails must consist of a top rail at 42 inches nominal height, a midrail at 21 inches, and a 4-inch minimum toe-board.

Toe-boards are required whenever workers can pass beneath elevated surfaces to prevent falling tool and material injuries.

OSHA General Industry Safety and Health Regulations Manual (OSHA 2254)

Page 2 of 3 | Document ID: doc_en_06

Subpart J: Control of Hazardous Energy (Lockout/Tagout - 1910.147)

Lockout/Tagout (LOTO) procedures prevent unexpected energization or startup of machinery during maintenance and servicing.

Only authorized employees who have undergone formal training are permitted to apply or remove energy lockout padlocks.

Energy isolating devices must be physically locked in the safe or off position and tagged with standardized warning tags.

Periodic inspections of energy control procedures must occur at least annually to verify procedure adherence and employee safety.

OSHA General Industry Safety and Health Regulations Manual (OSHA 2254)

Page 3 of 3 | Document ID: doc_en_06

Subpart Z: Hazard Communication Standard and Safety Data Sheets

Chemical manufacturers and employers must convey chemical hazard information through standardized container labels and S

Safety Data Sheets (SDS) must follow a strictly mandated 16-section format aligned with the Globally Harmonized System (GH

Section 1 of the SDS identifies the chemical and emergency phone numbers, while Section 8 details occupational exposure limi

Employers must provide hazard communication training to employees at initial assignment and whenever a new chemical hazard