
## THIRD ANGLE PROJECTION

		REVISIONS			
REV	ECN No.	DESCRIPTION	DATE		AUTH
OR	M123948	NEW RELEASE	08/18/09	MMG	DJ

## SUGGESTED MOUNTING CONFIGURATION FOR DF782 CASE STYLE, "04AM03" PIN CODE



NOTES: 1. TRACE WIDTH IS SHOWN FOR ROGERS RO4350B WITH DIELECTRIC THICKNESS .020"  $\pm$  .0015"; COPPER: 1/2 OZ. EACH SIDE. FOR OTHER MATERIALS TRACE WIDTH MAY NEED TO BE MODIFIED.

2. BOTTOM SIDE OF THE PCB IS CONTINUOUS GROUND PLANE.



DENOTES PCB COPPER LAYOUT WITH SMOBC (SOLDER MASK OVER BARE COPPER)



DENOTES COPPER LAND PATTERN FREE OF SOLDER MASK

UNLESS OTHERWISE SPECIFIED INITIALS DATE		Mini-Circuits® 13 Neptune Avenue Brooklyn NY 11235								
DIMENSIONS ARE IN INCHES	DRAWN	MMG	08/17/09		$\sqcup$ Mini	l — (	Ircu	1ts 13	Neptu	ne Avenue
TOLERANCES ON: 2 PL DECIMALS ±	CHECKED	AV	08/17/09	Brooklyn N1 11255				NI III		
3 PL DECIMALS ± .005	APPROVED	DJ	08/18/09							
FRACTIONS ±				]PL.	04AM(	)3.	DF782	. TB-	-54	15-1+L
∭ Mini−Circuits ®					0 111111	, ,		, 12	0.	
THIS DOCUMENT AND ITS CONTENTS ARE THE PROPERTY OF MINI-CIRCUITS. EXCEPT FOR USE EXPRESSLY GRANTED, IN WRITING, TO ITS VENDORS, VENDEE AND THE UNITED STATES GOVERNMENT, MINI-CIRCUITS RESERVES ALL PROPRIETARY DESIGN, USE, MANUFACTURING AND REPRODUCTION RIGHTS THERETO. THESE CONTENTS SHALL NOT BE USED, DUPLICATED OR DISCLOSED TO ANY OUTSIDE			SIZE A	code ident 15542	DRAWING NO: 98-PL-313			REV:		
PARTY, IN WHOLE OR IN PART, WITHOUT WRITTEN PERMISSION OF MINI-CIRCUITS.  ASHEETA1.DWG REV:A DATE:01/12/95				FILE: C	98PL313	SCALE:	10:1	SHEET:	1	OF 1