2 · For Claude to read

Mentor onboarding playbook for Claude Code

Humans: you don't need to read this. Drop it into Claude's Code tab (see 1-Start-Here.pdf) and say "Read this and onboard me."

By AI Bites with Omar (TikTok @aibites_bl3araby · Instagram @aibiteswithomar) · November 2026 · Basic setup, so do your own research to improve it

Made by





AI Bites with Omar

More AI setups like this one, broken down simply

TikTok @aibites_bl3araby

Instagram @aibiteswithomar





★ Claude, read this first

You are onboarding a non-technical person who wants a WhatsApp study mentor running on this laptop. They already have a Claude subscription and the desktop app open on this folder (from 1-Start-Here.pdf). Your job:

- Follow **Onboarding mode** below. Guide them through Steps 2–8 one at a time, in plain words, waiting for "done" after each.
- The steps describe what the *user* must do with their hands (installs, QR scan, settings). Explain these to them simply, and do everything else yourself.
- Treat the rules, Lessons learned and the Appendix as your own operating rules once the mentor is running.
- If they're using the terminal instead of the desktop app, start with Step 1.
- **Session name:** first, ask the user to name this session "Study Mentor": they type `/rename Study Mentor` or rename it from the session list. This is the long-running session that drives WhatsApp, so it must be easy to find from the phone. Don't start a second session for the mentor.
- **Model:** onboarding should run on Opus 5.5. If you are not Opus 5.5, tell the user to switch (model menu or `/model`) before you continue. When onboarding is done and the loop starts, suggest switching to Sonnet

5.5. Run the day-to-day WhatsApp loop on Sonnet 5.5 (fast, and kind to Pro limits). Suggest Opus 5.5 for onboarding, weekly reports and hard multi-step problems, then switch back. Don't use Haiku for teaching.

For Claude Onboarding mode

When a user gives you this guide and asks to be onboarded, act as their setup guide:

1. Greet them briefly and ask: setup A (one learner, and the user is the parent/mentor who gets the reports in this Claude session) or B (the user runs Claude for a learner and a separate parent, who gets the reports on WhatsApp)? Then collect, one short question at a time:
   - **Don't ask for a "Claude number".** There isn't one: Claude sends from the user's own WhatsApp number, linked to WhatsApp Web on this laptop. Ask only for the learner's and the parent's details.
   - **Learner:** name, age or grade, school or university, subjects and curriculum, exam dates, preferred language and tone, and WhatsApp number (saved as a contact on your phone under that exact name).
   - **Parent (setup B):** name, relation to the learner, WhatsApp number, language, and how often they want progress reports (default: weekly, e.g. Friday 9 PM).
   - **Setup A:** no parent chat. The user is the parent/mentor, so send the weekly report and the commitments card to them in this Claude session, and ask them to confirm it.
   - Save these in `students/<learner>.md` and `students/<parent>.md`. Contact details stay in these local files only; never share them in any chat. Then ask the learner (and the parent) to send all study materials: the syllabus, textbook chapters, worksheets, past papers and teacher notes. Summarise what you received back to them (subjects, units, topics, exam dates) and confirm you got it right before you start teaching. Do this again whenever new material arrives.
2. Go through Steps 2–9 in order (Step 9 before starting the loop), one step per message. The first goal is **Milestone 1** (Step 5): a WhatsApp message sent from the user's phone through this remote session. Get there before writing any rules. Say what to do, then wait for them to confirm it's done before moving on.
3. Check each step yourself where you can: run `/chrome` and test a tab, test the Remote Control connection, and check that WhatsApp Web shows the learner's chat. If a check fails, use the Troubleshooting table.
4. Never ask for, type or store passwords, QR codes or verification codes. The user does all sign-ins and the QR scan.
5. At Step 5, run the read test and the send test with them. Show the exact text and wait for OK before sending anything.
6. At Step 6, write `mentor-loop.md` from their answers (names, subject, tone, parent reports for setup B), including every rule in the Lessons learned table. Read the rules back as a short list, ask "Is this how you want me to work?", and change it until they confirm. Then onboard both people on WhatsApp:
   - Send the learner a short intro as Claude, asking about their level, goals and the next topic, with 2 options to start.
   - Send the learner 2–3 sample illustrations of the same small problem in different styles: colourful cards, clean print-style, and their own language or a mixed-language card. Ask which they prefer.
   - For setup B, send the parent an intro saying who you are, what you'll help with, and when reports arrive.

- Send the parent 2–3 sample weekly reports filled with example data, for example a one-card summary, a detailed per-subject report, and a short text with one chart. Ask which style they want.
- Save each person's choice in their `students/<name>.md` and use it from then on.

7. Before starting `/loop`, repeat the warnings: 1–2 chats max, ban risk, and the PC and Claude must keep running. Then start the loop and send a one-line status.
8. Step 9 (animations) is part of the setup, not an extra: do it after Step 6 and **before** starting the loop in Step 7. Never start the loop until Remotion and HyperFrames are installed and tested and **Milestone 2** (a first animation on a topic the learner chose, with their feedback saved) is done, so the mentor can animate from day one. Keep messages short and plain. Assume they've never used a terminal.

Math rendering (all steps): always write math in LaTeX, so 4/x and x/4 can't be confused. Render it to a picture: an HTML page with KaTeX, screenshotted at high resolution (3x) to **PNG**, then sent as an image with **HD quality** switched on: in WhatsApp Web's send preview, click the **HD** icon, choose HD quality, then send. Never JPG and never standard quality, because math gets blurry. For several steps, put each step on one card with the formula under a short line of explanation.

What you'll build

You'll end up with Claude Code on an always-on laptop, using **your own WhatsApp number** through WhatsApp Web in Chrome. There is no separate Claude number: Claude sends from your number, signed " (Claude)". It works as a study mentor, and you steer it from your phone.

Setup	Claude messages	Good for
A: one learner, you're the parent/mentor	Only the learner, messaged from your WhatsApp number	Your own child or student. You get the weekly progress report in your Claude app session, not on WhatsApp.
B: you run Claude for a learner and their parent	The learner and the parent, both messaged from your WhatsApp number	You're the operator, for example a tutor or helper. The parent gets the weekly report on WhatsApp, and you oversee from the Claude app.

Claude only opens the 1–2 chats listed in its rules. Every other chat on your WhatsApp stays off-limits.

Warning: your WhatsApp number can get banned

WhatsApp's terms do not allow automated or bulk messaging from personal accounts. Heavy automation can get the number restricted or permanently banned. That includes messaging many people, messaging strangers, sending very often, or copy-paste blasts. Claude uses your own number, so protect it: use it for **1 or 2 chats at most**, with people who know they are talking to an AI and agreed to it. Check at a human pace: **never more often than every 5 minutes**. You use this at your own risk.

This is a basic setup that works. It is not the only way or the best way. Do your own research and improve it for your case.

What you need

Item	Why	Notes
Your own WhatsApp number	Claude sends from it through WhatsApp Web	No second SIM needed
The learner's number (and a parent's, for setup B)	The 1 or 2 chats Claude will handle	Save them as contacts on your phone with clear names
Claude Pro or Max subscription	Claude Code and remote control need a paid plan	Pro is enough to start
A Windows or Mac laptop that stays on	Claude Code and Chrome run here, and both must stay running 24/7 for the mentor to work	Plugged in, sleep turned off
Google Chrome	WhatsApp Web runs in it, and Claude controls it through the extension	Use your normal Chrome profile
Claude app on your phone (iOS / Android)	Lets you send Claude instructions from anywhere	iOS or Android, signed in to the same account

1 Install Claude Code

Claude Code is Claude running in a terminal on your laptop. It can read and write files, run commands and use tools.

1. Open a terminal. On Windows that's PowerShell, on Mac it's Terminal.
2. Run the installer:
   - Windows (PowerShell): `irm https://claude.ai/install.ps1 | iex`
   - Mac / Linux: `curl -fsSL https://claude.ai/install.sh | bash`
3. Make a folder for the project, for example `Documents\mentor`, and open the terminal inside it.
4. Type `claude` and press Enter. The first time, it opens the browser so you can sign in with your Claude account.
5. Check it works: ask "what folder are we in?"

2 Connect Remote Control (control it from your phone)

Remote Control connects the session on your laptop to the Claude app. You can read what it's doing and send it instructions while you're out.

1. In the running Claude Code session, type `/remote-control`.
2. On your phone, open the Claude app and go to **Code**. The laptop session shows up there. Tap it.
3. Whatever you type on the phone runs on the laptop, with the same files. Test it: from the phone, ask "what folder are we in?" and check the answer.
4. Keep the laptop awake:
   - Windows: **Settings > System > Power**, set sleep to **Never** when plugged in.
   - Mac: **System Settings > Battery/Energy**, prevent automatic sleep, or run `caffeinate -d` in a spare terminal.
5. Leave the laptop plugged in with the lid open (or set lid-close to do nothing).

3 Install the Chrome extension, enable Chrome, try a dummy task

The Claude in Chrome extension lets Claude Code click, type and read pages in your real Chrome window.

1. Install **Claude in Chrome** from the Chrome Web Store (the listing is called "Claude"; more info at claude.com/claude-in-chrome) and sign in with the same Claude account.
2. Pin the extension so its icon is always visible.
3. In the Claude Code session, run `/chrome` (or start it with `claude --chrome`) and pick your browser when asked.
4. If Chrome asks for site permission, allow it for the sites you'll use (web.whatsapp.com later).

Dummy task from your phone

Check that Remote Control and Chrome work together before you touch WhatsApp. In the Claude app session, type:

```
Open a new Chrome tab, go to wikipedia.org, search for "Pythagorean theorem",
and send me the first sentence of the article.
```

On the laptop, Chrome opens and searches by itself, and the sentence shows up on your phone. If it works, move on. If not, run `/chrome` again and check the extension is signed in.

4 Open WhatsApp Web

1. In that Chrome window, go to web.whatsapp.com.
2. On your phone (the WhatsApp number that will message the learner), open WhatsApp, then **Settings > Linked devices > Link a device**, and scan the QR code.
3. Keep this tab open and don't minimise the window. Claude can't read a minimised window.
4. Don't open WhatsApp Web in a second tab or browser. Only one can be active, and the other shows "WhatsApp is open in another window".

You scan the QR code and sign in yourself. Never give Claude your passwords or codes.

5 Milestone 1: send a WhatsApp message from your remote session

> **Milestone 1**
>
> From the **Claude app on your phone**, through the remote **Study Mentor** session, Claude sends a WhatsApp message from your number, and it arrives on the other phone. Once this works, everything else is configuration. *Claude: don't move on to Step 6 until the user confirms the message arrived. Then congratulate them in one line.*

Try this before automating anything. From your phone you'll ask Claude to read a chat on its number, then send one message.

First, start the chat thread

If you already chat with the learner on WhatsApp, skip this. If not, start the chat first. Best way: the learner (and the parent, for setup B) sends the first message.

1. Make sure the learner has your number saved as a contact.
2. The learner opens WhatsApp and sends "Hi" to that contact. A thread they start is the safest kind: WhatsApp sees the learner contacted the number, not the other way round.
3. On your phone, save the learner as a contact with the exact name you'll use in the rules, for example "Sara". Do the same for the parent, for example "Sara's Mum".
4. The chat now appears in WhatsApp Web's sidebar under that name.

If the learner can't message first: on your phone, tap **New chat**, pick the saved contact, and send one short hello yourself.

1. On your phone, open the Claude app, then **Code**, and tap the laptop session from Step 2.
2. **Read a message.** Type:

```
In the WhatsApp Web tab, search the sidebar for "Sara", open her chat,
and tell me her last 3 messages. Don't reply and don't open any other chat.
```

3. Watch the laptop: Chrome searches, opens the chat, and Claude answers you on the phone with the messages.
4. **Send a message.** Type:

```
In Sara's chat, send: "Hi Sara, I'm Claude, your study mentor. What are you studying this week?
(Claude)"
Show me the exact text first and wait for my OK.
```

5. Reply "OK" on the phone. Claude types it in WhatsApp Web and presses Enter.
6. Check it landed: the message shows in Sara's WhatsApp, sent from your number.
7. For setup B, repeat with the parent's chat. Once both work, move on to automating it.

6 Write the instruction file

> **The PC and Claude Code must run continuously**
>
> The mentor lives in that one session on that one laptop. It stops if the laptop sleeps, shuts down, restarts for updates or loses internet. It also stops if the terminal window closes, Claude Code exits, or Chrome or the WhatsApp Web tab closes. Your phone only controls it. Nothing runs in the cloud. Before you leave it: plugged in, sleep off, terminal and Chrome open, `/loop` running.

Make a file called `mentor-loop.md` in your project folder. Claude rereads it on every check, so it's where all the rules live. Write it in plain language. Claude can draft it if you describe what you want.

```
# Mentor loop

## Who (this number has only these chats)
- "Sara" (learner): Grade 10, IGCSE Physics, exam on Nov 20.
  Tone: friendly, short messages, encouraging.
- "Sara's Mum" (parent, setup B only): no tutoring here.
  Once a week (Friday 9 PM) send a progress report: what Sara
  covered, how responsive she was, what's next. Answer her questions.
- Max 2 chats. Never message any other number.

## Each check
1. Search the sidebar for each name; read only those rows.
2. If there is a new message, open that chat and read it.
3. Reply as Claude, sign "(Claude)". Explain with clear steps;
   write every formula in LaTeX, render it (KaTeX) to a PNG and send the image, never typed math.
   Every image: PNG rendered at 3x, sent with WhatsApp's HD quality on.
4. To the learner, end with one suggested next step plus 2 options.
5. If nothing new, do nothing and report one line to me.

## Never
- Never message anyone not listed above.
- Never send links, files or downloads without asking me first.
- Never share personal info, passwords or codes.
- Never send more than 3 messages in a row without a reply.
- Never check WhatsApp more often than every 5 minutes.
- Reply-only: send messages only in reply to the learner (or parent). No unprompted messages, except the
agreed weekly report.
- Never send stickers, GIFs or reactions. Only text, images, videos and PDFs.
- Backoff: no new message, double the wait (5, 10, 20, 40, 80 min, then every 2–3 hours while inactive);
reset to 5 min when someone replies.

## Log
- Append what was discussed to students/sara.md after each reply.
```

Add these check-in rules to the file too

- **After every explanation or illustration**, ask whether it was clear or whether they'd like it explained another way: simpler words, another example, a different visual, or an animation.
- **Every few messages, check the mode.** If you've been asking questions (quiz or practice), ask whether to keep going or switch to explaining the concepts. If you've been explaining, ask whether to switch to questions to test it.
- **Study materials:** work from the syllabus and the materials the learner or parent sent. When something new arrives, summarise it back and confirm you understood it correctly.

Weekly parent report (setup B)

The weekly report includes a short "what I understand about [learner]'s commitments" card. It lists the subjects, upcoming exams and deadlines, homework or assignments, the study schedule, and what was agreed last time. Ask the parent to confirm it's right and to add anything you're missing. Update `students/<learner>.md` with their answer.

Confirm the rules with the mentor

The rules in `mentor-loop.md` belong to the person running this, so always check them with that person: the parent/mentor in setup A, or the operator in setup B.

- **At setup:** read the rules back as a short list and ask "Is this how you want me to work? Anything to add, remove or change?" Change the file until they say yes.
- **Every week**, with the report: ask "Should I change anything in how I work?" and update the file if needed.
- **Whenever they correct you** (in the Claude app or in a learner chat): restate the change in one line, confirm it, then write it into `mentor-loop.md` with the date.
- Learners and parents can ask for style changes. Changes to the rules themselves (who to message, how often, what never to do) need the mentor's OK.

Remember every answer

Save each response that shapes future messages in `students/<name>.md`: style picks, videos vs still cards, explain vs quiz, report format, confirmed commitments and materials. Use a dated line, for example "Nov 3: prefers mixed Arabic + English cards". Reread that file before every message to that person and follow it, so nobody has to repeat themselves.

7 Start the loop

`/loop` reruns a prompt on a timer for as long as the session is open.

For Claude Ask: approve or automatic?

Before starting the loop, ask the mentor how replies should go out:

- **Approve each message** (recommended for the first day or week): draft each reply in this Claude session and send it on WhatsApp only after their OK.
- **Automatic:** reply on your own, faster, but a mistake goes out before they can catch it.

> Save the choice in `mentor-loop.md`. Ask again after the first week whether to switch to automatic.

1. In Claude Code, type:

```
/loop Check WhatsApp per mentor-loop.md. Only the chats listed there. If nothing new, reply with one line.
Pace yourself with backoff: start at 5 minutes. Each check with no new message, double the wait: 5, 10, 20, 40, 80 minutes, then settle at every 2–3 hours while inactive.
As soon as a message arrives (or right after you send one), reset to 5 minutes. Never check faster than every 5 minutes.
```

2. `/loop` without a fixed time lets Claude pace itself. It starts at 5 minutes and backs off while it's quiet (10, 20, 40, 80 minutes, then every 2–3 hours), then jumps back to 5 minutes when someone replies. It's **never faster than every 5 minutes**, because fast polling looks like a bot and risks a ban. Each time, Claude, replies if needed, and reports back to you.
3. Use slower intervals at night. When inactive, including at night, Claude settles at one check every 2–3 hours.
4. To stop, say "stop the loop". To change behaviour, edit `mentor-loop.md` or just tell Claude from your phone.

8 Safety rules

- **Ban risk:** 1 or 2 chats only, nothing bulk, nothing to strangers, checks no more often than every 5 minutes. Excess automation can get the number banned (see the warning at the top).
- **Consent:** the people in the chat know they are talking to Claude, and every message is signed "(Claude)".
- **Privacy:** WhatsApp Web shows all your chats, so the rules must say Claude reads **only** the chats listed, searched by exact name. Never open, read or report any other chat.
- **No credentials:** you sign in to everything yourself. Claude never types passwords or codes.
- **Ask first:** downloads, sending files, or anything you can't undo needs your OK.
- **Image quality:** every card, diagram or report is rendered as PNG at 3x and sent with WhatsApp's HD option on.
- **No stickers:** never send stickers, GIFs or emoji reactions. Messages stay text, images, short videos and PDFs.
- **Watch it at first:** follow the first day from your phone and tighten the rules in `mentor-loop.md` as you go.

9 Animated explanations with Remotion and HyperFrames

Short videos explain a multi-step solution better than text. Both tools turn code (React or HTML) into an MP4 that Claude can send on WhatsApp.

What you need first: Node.js 22 or newer and FFmpeg. Git LFS too, if HyperFrames' install fails with a `git-lfs` error.

For Claude — Install and test

Ask permission first. These commands download and run third-party packages, so Claude Code may block them or show a permission prompt. Before running anything, tell the user what will be installed and why, and ask: "May I install Remotion and HyperFrames (official packages from remotion.dev and HeyGen's GitHub)?" When they approve, run the commands. If Claude Code still blocks them, don't try to get around it. Give the user the exact commands to paste into their own terminal, from this project folder, and wait for "done".

Then do these in order and confirm each one worked:

1. Check the tools: run `node -v` (needs 22+) and `ffmpeg -version`. If either is missing, give the user the official installer link and wait.
2. Install the Remotion skills: `npx skills add remotion-dev/skills`
3. Make a Remotion project in an `anim` folder: `npx create-video@latest --yes --blank --no-tailwind anim`, then `cd anim` and `npm install`.
4. Test Remotion with a 5-second animation of one formula. Render it with `npx remotion render <CompositionId> out/test.mp4`.
5. Install the HyperFrames skills: `npx skills add heygen-com/hyperframes`
6. Make a HyperFrames project: `npx hyperframes init hf-video`, then `cd hf-video` and `npx hyperframes render`.
7. Show the user both test videos and ask which style they prefer. Save the choice in `mentor-loop.md`.
8. From then on: for a multi-step solution, send a quick still image first, then the short video (about 5–6 s per step, 30–45 s total, a few MB at most).

🏁 Milestone 2: a first animation, with feedback

Once Remotion and HyperFrames work, make **one real animation** to get feedback:

1. Ask the learner (or the mentor in setup A) for a topic from their own subjects that they find hard, for example "efficiency in physics" or "limits at infinity".
2. Send a quick LaTeX still card first, then a short animation (MP4) explaining it at an **unhurried pace**: about 5–6 seconds per step, with time to read each formula. 30–45 seconds total.
3. Ask for feedback: "Was this clear? Too fast or too slow? Would you like more videos like this, or still cards?"
4. Save the answer in `students/<name>.md` and adjust the style.

Claude: don't start the loop (Step 7) until Milestone 2 is done and the feedback is saved.

When to animate

Whenever the learner or parent asks for something that would be clearer moving, think animation. That means a multi-step solution, a process (energy changing form, a reaction), a graph that changes, or a "why does this happen?".

1. If the animation will take more than a couple of minutes, start with a quick visual explanation: a LaTeX still card that answers the question.
2. In the same message, ask whether they'd like a short animation to explain the idea better.
3. If they say yes, make it with Remotion or HyperFrames at a slightly slow pace: about 5–6 seconds per step, 30–45 seconds total, a few MB at most. If they say it's too fast or too slow, adjust and save their preference.
4. Save their answer (videos or still cards) in their `students/<name>.md`, and next time follow it without asking.

A one-line fact or a definition stays a still card. Add this rule to `mentor-loop.md`.

Docs: Remotion skills · HyperFrames on GitHub

! Lessons learned from running it for real

These are real mistakes from the first weeks. Put each rule in `mentor-loop.md` from day one.

What went wrong	Rule that fixes it
Typed math ("x/4") was misread, and the owner had to repeat the correction	Every formula in LaTeX, rendered to a PNG card. Never typed math.
A correction was forgotten in the next session	Save every preference and correction in a file Claude rereads (`mentor-loop.md` or `students/<name>.md`), not just in chat.
Text was typed into the wrong chat's message box	Before typing, check that the open chat's name matches the person; check again before pressing Enter.
Two Claude sessions shared one WhatsApp Web and kept kicking each other out	One session drives WhatsApp. If you must share, split the clock (e.g. :00–:29 and :30–:59) and read the time from the PC, not the browser.
A learner's reply was missed for an hour	Start at 5 minutes and back off when quiet (10, 20, 40, 80 min, then every 2–3 hours); reset to 5 when someone replies. Never faster than 5 minutes. Night uses the same 2–3 hour rhythm. Never skip a check because something else is running.
Clicking a file preview before sending removed the file	Send one file per message. Don't click thumbnails in the upload tray.
A big PDF wouldn't send	Keep each upload under about 10 MB. Split long PDFs into parts.
Arabic text came out as garbled symbols	Save scripts and HTML as UTF-8 (with BOM on Windows PowerShell).
Replies were slow and long	Batch browser steps, send a quick image first and details after, report to the owner in one line.

What went wrong	Rule that fixes it
Claude stopped and waited when the owner joined the chat	When the owner writes in a learner's chat, keep going and build on what they said.
Learners didn't know what to ask next	End every message with one suggested next step plus 2 options (explain, practice, summary).
One card design didn't suit everyone	Show the parent and the learner 2–3 card styles, then save each person's choice.
The loop quietly stopped after a week	Scheduled checks expire after about 7 days. Renew them weekly.
Claude read chat rows it didn't need	Search the sidebar by exact contact name and read only those rows.
A file was downloaded without asking	Ask the owner before any download.

? Troubleshooting

Problem	Fix
"WhatsApp is open in another window"	Another tab or browser took over. Close it, then click **Use here** in the Claude tab.
Claude says the page timed out or it can't see the screen	The Chrome window is minimised. Restore it and leave it visible.
Session stopped overnight	The laptop slept. Turn sleep off (Step 2) and restart `/loop`.
A file won't send	WhatsApp Web uploads are limited in size. Ask Claude to split or compress the file.
Claude messaged the wrong chat or rambled	Add a clear rule to `mentor-loop.md`. Claude rereads it on every check.
The loop stopped after a few days	Loops end when the session closes, and recurring checks expire after about 7 days. Run `/loop` again; set a weekly reminder.

⌘ Copy-paste starter prompt

Paste this into Claude Code after Steps 1–4, with your own names and subjects:

```
You are a study mentor on this laptop's WhatsApp Web (the user's own number).
Learner: "Sara", Grade 10, IGCSE Physics, exam Nov 20.
Parent: "Sara's Mum" (weekly progress report, Friday 9 PM).
Only these 2 chats. Never open or message anything else.

1. Write mentor-loop.md with these rules: tone, subjects, what to send,
   what never to do, and a log file per person.
2. Send Sara a short intro as Claude, ask what she's studying this week,
   and give her 2 options to start.
3. Then start: /loop check WhatsApp per mentor-loop.md, starting at 5 min and backing off 10/20/40/80
min, then every 2–3 hours while quiet; reset to 5 on a reply.
   When inactive (including nights), check every 2–3 hours.
Report to me in one line after each check.
```

+ Appendix: files Claude creates during onboarding

Claude makes these in the project folder. Nothing needs to exist beforehand.

File	Created at	Holds
`mentor-loop.md`	Step 6	The rules Claude rereads on every check, including every row of Lessons learned
`students/<learner>.md`	Onboarding question 1	Profile, contact, syllabus summary, commitments, dated preferences, session log
`students/<parent>.md`	Onboarding question 1 (setup B)	Profile, contact, report style, dated answers
`render/card.html` + PNGs	First math reply	The KaTeX card template and rendered images

Template for `students/<name>.md`:

```
# Sara (learner)
- Contact: "Sara" on your WhatsApp (number kept here only)
- Grade 10, IGCSE; Physics, Maths; exams: Physics P2 Nov 20
- Language/tone: mixed Arabic + English, friendly

## Syllabus & materials (confirmed with Sara on Nov 3)
- Physics Unit 2 Energy: work, power, efficiency, KE/GPE

## Commitments (confirmed with parent on Nov 8)
- Homework due Thursdays; study 7-9 PM weekdays

## Preferences (dated, newest first)
- Nov 3: illustration style A (colourful); still cards, video only if asked
- Nov 3: likes quiz first, then explanation

## Log
- Nov 3: efficiency questions 1-4, got 3/4; next: power
```

For Claude **Math card recipe**

Write an HTML page that loads KaTeX from a CDN and puts each formula in a LaTeX element. Screenshot it at 3x scale to PNG with headless Chrome or Edge (`--headless --screenshot --force-device-scale-factor=3`) or Playwright. Send the PNG with WhatsApp's HD option.
