Submission-Ready **Shadow Mirror** Manuscript and Validation

The attached **Shadow Mirror** paper is a strong, original architecture paper, but it is **not yet fully submission-ready** for a top peer-reviewed venue because several claims are well-motivated conceptually yet only preliminarily validated, the benchmark suite is synthetic, the evaluation design does not yet meet the standards expected for human-centered AI or affective computing journals, and some literature positioning needs tightening rather than broadening (Moawad, 2026). The core contribution is still defensible: an external, human-centered reflective architecture that organizes evidence, maintains competing hypotheses, represents uncertainty explicitly, and preserves human interpretive authority is aligned with the broader reflective AI, HITL, trust calibration, and uncertainty-reasoning literature (Moawad, 2026; Rosenbacke et al., 2026; Noorani et al., 2025; Mosqueira-Rey et al., 2022).

Validation of Core Claims

The strongest validated claim is the paper's **architectural positioning**: Shadow Mirror is not a self-reflecting model architecture but a human–AI reflective infrastructure, and that distinction is supported by adjacent literature that relocates reasoning support to the interaction layer rather than the model interior (Moawad, 2026; Rosenbacke et al., 2026). This also fits broader reflective-AI arguments that current systems lack reflection under ambiguity and social context, and that progress likely comes from integrating contextual, normative, and higher-level reasoning components rather than scaling prediction alone (Lewis & Sarkadi, 2023).

Reflective AI Positioning

Evidence Strength	Claim
Strong	**Human-centered reflective scaffolding** is a credible and timely research direction because multiple papers argue that AI support should stabilize human judgment, make reasoning traceable, and preserve interpretive agency rather than only optimize internal model reasoning (Rosenbacke et al., 2026; Deliu & Moldovan, 2026)
Moderate	A **unified graph substrate** for reasoning is plausible and well-grounded, since knowledge-graph research supports semantic integration, hidden-knowledge discovery, and combining relational facts with rules, but Shadow Mirror's specific URG remains an original proposal rather than an already established standard (Buehler, 2024; Liu et al., 2024; Wei et al., 2022)
Moderate	The **EWK profile** is conceptually interesting, but the present evidence only supports observable affective, motivational, and epistemic signals as useful channels; it does not yet validate EWK itself as a mature, generalizable construct (Moawad, 2026; Moerland et al., 2017; Zall & Kangavari, 2024)

FIGURE 1 Evidence strength for Shadow Mirror's main claims

The paper's **URG claim** is directionally sound but should be narrowed. Graph-based substrates do support integrated reasoning, linking heterogeneous entities, and downstream inference across text, facts, and multimodal structures (Moawad, 2026; Buehler, 2024; Liu et al., 2024; Zhang et al., 2021). But the literature does not specifically validate that one graph unifying observations, evidence, context, hypotheses, beliefs, explanations, and inquiries is superior for reflective human reasoning; that is still Shadow Mirror's hypothesis, not consensus fact (Moawad, 2026; Liu et al., 2024; Peng et al., 2023).

The **EWK claim** needs the most careful correction. The attached paper correctly avoids reducing emotion to a scalar EQ and limits itself to observable signals plus cross-stream tensions (Moawad, 2026). That restraint is consistent with affective-computing and emotion-agent literature, which supports emotion as functionally relevant to decision-making and context-sensitive modeling, but also stresses the difficulty of translating higher-level psychological constructs into implementable mathematics and reproducible systems (Moerland et al., 2017; Zall & Kangavari, 2022).

Corrections Needed

Several statements should be revised before journal submission.

Issue	Correction	Why
"Validated" architecture	Rephrase to **proof-of-concept preliminary validation**	Current benchmarks are synthetic and not real-world or human-subject validated (Moawad, 2026)
"Improved calibration"	Rephrase to **higher simulated calibration ratings**	Benchmark 3 uses simulated evaluators, not real human users (Moawad, 2026)
Broad human reasoning support	Narrow to **supports structured reflective tasks under controlled conditions**	Human belief revision often deviates from classical minimal-revision norms and is explanation-guided (Vasileiou et al., 2025)
Scalable reference architecture	Rephrase to **reference design pending scalability validation**	Millions-of-nodes scalability is explicitly unvalidated (Moawad, 2026; Peng et al., 2023)
Domain deployment readiness	Add **not ready for clinical or high-stakes deployment**	Clinical AI requires rigorous validation, bias review, and governance (Moawad, 2026; Cross et al., 2024; Goktas & Grzybowski, 2025)

FIGURE 2 Required revisions before journal submission

The belief-revision layer is scientifically grounded, but its **human rationality assumptions** need nuance. AGM-style revision remains a core formal framework for rational belief change, and newer work generalizes it beyond classical propositional settings and links it to evidence-theoretic updating (Wilie et al., 2024; Delgrande et al., 2018; Jianbing et al., 2011). But empirical work shows humans often revise beliefs in explanation-guided, non-minimal ways, so Shadow Mirror should present AGM/Bayesian operators as normative tools inside the architecture rather than descriptive models of human cognition (Moawad, 2026; Vasileiou et al., 2025).

Evaluation and Prototype Upgrade

The current evaluation is adequate for a workshop-grade proof of concept, not for a best-in-class journal article. Synthetic contradiction tasks, diagnostic-style missing-information tasks, and simulated calibration ratings demonstrate internal coherence, traceability, and controllable behavior, but they do not establish ecological validity, user benefit, fairness, or robustness under longitudinal interaction (Moawad, 2026; Naiseh et al., 2022; Schäfer et al., 2025).

A submission-ready program should add three empirical layers.

1. **Normative system evaluation:** test belief revision, uncertainty propagation, and hypothesis discrimination against formal benchmarks, including asymmetric evidence revision and multi-hypothesis settings (Jianbing et al., 2011; Barber et al., 2025).
2. **Human-subject trust and reasoning evaluation:** compare standard chat versus Shadow Mirror-style scaffolding on reflection depth, correction ratio, revision distance, falsification events, and calibrated reliance (Rosenbacke et al., 2026; Schäfer et al., 2025).
3. **High-stakes domain pilots:** start with education or literature synthesis before medicine, because clinical deployment adds bias, subgroup, governance, and prospective-validation burdens (Usher & Barak, 2024; Cross et al., 2024; Liu et al., 2026).

Research Program

Shadow Mirror research development can be staged as follows.




FIGURE 3 Proposed development arc for Shadow Mirror research

The timeline points to a clear progression from conceptual architecture, to formal operators and benchmarked prototype, to human-subject evaluation, and finally to domain-specific governed deployment. The literature strongly supports that trust calibration, uncertainty communication, and interpretive scaffolding require repeated, context-specific testing rather than one-off demonstrations (Zhang et al., 2020; Naiseh et al., 2022; ■ Ventura et al., 2026).

Prototype Phases

Phase 1: Formalization and benchmarking. Implement URG as a typed property graph with provenance, revision history, and typed support/contradiction edges; add Bayesian and Dempster–Shafer operators as interchangeable update modules; and compare them on contradiction, ambiguity, and missing-data tasks (Moawad, 2026; ■ Zong et al., 2026; ■ Xiao, 2020).

Phase 2: Human-facing reflective interface. Add explicit hypothesis panes, inquiry recommendations, uncertainty visualizations, and mandatory user override controls, since uncertainty cues alone often fail unless paired with capability-focused guidance and agency-preserving scaffolds (Moawad, 2026; Schäfer et al., 2025; ■ Ventura et al., 2026).

Phase 3: Multimodal and longitudinal expansion. Extend the evidence plane to text, audio, video, physiology, and temporal records, because multimodal integration and long-horizon context are recurrent open needs in collaborative and healthcare AI (Moawad, 2026; ■ Noorani et al., 2025; ■ Thri & A.V.L.N, 2026; Liu et al., 2026).

Submission-Ready Paper

The strongest target is a **theory-plus-system journal** in human-centered AI, responsible AI, or affective/human–AI collaboration, not a top pure-ML venue. The present contribution is architecture, governance, and reflective interaction design with proof-of-concept benchmarks, which fits venues valuing conceptual rigor plus system instantiation more than leaderboard gains (■ Rosenbacke et al., 2026; ■ Chinnaraju, 2025).

A submit-ready manuscript should be retitled around **reflective human–AI collaboration under uncertainty**, state four bounded contributions, convert “validation” to “proof-of-concept evaluation,” add a dedicated limitations section distinguishing normative from descriptive belief revision, and add a full experimental roadmap with preregistered human-study methods (Moawad, 2026; ■ Rosenbacke et al., 2026; ■ Ventura et al., 2026). It should also add reproducibility details that emotion-architecture surveys identify as often missing, including exact update rules, benchmark generators, ablations, and code/data availability (Moerland et al., 2017).

The most important shift the evidence supports is this: **reflection in AI is strongest when treated as a governed human–AI process, not as model self-correction alone** (Moawad, 2026; Rosenbacke et al., 2026). The biggest open question is whether Shadow Mirror's URG-plus-EWK design improves real human reasoning, calibration, and outcomes in longitudinal, real-world use rather than only in synthetic benchmarks (Moawad, 2026; Naiseh et al., 2022).

These search results were found and analyzed using Consensus, an AI-powered search engine for research. Try it at https://consensus.app. © 2026 Consensus NLP, Inc. Personal, non-commercial use only; redistribution requires copyright holders' consent.

References

J., Liu, W., Dubois, D., & Prade, H. (2011). Bridging Jeffrey's Rule, AGM Revision and Dempster Conditioning in the Theory of Evidence. *Int. J. Artif. Intell. Tools, 20*, 691-720. https://doi.org/10.1142/s0218213011000401

Barber, J., Young, R., Coombe, C., & Browne, W. N. (2025). Solomonoff-Inspired Hypothesis Ranking with LLMs for Prediction Under Uncertainty. *ArXiv, abs/2512.17145*. https://doi.org/10.48550/arxiv.2512.17145

Buehler, M. J. (2024). Accelerating scientific discovery with generative knowledge extraction, graph-based representation, and multimodal intelligent graph reasoning. *Machine Learning: Science and Technology, 5*. https://doi.org/10.1088/2632-2153/ad7228

Chinnaraju, A. (2025). Explainable AI (XAI) for trustworthy and transparent decision-making: A theoretical framework for AI interpretability. *World Journal of Advanced Engineering Technology and Sciences*. https://doi.org/10.30574/wjaets.2025.14.3.0106

Cross, J. L., Choma, M., & Onofrey, J. (2024). Bias in medical AI: Implications for clinical decision-making. *PLOS Digital Health, 3*. https://doi.org/10.1371/journal.pdig.0000651

Delgrande, J., Peppas, P., & Woltran, S. (2018). General Belief Revision. *Journal of the ACM (JACM), 65*, 1 - 34. https://doi.org/10.1145/3203409

Deliu, D., & Moldovan, A.-L. (2026). Human–AI collaboration and cognitive flexibility in industry 6.0: a framework for purposeful decision-making in innovation and project management. *International Journal of Managing Projects in Business*. https://doi.org/10.1108/ijmpb-10-2025-0459

Goktas, P., & Grzybowski, A. E. (2025). Shaping the Future of Healthcare: Ethical Clinical Challenges and Pathways to Trustworthy AI. *Journal of Clinical Medicine, 14*. https://doi.org/10.3390/jcm14051605

Lewis, P. R., & Sarkadi, Ş. (2023). Reflective Artificial Intelligence. *Minds and Machines, 34*. https://doi.org/10.1007/s11023-024-09664-2

Liu, X., Mao, T., Shi, Y., & Ren, Y. (2024). Overview of knowledge reasoning for knowledge graph. *Neurocomputing, 585*, 127571. https://doi.org/10.1016/j.neucom.2024.127571

Liu, C., Fan, H., Kim, M., Zhou, T., Yang, P., Zhao, L., Wang, Y., Che, Z., Liu, C.-W., Li, B., & Zhu, Y. (2026). Multimodal Wearable Biosensing Meets Multidomain AI: A Pathway to Decentralized Healthcare. *Advanced Science, 13*. https://doi.org/10.1002/advs.202522900

Moawad, O. (2026). Shadow Mirror: A Reference Architecture for Reflective Human–AI Collaboration Under Uncertainty. *IEEE Transactions on Affective Computing*.

Moerland, T., Broekens, J., & Jonker, C. (2017). Emotion in reinforcement learning agents and robots: a survey. *Machine Learning, 107*, 443 - 480. https://doi.org/10.1007/s10994-017-5666-0

Mosqueira-Rey, E., Hernández-Pereira, E., Alonso-Ríos, D., Bobes-Bascarán, J., & Fernández-Leal, Á. (2022). Human-in-the-loop machine learning: a state of the art. *Artificial Intelligence Review, 56*, 3005-3054. https://doi.org/10.1007/s10462-022-10246-w

Naiseh, M., Al-Thani, D., Jiang, N., & Ali, R. (2022). How the different explanation classes impact trust calibration: The case of clinical decision support systems. *International Journal of Human-Computer Studies*. https://doi.org/10.1016/j.ijhcs.2022.102941

Noorani, S., Kiyani, S., Pappas, G., & Hassani, H. (2025). Human-AI Collaborative Uncertainty Quantification. *ArXiv, abs/2510.23476*. https://doi.org/10.48550/arxiv.2510.23476

Peng, C., Xia, F., Naseriparsa, M., & Osborne, F. (2023). Knowledge Graphs: Opportunities and Challenges. *Artificial Intelligence Review*, 1 - 32. https://doi.org/10.1007/s10462-023-10465-9

Rosenbacke, R., Rosenbacke, C., Rosenbacke, V., & McKee, M. (2026). Governing Reflective Human-AI Collaboration: A Framework for Epistemic Scaffolding and Traceable Reasoning. *ArXiv, abs/2604.14898*. https://doi.org/10.48550/arxiv.2604.14898

Schäfer, U., Sipos, L., & Müller-Birn, C. (2025). 'The AI is uncertain, so am I. What now?': Navigating Shortcomings of Uncertainty Representations in Human-AI Collaboration with Capability-focused Guidance. *Proceedings of the ACM on Human-Computer Interaction, 9*, 1 - 48. https://doi.org/10.1145/3757451

Thri, S., & A.V.L.N, S. (2026). Towards Trustworthy AI-Assisted Healthcare: Review on Studies Integrating LLMs, Multimodal Analysis, and Collaborative Filtering for Personalized Diagnosis. *International Journal of Computer Science and Engineering*. https://doi.org/10.14445/23488387/ijcse-v13i1p101

Usher, M., & Barak, M. (2024). Unpacking the role of AI ethics online education for science and engineering students. *International Journal of STEM Education, 11*. https://doi.org/10.1186/s40594-024-00493-4

Vasileiou, S. L., Rago, A., Vanina Martinez, M., & Yeoh, W. (2025). How Do People Revise Inconsistent Beliefs? Examining Belief Revision in Humans with User Studies. *ArXiv, abs/2506.09977*. https://doi.org/10.48550/arxiv.2506.09977

Ventura, A., Katzke, T., Corazza, J., & Yalcciner, M. (2026). Exploring Trust Calibration in XAI - The Impact of Exposing Model Limitations to Lay Users. https://doi.org/10.48550/arxiv.2605.18036

Wei, Z., Wang, Y., Li, J., Liu, Z., Yu, E., Tian, Y., Wang, X., & Chang, Y. (2022). Towards Unified Representations of Knowledge Graph and Expert Rules for Machine Learning and Reasoning. 240-253. https://doi.org/10.18653/v1/2022.aacl-main.20

Wilie, B., Cahyawijaya, S., Ishii, E., He, J., & Fung, P. (2024). Belief Revision: The Adaptability of Large Language Models Reasoning. *ArXiv, abs/2406.19764*. https://doi.org/10.48550/arxiv.2406.19764

Xiao, F. (2020). Generalization of Dempster–Shafer theory: A complex mass function. *Applied Intelligence, 50*, 3266 - 3275. https://doi.org/10.1007/s10489-019-01617-y

Zall, R., & Kangavari, M. (2024). Towards emotion-aware intelligent agents by utilizing knowledge graphs of experiences. *Cogn. Syst. Res., 88*, 101285. https://doi.org/10.1016/j.cogsys.2024.101285

Zall, R., & Kangavari, M. (2022). Comparative Analytical Survey on Cognitive Agents with Emotional Intelligence. *Cognitive Computation, 14*, 1223 - 1246. https://doi.org/10.1007/s12559-022-10007-5

Zhang, J., Chen, B., Zhang, L., Ke, X., & Ding, H. (2021). Neural, symbolic and neural-symbolic reasoning on knowledge graphs. *AI Open, 2*, 14-35. https://doi.org/10.1016/j.aiopen.2021.03.001

Zhang, Y., Liao, Q., & Bellamy, R. K. E. (2020). Effect of confidence and explanation on accuracy and trust calibration in AI-assisted decision making. *Proceedings of the 2020 Conference on Fairness, Accountability, and Transparency*. https://doi.org/10.1145/3351095.3372852

Zong, C., Ning, H., Tang, S., Huang, J., & Wan, J. (2026). BELIEF: Structured Evidence Modeling and Uncertainty-Aware Fusion for Biomedical Question Answering. https://doi.org/10.48550/arxiv.2605.17435