- 1. What type of data visualisation is a histogram?
 - a. Scatter plot
 - b. Line chart
 - c. Bar chart

d. Frequency distribution

- 2. In a histogram, what is represented on the x-axis?
 - a. Categories
 - b. Frequency
 - c. Percentage
 - d. Range of values
- 3. What is the primary purpose of a histogram?
 - a. Showing proportions
 - b. Displaying trends over time
 - c. Representing categorical data
 - d. Presenting the distribution of numerical data
- 4. How is the number of bins determined in a histogram?
 - a. Subjective choice
 - b. Fixed formula
 - c. Data range
- d. All of the above
- 5. In a bar chart, what is represented by the length of the bars?
 - a. Frequency
 - b. Percentage
 - c. Range
 - d. Standard deviation
- 6. Which type of data is best represented by a bar chart?
 - a. Numerical
 - b. Categorical
 - c. Time series
 - d. Geospatial
- 7. What is the main difference between a histogram and a bar chart?
 - a. The type of data they represent
 - b. The presence of gaps between bars
 - c. The orientation of the bars
 - d. The number of bars
- 8. What does each slice in a pie chart represent?
 - a. Frequency
 - b. Percentage
 - c. Range
 - d. Standard deviation

- 9. When is it appropriate to use a pie chart?
 a. Showing trends over time
 - b. Comparing individual data points
 - c. Representing parts of a whole
 - d. Displaying geospatial data
- 10. What type of data is commonly visualised using a heatmap?
 - a. Categorical
 - b. Numerical
 - c. Time series
 - d. Geospatial
- 11. In a heatmap, what do the colours represent?
 - a. Frequency
 - b. Intensity or value
 - c. Range
 - d. Standard deviation
- 12. What is a violin plot used for?
 - a. Displaying distribution of numerical data
 - b. Comparing categorical data
 - c. Showing geospatial trends
 - d. Representing time series data
- 13. What does the width of the "violin" in a violin plot indicate?
 - a. Range of values
 - b. Frequency
 - c. Density of data points
 - d. Skewness
- 14. In a skewed right distribution, where is the tail of the data located?
 - a. Left side
 - b. Right side
 - c. Center
 - d. Both sides equally
- 15. What does a negative skewness value indicate?
 - a. Skewed left
 - b. Skewed right
 - c. Symmetric distribution
 - d. No skewness
- 16. In a perfectly symmetrical distribution, what is the skewness value?
 - a. 0
 - b. 1
 - c. -1
 - d. Cannot be determined

- 17. What type of data is best visualised using a dot plot?a. Numericalb. Categorical
 - c. Time seriesd. Geospatial
- 18. How are individual data points represented in a dot plot?
 - a. Bars
 - b. Dots
 - c. Lines
 - d. Areas
- 19. What is the main purpose of a stem-and-leaf plot?
 - a. Displaying distribution of numerical data
 - b. Comparing categorical data
 - c. Showing geospatial trends
 - d. Representing time series data
- 20. In a stem-and-leaf plot, what does the stem represent?
 - a. Individual data points
 - b. Ranges of values
 - c. Frequency
 - d. Skewness
- 21. In a left-skewed distribution, where is the tail of the data located?
 - a. Left side
 - b. Right side
 - c. Center
 - d. Equally distributed on both sides
- 22. What does a positive skewness value indicate?
 - a. Skewed left
 - b. Skewed right
 - c. Symmetric distribution
 - d. No skewness
- 23. When is a pie chart considered misleading?
 - a. When there are too many categories
 - b. When the data is evenly distributed
 - c. When it represents a small dataset
 - d. When comparing individual data points
- 24. What is the primary purpose of a histogram?
 - a. Displaying the distribution of numerical data
 - b. Comparing individual data points
 - c. Representing trends over time
 - d. Comparing categories

- 25. In a right-skewed distribution, where is the majority of the data located?
 - a. Left side
 - b. Right side
 - c. Center
 - d. Equally distributed on both sides
- 26. What is the main drawback of using a pie chart?
 - a. Limited to categorical data
 - b. Difficult to interpret
 - c. Cannot represent percentages
 - d. Not suitable for small datasets
- 27. Which of the following is a characteristic of a left-skewed distribution?
 - a. Median > Mean
 - b. Median < Mean
 - c. Median = Mean
 - d. Median is not affected by skewness
- 28. In a histogram, what is typically shown on the y-axis?
 - a. Categories
 - b. Frequency
 - c. Percentage
 - d. Range of values
- 29. When is it appropriate to use a pie chart?
 - a. Showing proportions
 - b. Comparing individual data points
 - c. Representing trends over time
 - d. Displaying geospatial data
- 30. What type of data is best represented by a bar chart?
 - a. Numerical
 - b. Categorical
 - c. Time series
 - d. Geospatial