

Module 3 Cheat Sheet - Introduction to Shell Scripting

Bash shebang

- 1. 1
- 1. #!/bin/bash

Copied!

Get the path to a command

- 1. 1
- 1. which bash

Copied!

Pipes, filters, and chaining

Chain filter commands together using the pipe operator:

- 1. 1
- 1. ls | sort -r

Copied!

Pipe the output of manual page for 1s to head to display the first 20 lines:

- 1. 1
- 1. man ls | head -20

Copied!

Use a pipeline to extract a column of names from a csv and drop duplicate names:

- 1. 1
- 1. cut -d "," -f1 names.csv | sort | uniq

Copied!

Working with shell and environment variables:

List all shell v	variables:
------------------	------------

- 1. 1
- 1. set

Copied!

Define a shell variable called my_planet and assign value Earth to it:

- 1. 1
- my_planet=Earth

Copied!

Display value of a shell variable:

- 1. 1
- echo \$my_planet

Copied!

Reading user input into a shell variable at the command line:

- 1. 1
- read first_name

Copied!

Tip: Whatever text string you enter after running this command gets stored as the value of the variable first_name.

List all environment variables:

- 1. 1
- 1. env

Copied!

Environment vars: define/extend variable scope to child processes:

- 1. 1
- 2. 2
- export my_planet
- export my_galaxy='Milky Way'

Copied!

Metacharacters

Comments #:

1. 1

1. # The shell will not respond to this message

Copied!

Command separator;:

- 1. 1
- 1. echo 'here are some files and folders'; ls

Copied!

File name expansion wildcard *:

- 1. 1
- 1. ls *.json

Copied!

Single character wildcard ?:

- 1. 1
- 1. ls file_2021-06-??.json

Copied!

Quoting

Single quotes '' - interpret literally:

- 1. 1
- 1. echo 'My home directory can be accessed by entering: echo \$HOME'

Copied!

Double quotes "" - interpret literally, but evaluate metacharacters:

- 1. 1
- 1. echo "My home directory is \$HOME"

Copied!

Backslash $\ \ -$ escape metacharacter interpretation:

- 1. 1
- 1. echo "This dollar sign should render: \\$"

Copied!

I/O Redirection

Redirect output to file and overwrite any existing content:

about:blank 3/9

- 1. 1
- 1. echo 'Write this text to file x' > x

Copied!

Append output to file:

- 1. 1
- 1. echo 'Add this line to file x' >> x

Copied!

Redirect standard error to file:

- 1. 1
- 1. bad_command_1 2> error.log

Copied!

Append standard error to file:

- 1. 1
- 1. bad_command_2 2>> error.log

Copied!

Redirect file contents to standard input:

- 1. 1
- 1. \$ tr "[a-z]" "[A-Z]" < a_text_file.txt</pre>

Copied!

The input redirection above is equivalent to:

- 1. 1
- 1. \$cat a_text_file.txt | tr "[a-z]" "[A-Z]"

Copied!

Command Substitution

Capture output of a command and echo its value:

- 1. 1
- 2. 2
- 1. THE_PRESENT=\$(date)
- 2. echo "There is no time like \$THE_PRESENT"

Copied!

Capture output of a command and echo its value:

- 1. 1
- 1. echo "There is no time like \$(date)"

Copied!

Command line arguments

```
1. 1
```

1. ./My_Bash_Script.sh arg1 arg2 arg3

Copied!

Batch vs. concurrent modes

Run commands sequentially:

```
1. 1
```

1. start=\$(date); ./MyBigScript.sh ; end=\$(date)

Copied!

Run commands in parallel:

1. 1

1. ./ETL_chunk_one_on_these_nodes.sh & ./ETL_chunk_two_on_those_nodes.sh

Copied!

Scheduling jobs with cron

Open crontab editor:

- 1. 1
- 1. crontab -e

Copied!

Job scheduling syntax:

- 1. 1
- 1. m h dom mon dow command

Copied!

(minute, hour, day of month, month, day of week)

Tip: You can use the * wildcard to mean "any".

Append the date/time to a file every Sunday at 6:15 pm:

1. 1

about:blank 5/9

```
1. 15 18 * * 0 date >> sundays.txt
```

```
Copied!
```

Run a shell script on the first minute of the first day of each month:

```
1. 1
```

```
1. 1 0 1 * * ./My_Shell_Script.sh
```

Copied!

Back up your home directory every Monday at 3:00 am:

```
1. 1
```

```
1. 0 3 * * 1 tar -cvf my_backup_path\my_archive.tar.gz $HOME\
```

Copied!

Deploy your cron job:

Close the crontab editor and save the file.

List all cron jobs:

- 1. 1
- 1. crontab -1

Copied!

Conditionals

if-then-else syntax:

- 1. 1
- 2. 2
- 3. 3
- 4. 4
- 5.5
- 6.6
- 1. if [[\$# == 2]]
- 2. then
- 3. echo "number of arguments is equal to 2"
- 4. else
- echo "number of arguments is not equal to 2"
- 6. fi

Copied!

'and' operator &&:

- 1. 1
- 1. if [condition1] && [condition2]

Copied!

'or' operator ||:

about:blank 6/9

```
1. 1
```

```
1. if [ condition1 ] || [ condition2 ]
```

Copied!

Logical operators

Operator Definition == is equal to

!= is equal to

< is less than

> is greater than

is less than or equal to

>= is greater than or equal to

Arithmetic calculations

Integer arithmetic notation:

1. 1

1. \$(())

Copied!

Basic arithmetic operators:

Symbol Operation

+ addition

- subtraction

* multiplication

division /

Display the result of adding 3 and 2:

1. 1

1. echo \$((3+2))

Copied!

Negate a number:

1. 1

1. echo \$((-1*-2))

Copied!

Arrays

Declare an array that contains items 1, 2, "three", "four", and 5:

1. 1

```
1. my_array=(1 2 "three" "four" 5)
```

```
Copied!
```

Add an item to your array:

```
1. 1
```

- 2. 2
- my_array+="six"
- 2. my_array+=7

Copied!

Declare an array and load it with lines of text from a file:

```
1. 1
```

```
1. my_array=($(echo $(cat column.txt)))
```

Copied!

for loops

Use a for loop to iterate over values from 1 to 5:

- 1. 1
- 2. 2
- 3. 3
- 1. for i in $\{0...5\}$; do
- echo "this is iteration number \$i"
- 3. done

Copied!

Use a for loop to print all items in an array:

- 1. 1
- 2. 2
- 3. 3
- for item in \${my_array[@]}; do
- echo \$item
- 3. done

Copied!

Use array indexing within a for loop, assuming the array has seven elements:

- 1. 1
- 2. 2
- 3. 3
- 1. for i in $\{0...6\}$; do
- 2. echo \${my_array[\$i]}
- 3. done

Copied!

about:blank

Authors

Jeff Grossman Sam Propupchuk

Other Contributors

Rav Ahuja

Change Log

Date (YYYY-MM-DD)	Version	Changed By	Change Description
2023-06-07	2.0	Jeff Grossman	Added advanced scripting examples
2023-05-17	1.3	Nick Yi	Added content
2023-05-09	1.2	Nick Yi	Add code blocks, update title
2023-04-26	1.1	Nick Yi	ID Review
2023-02-14	1.0	Jeff Grossman	Update to reflect module content

[©] Copyright IBM Corporation 2023. All rights reserved.

about:blank 9/9