



REDITRON CODE	MANUFACTURER CODE	ITEM DESCRIPTION	RETAIL PRICE EX	
HDCVI CAMERA	S			
BULLET CAMERA	AS			
HCDA201	HAC-HFW1100RP-0360B-S3	Dahua HDCVI 1MP 720p Bullet IR 3.6mm	R	393.00
		1/2.9" 1Megapixel CMOS 25/30fps@720P High speed, long distance real-time transmission Day/Night(ICR), AWB, AGC, BLC, 2D-DNR 3.6mm fixed lens Max. IR LEDs length 20m, Smart IR IP66, DC12V		
HCDA205-1	HAC-HFW1200SP-0360B	Pahua HDCVI 2MP 1080P Bullet IR 3.6mm 1/2.7" 2Megapixel CMOS Max 30fps@1080P HD and SD output switchable 3.6mm fixed lens Max. IR length 30m, Smart IR IP67, DC12V	R	768.00
HCDA205-2	HAC-HFW1200SP-0360B-S3	Dahua HDCVI 2MP 1080P Bullet IR 3.6mm S3 1/2.7" 2Megapixel CMOS Max 30fps@1080P HD and SD output switchable 3.6mm fixed lens Max. IR length 30m, Smart IR IP67, DC12V	R	555.00
HCDA206	DH-HAC-HFW1100RP-VF-S2	Dahua HDCVI 1MP 720p Bullet IR VF 1/2.9" 1Megapixel CMOS 25/30fps@720P High speed, long distance real-time transmission Day/Night(ICR), AWB, AGC, BLC, 2D-DNR 2.7~12mm vari-focal lens Max. IR LEDs length 30m, Smart IR IP66, DC12V	R	982.00
HCDA206-2	DH-HAC-HFW1100RP-VF-S3	Dahua HDCVI 1MP 720p Bullet IR VF S3 1/2.9" 1Megapixel CMOS Max 30fps@720P HD and SD output switchable 2.7-12mm vari-focal lens Max. IR length 30m, Smart IR IP67, DC12V	R	889.00
HCDA206-1	HAC-HFW1200RP-VF-IRE6	Dahua HDCVI 2MP 1080p Bullet IR VF 1/2.7" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P High speed, long distance real-time transmission HD and SD switchable OSD Menu, control over coaxial cable DWDR, Day/Night(ICR), AWB, AGC, BLC, 2DNR 2.7"12mm vari-focal lens Max. IR LEDs length 60m, Smart IR IP67, DC12V	R	1,156.00
DOME CAMERA	<u> </u>			
HCDA301	HAC-HDW1100RP-0360B-S3	Dahua HDCVI 1MP 720p Dome IR 3.6mm 1/2.9" 1Megapixel CMOS 25/30fps@720P High speed, long distance real-time transmission Day/Night(ICR), AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs length 20m, Smart IR DC12V	R	353.00
HCDA303-1	HAC-HDW1200MP-0360B	Dahua HDCVI 2MP 1080p Dome IR 3.6mm 1/2.7" 2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P High speed, long distance real-time transmission HD and SD switchable OSD Menu, control over coaxial cable DWDR, Day/Night(ICR), AWB, AGC, BLC, 2DNR 3.6mm fixed lens Max. IR LEDs length 30m, Smart IR 1P67, DC12V	R	539.00



REDITRON CODE	MANUFACTURER CODE	ITEM DESCRIPTION		ETAIL RICE EX
HCDA303-2	HAC-HDW1200MP-0360B-	Dahua HDCVI 2MP 1080p Dome IR 3.6mm S3	R	555.00
	53	 1/2.7" 2Megapixel CMOS Max 30fps@1080P HD and SD output switchable 3.6mm fixed lens Max. IR length 30m, Smart IR IP67, DC12V 		
HCDA304-2	HAC-HDBW1100RP-VF-S2	Dahua HDCVI 1MP 720p Dome IR VF	R	1,030.00
		 1/2.9" 1Megapixel CMOS 25/30fps@720P High speed, long distance real-time transmission Day/Night vari-focal lens Max. IR LEDs length 30m, Smart IR IP66, IK10, DC12V 		
HCDA304-4	HAC-HDBW1100RP-VF-S3	Dahua HDCVI 1MP 720p Dome IR VF S3	R	_
	COMING SOON	 1/2.9" 1Megapixel CMOS 25/30fps@720P High speed, long distance real-time transmission Day/Night(ICR), AWB, AGC, BLC, 2D-DNR 2.7"12mm vari-focal lens Max. IR LEDs length 30m, Smart IR IP66, IK10, DC12V 		
HCDA304-1	HAC-HDBW1200RP-VF	Dahua HDCVI 2MP 1080p Dome IR VF	R	1,039.00
		 1/2.9" 1Megapixel CMOS 25/30fps@720P High speed, long distance real-time transmission Day/Night(ICR), AWB, AGC, BLC, 2D-DNR 2.7"12mm vari-focal lens Max. IR LEDs length 30m, Smart IR IP66, IK10, DC12V 		
HCDA304-3	DH-HAC-HDBW1200RP-VF-	Dahua HDCVI 2MP 1080p Dome IR VF S3	R	1,036.00
	2712-53	 1/2.7" 2Megapixel CMOS Max 30fps@1080P HD and SD output switchable 2.7-12mm vari-focal lens Max. IR length 30m, Smart IR IP67, IK10, DC12V 		
PTZ				
HCDA402	DH-SD42212I-HC	Dahua HDCVI 2MP 1080p PTZ 12X 1/2.8" 2Megapixel Exmor CMOS Powerful 12x optical zoom Max. 25/30fps@1080P DWDR, 3D DNR IP66, IK10	R	4,138.00
HCDA403	DH-SD6C225I-HC	Dahua HDCVI 2MP 1080p PTZ IR 25X	R	6,787.00
		2Megapixel STARVIS™ CMOS Powerful 25x optical zoom Starlight technology 120dB true WDR, 3D DNR Max. 25/30fps@1080P, 25/30/50/60fps@720P IR distance up to 150m IP66		
HDCVI DVRS				
RCDA408-1	HCVR4104C-S3	Dahua HDCVI 4 ch 720p Lite slimline DVR S3	R	1,080.00
		Embedded processor H.264 video compression Max 5 channels (1 IP camera input) Max 20 Mbps Incoming Bandwidth Long distance over coax cable Support 1 SATA HDD, up to 6TB		
RCDA400-10	HCVR5104HS-S3	Dahua HDCVI 4 ch 1080P Lite 1U DVR S3	R	1,540.00
		Support HDCVI/Analog/IP Video input H.264+/H.264 dual-stream video compression All channel 1080N/720P realtime or 1080P non-realtime recording HDMI/VGA simultaneous video output A channel synchronous playback, GRID interface & smart search Support 1 SATA HDD up to 6TB, 2 USB2.0 Multiple network monitoring: Web viewer, CMS(DSS/Smart PSS) & Smart Phone(DMSS)		



REDITRON CODE	MANUFACTURER CODE	ITEM DESCRIPTION		ETAIL ICE EX
RCDA418	HCVR7204A-S2	Dahua HDCVI 4 ch 1080p 1U DVR S2	R	1,347.00
		Support HDCVI/Analog/IP Video input H.264 dual-stream video compression All channel 1080P realtime recording Achannel synchronous realtime playback, GRID interface & smart search HDMI/VGA simultaneous video output Support 2 SATA HDDs up to 8TB, 2 USB2.0 ONVIF Version 2.4 conformance 3D intelligent positioning with Dahua PTZ dome camera Multiple network monitoring: Web viewer, CMS(DSS/Smart PSS)&Smart Phone(DMSS)		-
RCDA419	HCVR7204A-V2	Dahua HDCVI 4 ch 1080p 1U DVR V2	R	1,350.00
HCVR 8 Channel		Support HDCVI/Analog/IP Video input H.264 dual-stream video compression All channel 1080P realtime recording Achannel synchronous realtime playback, GRID interface & smart search HDMI/VGA simultaneous video output Support 2 SATA HDDs up to 8TB, 2 USB2.0 ONVIF Version 2.4 conformance 3D intelligent positioning with Dahua PTZ dome camera Multiple network monitoring: Web viewer, CMS(DSS/Smart PSS)&Smart Phone(DMSS)		
RCDA412	HCVR4108C-S2	Dahua HDCVI DVR 8ch 720p Lite slimline DVR S2	R	1,479.00
		Support HDCV & IP Video input H.264 dual-stream video compression All channel 720P recording HDMI/VGA simultaneous video output 8 channel synchronous playback, GRID interface & smart search ONVIF Version 2.4 conformance Support 1 SATA HDD up to 4TB, 2 USB2.0 3D intelligent positioning with Dahua PTZ dome camera Multiple network monitoring: Web viewer, CMS(DSS/Smart PSS)&Smart Phone(DMSS)		
RCDA416	DHI-HCVR4108C-S3	Dahua HDCVI DVR 8ch 720p Lite slimline DVR S3	R	1,840.00
		Support HDCVI/Analog/IP Video input H.264 dual-stream video compression All channel 720P recording HDMI/VGA simultaneous video output Schannel synchronous playback, GRID interface & smart search ONVIF Version 2.4 conformance Support 1 SATA HDD up to 6TB, 2 USB2.0 3D intelligent positioning with Dahua PTZ dome camera Multiple network monitoring: Web viewer, CMS(DSS/Smart PSS)&Smart Phone(DMSS)		
RCDA415	DHI-HCVR5108HS-S3	Dahua HDCVI DVR 8ch 1080P Lite 1U DVR S3	R	2,720.00
		Support HDCVI/Analog/IP Video input H.264+/H.264 dual-stream video compression All channel 1080N/720P realtime or 1080P non-realtime recording HDMI/VGA simultaneous video output 8 channel synchronous realtime playback, GRID interface & smart search ONVIF Version 2.4.1 conformance Support 1 SATA HDD up to 6TB, 2 USB2.0 3D intelligent positioning with Dahua PTZ dome camera Multiple network monitoring: Web viewer, CMS(DSS/Smart PSS)&Smart Phone(DMSS) Advanced intelligent functions: Tripwire, Intrusion, Abandoned/Missing, Face Detection		
HCVR 16 Channel				
RCDA423	DHI-XVR4116HS-S3 DHI-XVR5216AN	Dahua HDCVI 16ch 720p Lite 1U XVR • Embedded processor • H.264 video compression • Support HDCVI/AHD/TVI/CVBS/IP video inputs • Max 18 channels (2 IP camera inputs) • Long transmission distance over coax cable • Support 1 SATA HDD, up to 6TB Dahua HDCVI 16ch 1080P Lite 1U XVR	R	2,670.00 4,305.00
		Embedded processor H.264+/H.264 dual-stream video compression Support HDCVI/AHD/TVI/CVBS/IP video inputs Max 8 channels IP camera inputs Max 96Mbps Incoming Bandwidth Smart Search and Intelligent Video System		



REDITRON CODE	MANUFACTURER CODE	ITEM DESCRIPTION		ETAIL RICE EX
HCVR 32 Channe				46 = 1 : .
RCDA414-A	DHI-XVR5432L	Dahua HDVI 32ch 1080P Lite 1.5U XVR	R	12,544.00
		Embedded processor H.264+/H.264 dual-stream video compression		
		Support HDCVI/AHD/TVI/CVBS/IP video inputs		
		Max 16 channels IP camera inputs		
		Max 64Mbps Incoming Bandwidth Smart Search and Intelligent Video System		
IP CAMERAS		<u> </u>		
BULLET CAMERA				
ICDA206-1	IPC-HFW1120SP-0360B	Dahua IP 1.3MP Bullet IR 3.6mm Lite	R	1,236.00
		 1/3" 1.3Megapixel progressive CMOS H.264+ & H.264 dual-stream encoding 		
		• 25/30fps@1.3M(1280×960)		
		DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC		
		Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS 3.6 mm fixed lens		
		Max IR LEDs Length 30m		
ICDA205	IPC-HFW4300EP-0360B	IP67, P0E Dahua IP 3MP Bullet IR 3.6mm ES	R	1,102.00
		1/3" 3Megapixel progressive CMOS	+"	2,202.00
		H.264+ & H.264 dual-stream encoding		
		 Max 20fps@3.0M(2048×1536)&25/30fps@1080P(1920×1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 		
		Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS		
		3.6 mm fixed lens		
		Max IR LEDs Length 30m IP66, PoE		
ICDA220	IPC-HFW1320SP-0360B	Dahua IP 3MP Bullet IR 3.6mm Lite	R	1,637.00
		• 1/3" 3Megapixel progressive scan CMOS		
		H.264&MJPEG dual-stream encoding Accordance of Sections (200, Conceptions and Concept		
		 Max 20fps@3M(2048× 1536)&25/30fps@1080P(1920× 1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 		
		Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS		
		 3.6mm fixed lens Max. IR LEDs Length 20m 		
		• IP67, P0E		
ICDA229	IPC-HFW2120RP-VFS	Dahua IP 1.3MP Bullet IR VF Lite	R	2,973.00
		1/3" 1.3Megapixel progressive scan CMOS		
		H.264 & MJPEG dual-stream encoding		
		 25/30fps@1.3M(1280×960) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 		
		Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS		
		• 2.7~12mm varifocal lens		
		Max IR LEDs Length 60m IP67, PoE		
ICDA219-1	IPC-HFW2320RP-VFS	Dahua IP 3MP Bullet IR VF Lite	R	3,363.00
		1/3" 3Megapixel progressive CMOS	-	
		 1/3" 3Megapixel progressive CMOS H.264 & MJPEG dual-stream encoding 		
		• Max 20fps@3M(2304x1296) (2048x1536) &25/30fps@1080P(1920 x1080)		
		 DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS 		
		• 2.7~12mm varifocal lens		
		Max IR LEDs Length 30m		
		IP67, PoEMicro SD card slot, up to 128GB		
ICDA221	IPC-HFW4421EP-0360B	Dahua IP 4MP Bullet IR 3.6mm ES2	R	1,477.00
	3 111 17 72221 703000	1/3" 4Megapixel progressive scan CMOS	1"	2,477.00
		H.264 & MJPEG triple-stream encoding		
		 Smart Detection supported Max 20fps@4M(2560× 1440) & 25/30fps@3M(2304× 1296) 		
		 Max 20Jps@4M(2560x 1440) & 25/30Jps@3M(2304x 1296) WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 		
		Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS		
		3.6mm fixed lens (6mm optional) Max. IR LEDs Length 40m		
		• IP67, P0E		
	İ	l	I	



REDITRON	MANUFACTURER	ITEM DESCRIPTION		ETAIL
CODE	CODE			ICE EX
ICDA222	IPC-HFW5421EP-Z	Dahua IP 4MP Bullet IR MZ ES2 1/3" 4Megapixel progressive scan CMOS	R	5,738.00
		H.264&MJPEG triple-stream encoding		
		• Max 20fps@4Mp(2560× 1440),25/30fps@3Mp(2304x1296)		
		Smart Detection supported		
		WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Adultials not used manifesing Walk visus and CASC/DSS/RSS/R DASS.		
		Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS 2.7mm ~12mm motorized lens		
		Max. IR LEDs Length 50m		
		IP67, PoE		
ICDA212 1	IDC UEW9221ED 7	Micro SD card memory Dahua IP 3MP Bullet IR MZ Ultra	R	8,648.00
ICDA213-1	IPC-HFW8331EP-Z	Danua IP SIVIP Builet IK IVIZ OILTA	K	8,048.00
		1/2.8" 3Megapixel progressive scan CMOS		
		Support H.265/H.264/MJPEG codec		
		Smart triple streams supportedMax 25/30fps@3MP(2048x1536)		
		Ultra WDR up to 140dB		
		Ultra 3D DNR		
		Ultra Defog, ROI, EIS Count detection		
		Smart detection Intelligent Function		
		2.8 ~12mm varifocal motorized lens		
		Max. IR LEDs length 50m		
		Micro SD memory, IP67, PoE		
IP DOME CAME	ERAS			
ICDA321	DH-IPC-HDW1120SP-0360B	Dahua IP 1.3MP Dome IR 3.6mm Lite	R	1,279.00
		1/3" 1.3Megapixel progressive scan CMOS		
		H.264&MJPEG dual-stream encoding		
		• 25/30fps@1.3M(1280× 960)		
		DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS		
		3.6mm fixed lens		
		Max. IR LEDs Length 30m		
		• IP67, PoE		
ICDA327	IPC-HDW1320SP-0360B	Dahua IP 3MP Dome IR 3.6mm Lite S	R	1,872.00
		1/3" 3Megapixel progressive scan CMOS		
		H.264&MJPEG dual-stream encoding		
		• Max 20fps@3M(2048× 1536)&25/30fps@1080P(1920× 1080)		
		DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC		
		Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS 3.6mm fixed lens		
		Max. IR LEDs Length 30m		
		• IP67, PoE		
ICDA321-1	IPC-HDBW1320EP-0360B	Dahua IP 3MP Dome IR 3.6mm Lite E	R	2,086.00
		4/2// 244	_	
		1/3" 3Megapixel progressive scan CMOS H.264&MJPEG dual-stream encoding		
		Max 20fps@3M(2048x1536) (2304× 1296)&25/30fps@1080P(1920× 1080)		
		DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC		
		Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS 3 Grown five Llane.		
		3.6mm fixed lens Max. IR LEDs Length 30m		
		• IP67, IK10, PoE		
ICDA326-1	IPC-HDBW2120RP-VFS	Dahua IP 1.3MP Dome IR VF Lite	R	2,966.00
		1/3" 1.3Megapixel progressive scan CMOS		
		H.264 & MJPEG dual-stream encoding		
		• 25/30fps@1.3M(1280× 960)		
		DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC Add to the second sec		
		Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS 2.7~12mm varifocal lens		
		Max IR LEDs Length 30m		
		• IP67, IK10, P0E		
		Micro SD card slot, up to 128GB		
ICDA326-2	IPC-HDBW2320RP-VFS	Dahua IP 3MP Dome IR VF Lite	R	3,514.00
		1/3" 3Megapixel progressive CMOS		
		H.264 & MJPEG dual-stream encoding		
		• Max 20fps@3M(2304x1296) (2048x1536)&25/30fps@1080P(1920 x1080)		
		DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS		
		2.7~12mm varifocal lens		
		Max IR LEDs Length 30m		
		IP67, IK10, PoE Micro SD card slot, up to 128GB		
]	Micro SD card slot, up to 128GB		



REDITRON CODE	MANUFACTURER CODE	ITEM DESCRIPTION		RETAIL RICE EX
ICDA308-1	IPC-HDBW4120EP-0360B	Dahua IP 1.3MP Dome IR 3.6mm ES2	R	2,743.00
		1/3" 1.3Megapixel progressive scan CMOS H.264&MJPEG triple-stream encoding 25/30fps@1.3Mp(1280×960) DWDR, Day/Night(ICR), 3DNR,AWB,AGC,BLC Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS 3.6mm fixed lens (2.8mm, 6mm optional) Max. IR LEDs Length 30m IP67, IK10, PoE		
ICDA329-1	IPC-HDBW4421FP-0360B	Dahua IP 4MP Dome IR 3.6mm ES2	R	1,512.00
		1/3" 4Megapixel progressive scan CMOS Support H.264&MJPEG dual codec Max 20fps@4M(2688x 1520),25/30fps@3M(2304x1296) Smart Detection supported WDR(120dB), Day/Night(ICR), 3DNR,AWB,AGC,BLC, Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS 3.6mm fixed lens Max. IR LEDs Length 20m IP67, IK10, PoE		
ICDA319-3	DH-IPC-HDBW4431EP-AS- 0280B-S2	Dahua IP 4MP Dome IR 2.8mm ES3 Audio	R	2,902.00
		1/3" 4Megapixel progressive scan CMOS H.265&H.264 triple-stream encoding 25/30fps@4M(2688×1520) Smart Detection supported WDR(120dB), Day/Night(ICR), 3DNR,AWB,AGC,BLC Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS 2.8mm fixed lens 1/1 Alarm in/out, 1/1 audio in/out Max. IR LEDs Length 30m Micro SD memory, IP67, IK10, PoE		
ICDA304-1	IPC-HDBW8331EP-Z	Dahua IP 3MP Dome IR MZ Ultra	R	8,975.00
		1/2.8" 3Megapixel progressive scan CMOS Support H.265/H.264/MJPEG dual codec Smart triple streams supported Max 25/30fps@3MP(2048x1536) Ultra WDR up to 140dB Ultra 3D DNR Ultra Defog, ROI, EIS Smart detection Intelligent Function 2.8 "12mm varifocal motorized lens Max. IR LEDs length 50m Micro SD memory, IP66, IK10, PoE,		
IP PTZ CAMERA	<u> </u>			
ICDA410-1	DH-SD22204T-GN	Dahua IP 2MP PTZ 4X 1/2.7" 2Megapixel CMOS Powerful 4x optical zoom Support Triple-streams encoding WDR, Day/Night(ICR), Ultra DNR Max. 25/30fps@1080P, 25/30/50/60fps@720P IVS(Optional) Support PoE, Wifi Max 100°/s pan speed IP66, IK10	R	2,592.00
ICDA403-1	DH-SD6C230T-HN	Dahua IP 2MP PTZ 100m IR 30X	R	12,041.00
		 30x optical zoom Support Triple-streams encoding DWDR, Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS Max 240°/s pan speed, 360° endless pan rotation Up to 300 presets, 5 auto scan, 8 tour, 5 pattern Built-in 2/1 alarm in/out Support intelligent 3D positioning with DH-SD protocol Micro SD memory, IP66 IR Distance up to 100m 		



REDITRON CODE	MANUFACTURER CODE	ITEM DESCRIPTION		ETAIL RICE EX
ICDA408-1	SD6AE230F-HNI	Dahua IP 2MP PTZ 200m IR 30X Ultra Starlight	R	29,090.00
		 Powerful 30x optical zoom Ultra-low light star-light camera H.264 & MJPEG Three-stream encoding Max 60fps@720P and 30fps@1080P resolution Defog, WDR, EIS, ROI, Day/Night(ICR), DNR (2D&3D), Auto iris, Auto focus, AWB, AGC,BLC Auto-tracking and IVS Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS Max 240°/s pan speed, 360° endless pan rotation Up to 300 presets, 5 auto scan, 8 tour, 5 pattern Built-in 7/2 alarm in/out Support intelligent 3D positioning with DH-SD protocol Micro SD memory, IP67, IK10, Hi-POE IR Distance up to 200m 		
IP PINHOLE CAN	IERAS DH-HUM8101P-R	Dahua IP 1.3MP Pinhole 3.6mm Round	R	5,837.00
ICDA/IO	DI-HUMBIOI-N	1/3" 1.3Megapixel progressive scan CMOS H.264 & MJPEG dual-stream encoding Max 25/30fps@1.3MP (1280/960) Day/Night(Electronic), 3DNR, AWB,AGC,BLC Smart detection 3.6mm fixed lens Micro SD memory, PoE	K	3,637.00
ICDA701	DH-HUM8101P-S	Dahua IP 1.3MP Pinhole 3.6mm Square	R	5,392.00
IP FISHEYE CAMI		1/3" 1.3Megapixel progressive scan CMOS H.264 & MJPEG dual-stream encoding Max 25/30fps@1.3MP (1280\(960\)) Day/Night(Electronic), 3DNR, AWB,AGC,BLC Smart detection 3.6mm fixed lens Micro SD memory, PoE		
ICDA900	IPC-EBW8600P	Dahua IP 6MP Fisheye IR 1.55mm	R	10,527.00
		1/1.8" 6Megapixel progressive scan CMOS H.264 &MJPEG dual-stream encoding Max 25/30fps@6.0M(3072x2048) Multiple De-wrap Mode: Original ,Panoramic, Double Panoramic,1+3,Eptz,4 pictures DWDR, Day/Night(ICR), 3DNR,ROI,AWB, AGC, BLC Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS Max.IR LEDs Length 10m 1/1 Audio in/out(Built in Mic) Micro SD memery,IP67,IK10,PoE		
NVRS				
NVR 8 Channel RCDA311	NVR1108H-P	Dahua IP 8ch 4 PoE Mini 1U NVR Up to 8 channel with 1080P realtime live view Dual codec decoding Max 56Mbps incoming bandwidth HDMI/VGA simultaneous video output All channel synchronous realtime playback, GRID interface& smart search ONVIF Version 2.3 conformance 3D intelligent positioning with Dahua PTZ camera Support 1 SATA HDD up to 4TB, 2 USB2.0 Support IPC UPNP, 4PoE ports Support PZP, QR code Multiple network monitoring: Web viewer, CMS(DSS/Smart PSS) & Smart Phone(DMSS	R	2,539.00
RCDA321	NVR1108-P	Dahua IP 8ch 4 PoE Slimline Mini 1U NVR	R	2,756.00
		Up to 8 channel IP camera input H.264/MJPEG dual codec decoding Max 56Mbps incoming bandwidth HDMI/VGA simultaneous video output All channel synchronous realtime playback, GRID interface ONVIF Version 2.3 conformance 3D intelligent positioning with Dahua PTZ camera Support 1 SATA HDD up to 4TB, 2 USB2.0 Multiple network monitoring: Web viewer, CMS(DSS/Smart PSS) & Smart Phone(DMSS) Support IPC UPnP, 4PoE ports Support P2P, QR code		



REDITRON CODE	MANUFACTURER CODE	ITEM DESCRIPTION		ETAIL RICE EX
RCDA317	NVR4208-8P	Dahua IP 8ch 8 PoE 1U Lite NVR	R	4,196.00
		H.264+/H.264 codec decoding Max 200Mbps Incoming Bandwidth Up to 5MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support IPC UPnP, 8PoE ports Support ANR technology to enhance the storage reliability when the network break down		
RCDA317-A	NVR4208-8P-4KS2	Dahua 8 Channel 1U 8PoE 4K&H.265 Lite Network Video Recorder	R	4,395.00
NVR 16 Channel		H.265/H.264 codec decoding Max 200Mbps Incoming Bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support IPC UPnP, 8PoE ports Support ANR technology to enhance the storage reliability when the network break down		
RCDA318-A	NVR4216-16P-4KS2	Dahua IP 16ch 16 PoE 1U Lite NVR 4K	R	6,128.00
		H.265/H.264 codec decoding Max 200Mbps Incoming Bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support IPC UPnP, 16PoE ports Support ANR technology to enhance the storage reliability when the network break down		
RCDA318	NVR4416-16P-4K	Dahua IP 16ch 16 PoE 1.5U Lite NVR 4K	R	9,459.00
		 Up to 16 channel IP camera input H.265/H.264/MJPEG dual codec decoding Max 256Mbps incoming bandwidth Up to 8ch@1080P(4ch@H.265+4ch@H.264) realtime live-view Up to 12Mp resolution live-view&playback 2HDMI/1 VGA simultaneous video output 16 channel synchronous realtime playback, GRID interface ONVIF Version 2.4 conformance 3D intelligent positioning with Dahua PTZ camera Support 4 SATA HDDs up to 24TB, 3 USB(2 USB3.0), 1 eSATA port up to 16TB Support IPC UPnP, 16PoE ports Support P2P, QR code scan & add Multiple network monitoring: Web viewer, CMS(DSS/Smart PSS) & Smart Phone(DMSS 		
NVR 32 Channel	NVR4232-8P-4K	Dahua IP 32ch 8 PoE 1U Lite NVR 4K	R	6,668.00
		Up to 32 channel IP camera input H.265/H.264/MJPEG dual codec decoding Max 256Mbps incoming bandwidth Up to 8ch@1080P(4ch@H.265+4ch@H.264) realtime live-view Up to 12Mp resolution preview&playback HDMI/VGA simultaneous video output 8/16 channel synchronous realtime playback, GRID interface ONVIF Version 2.4 conformance 3D intelligent positioning with Dahua PTZ camera Support 2 SATA HDDs up to 12TB, 2 USB(1 USB3.0) Support IPC UPnP, 8PoE ports (for -8P model) Support P2P, QR code scan & add Multiple network monitoring: Web viewer, CMS(DSS/Smart PSS) & Smart Phone(DMSS)		,,,,,,,
RCDA322	NVR5232-16P-4KS2	Dahua IP 32ch 16 PoE 1U Pro NVR 4K	R	9,279.00
		 H.265/H.264/MJPEG/MPEG4 codec decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&playback HDMI/VGA simultaneous video output 3D intelligent positioning with Dahua PTZ camera 		
RCDA324	NVR608-32-4K	Dahua IP 32ch 2U Ulta NVR 4K	R	12,938.00
		 Intel Processor Max 32 IP Camera Inputs Max 384Mbps Incoming Bandwidth Up to 12MP Resolution for Preview and Playback Supports RAID 0/1/5/6/10/50/60 iSCSI for Expanded Storage Space Smart Tracking and Intelligent Video 		



REDITRON CODE	MANUFACTURER CODE	ITEM DESCRIPTION	RETAIL PRICE EX	
NVR 64 Channel	NVR5464-16P-4KS2	Dahua IP 64ch 16 PoE 1.5U Pro NVR	R	15,184.00
		 H.265/H.264/MJPEG/MPEG4 codec decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&playback 2HDMI/VGA simultaneous video output 3D intelligent positioning with Dahua PTZ camera 		<u> </u>
NVR 128 Channe				
RCDA308	NVR6000DR	Dahua IP 128ch Super NVR	R	63,050.00
		 Max 128 channel IP cameras input with 1080P realtime live view Max 384Mbps incoming bandwidth Up to 64ch@1080P, 128ch@720P, 128ch@D1 realtime recording Support 16 hot-swap SATA HDDs to better its scalability and flexibility Support RAID 0/1/5 Human-oriented Dahua UI Compatible with Dahua SDK and seamless integrated to other platforms ONVIF Version 2.2 conformance Redundant power supply module adopted Front LCD display 		
NVR256 Channe				
		Dahua IP 256ch Super NVR Max 256 channel IP cameras connection Max 512Mbps incoming bandwidth Up to 256ch@720P, 128ch@1080P, realtime recording Support 24 hot-swap HDDs Support RAID 0/1/5 Support N+M hot standby Support iSCSI & Mini SAS to expand storage space Human-oriented Dahua UI Compatible with Dahua SDK ONVIF Version 2.2 conformance Redundant power supply module adopted Front LCD display		
DSS Managed Se	ervers			
RCDA310	DH-DSS7016DR-M	Dahua Surveillance Management Center 2000 Dahua DSS compact max support 200 input devices, support 2000 accounts management and 100 online users. Embedded device, High-performance stream media transfer and storage capabilty Support tier and cascade deployment Support local storage and IP-SAN storage Support GIS map(Google Support ONVIF, GB/T28181standard protocol gateway connection Support platform SDK Front panel displays system service status	R	129,207.00
RCDA320	DSS4004-M	Dahua Surveillance Management Center 500	R	30,125.00
		 DSS control command server embedded Linux OS supports 2000 channels, 500 Devices & 1000 users Embedded device, 7*24 stable operation, client-server Architecture High-performance stream media transfer and storage capability Support distribute and cascade deployment Support hot standby Support local storage and IP-SAN storage Support GIS map(Google, RasterMap) Support ONVIF standard protocol connection Support platform SDK Support POS function Support People Counting Statistic Support VDP, through SIP Server Support Heat Map Support fisheye calibration in playback. Support GIS Map. Support Yahoo, Gmail, Hotmail 		



REDITRON CODE	MANUFACTURER CODE	ITEM DESCRIPTION		TAIL CE EX
OTHER				
KBDA101	NKB1000	Dahua USB 3D keyboard controller	R	4,138.00
		Keyboard to Control: -Dahua High Speed Dome (all models) -Dahua Standalone DVR -Dahua Network High Speed Dome -Network Video Server Connections -RS485, RS422, USB, RS232 & Network Three Dimensional Joystick Control of PTZ Functions Preset Position, Auto Scan, Auto Pan, Auto Tour & Pattern Control Auxiliary Functions On-Screen Menu & User Operation Procedure Tips Connect to SmartPSS via USB		
BRACKETS BRDA101-1	DH-PFB203W	Dahua Dome IP66 wall Mount	R	181.00
5.07.202 2		Material: Aluminum Wall Mount Bracket	"	
BRDA107	DH-PFA122	Neat &Integrated design Dahua IP66 Junction Box (3 lines)	R	301.00
		Material: Aluminum		
		Wall Mount Bracket Neat & Integrated design		
BRDA107-1	DH-PFA121	Dahua IP66 Junction Box (4 lines)	R	314.00
		Material: Aluminum IP66 Junction Box		
		Neat & Integrated design		
LENSES				
CLDA101	DH-PLZ1040-D	Dahua Lens 4MP 1/2.7" 2.7-12mm DC-Iris	R	959.00
		 Aperture F1.6 Field Angle 1/2.7" W: 137.8°(D)x102.6°(H)x74.3°(V) ~T: 37.2°(D)x29.9°(H)x22.6°(V) 1/3" W: 120.1°(D)x91.3°(H)x66.3°(V) ~T: 33.9°(D)x27.1°(H)x20.3°(V) M.O.D. 0.3m TV Distortion -69.58%(W) ~-3.3% IR Correction Yes Lens Control Focus Manual Zoom Manual Iris DC-Iris Mount CS Dimension Ø33.7x57.6mm Weight 73.5g Operating temperature -30 °C~+70 °C4 MegaPixel 2.7-12mm Lens 		
CLDA102	DH-PLZ1140-D	Dahua Lens 4MP 1/2.7" 5-50mm DC-Iris	R	1,738.00
CONTROLLER		 mage format - 1/2.7" Focal length - 5-50mm Lens pixel - 4MP Aperture - F1.6 Field Angle (D*H*V) 1/2.7" W: 70"(D)x50"(H)x37.5"(V)~T: 7"(D)x5.6"(H)x4.2"(V) 1/3" W: 52"(D)x41.6"(H)x31.2"(V)~T: 6.4"(D)x5.1"(H)x3.8"(V) M.O.D 1m TV Distortion - <15.1% IR Correction - Yes Focus Manual Zoom Manual Iris DC-Iris Mount - CS Dimension - Ø47x85.9mm Weight - 195g Operating temperature30°C +70°C Humidity - <90% RH 		
ASDA102	PFM820	UTC Controller	R	185.00
		Support different formats (HDCVI/AHD/HDTVI/CVBS) Various format indicator lights, which makes it convenient for users to check the current format status and prompt if the format switch is successful.		

Codes: Product Codes - Reditron's Code to be used when Quoting or ordering product where applicable.

Abbreviations: - EOL - End of Life

*All prices are Retail excl. VAT. This pricelist replaces all prior pricelists and specials. E & OE. These prices are subject to fluctuations.

As such, prices will only be deemed as fixed once a written quotation is generated.

Quotations are valid for a period of 30 days and all quotations provided prior to this release will be upheld within the 30 day period.

CONTACT US





087 802 CCTV (2288) sales@reditron.co.za





JOHANNESBURG (HEAD OFFICE)

9 Electron Street, Linbro Business Park, Sandton Tel: 087 802 CCTV (2288)



CAPE TOWN

Unit 2, 7 Gold Street, Northgate Estate, Maitland Tel: 021 551 5841



PORT ELIZABETH

Unit 4B, Waterfall Park,

Tel: 087 150 5517/8

NELSPRUIT

84 Pickering Street, Newton Park Tel: 041 373 0395

17 Rapid Street, Riverside Industrial



DURBAN

Unit 9, 80 Rinaldo Road, Glen Anil Tel: 031 263 1515

