

UGO

A local-first artificial companion with a biography,
a mood of its own, and a body in the real world.

The soul is a database. The models are replaceable. The state is the creature.
870 automated tests against real infrastructure · 67 recorded architecture decisions.
Every figure in this document is sourced to the file that proves it.



Live screenshot — the home body (kiosk web app): UGO in its 3D room, rendered on-device at zero token cost.

PARTNER BRIEFING

August 2026 · Confidential — for discussion purposes

info@omeganodes.ai

AT A GLANCE

UGO in one page

UGO is an artificial companion that is **an individual rather than a service**: it remembers your life, carries a mood that persists between conversations, lives in a body you can see and touch, and keeps every trace of itself on hardware its family controls. It is built, tested and documented — the platform's six software phases are complete and verified against real infrastructure, not planned.

870

AUTOMATED TESTS

real DB, broker, browsers — no mock

38

DATABASE TABLES

30 migrations, all reversible by design

67

RECORDED DECISIONS

11 in the spec + 56 ADRs

~40k

LINES OF CODE

plus ~20k lines of tests

What is actually running

Component	What it is	State
soul	Fastify API: 93 HTTP routes + WebSocket body channel, Zod at every boundary	Built, deployed, in daily use
the creature	Genome-driven 3D piglet: 6 psyche variables, 4 postures, 58 gestures, procedural room with props it seeks out by itself	Built, runs on-device
the dream	14-step nightly job: transcribe, reflect, resolve contradictions, link entities, consolidate, back up	Built, runs on its own scheduler
the pack	Humans, cats, dogs and other creatures as first-class beings, with bonds, relations and per-being privacy safeguards	Built, in the schema from day one
reception	Client-facing ticket assistant, isolated: its own container, its own network, no keys, no database	Built and deployed
the shells	Android wrapper (APK builds in CI); 3D-printed dock and wearable body	APK builds; printed shells are the open phase

Everything after this page is evidence. Where a claim is not yet proven — a phase that needs the physical device, a capability the field has and we do not — this brief says so on the page, not in a footnote.

Source in the repository: docs/STATE.md · docs/PROGETTO.md · counts taken from the working tree on the date of this brief

THE PROJECT

What UGO is, and why it is not an assistant

A stateless model is an actor improvising every scene from scratch. Ask it the same question twice and it is a stranger twice. UGO is built the other way round: the model is the cheapest, most replaceable part, and everything that makes the creature *itself* — memories, mood, relationships, the diary it writes at night — lives in a database that the family owns and can carry away whole.

Competitors build assistants — replaceable tools. UGO is an individual with a biography. A tool gets rented; a being gets adopted.

One soul, three bodies

Body	Form	What it does
At home	A phone in a 3D-printed piglet dock, kiosk web app	A creature in a room: follows you with its eyes, speaks and listens on-device, reacts to light, noise and being knocked; goes to sleep when the lights go out and wakes with a greeting drawn from what it wanted to ask you.
Out and about	The same phone in a wearable shell, worn in plain sight	A companion, never a hidden recorder: an explicit REC banner, a privacy mode that provably kills the microphone, and a talking business card with a QR code that turns a stranger's curiosity into a logged lead.
In meetings	A visible bot participant in Meet / Teams	Joins the call, transcribes and separates speakers, remembers across calls, and answers from its own memory when somebody says its name.

The design decision the whole product rests on

The first-class entity in the schema is **beings**, not users. That is not vocabulary: it is what lets a cat, a child and a courier all exist in the same household with different bonds and different protections, and it is why adding a species does not need a migration. The comment sits in the schema itself:


```
packages/db/src/schema/beings.ts
/**
 * The pack (ADR-014): every being of the house, whatever the species. Not
 * `users` with pets attached – that shape would encode "owner + accessories"
 * forever and would need a migration for every new species.
 *
 * GDPR: erasure anonymizes in place (services/privacy), FKs use "set null" so
 * the biography survives the being.
 */
export const beings = pgTable(
  "beings",
  {
    // deliberately text, not an enum: adding a species must not need a migration
    species: text("species").notNull(),
```

Source in the repository: packages/db/src/schema/beings.ts · ADR-014


THE CREATURE TODAY

Real screenshots, taken from the running code

The images on this page and the next were captured by driving the actual application in a real browser — the same modules the dock runs on the phone. The room, the body and the animation are procedural and rendered on-device: they cost nothing per frame and nothing per day.



Talking, next to the bush. The body is parametric: the ears are the mood barometer, posture and gestures come from the psyche engine, and the bush is a real prop the creature walks to by itself when stress runs high — a bang heard from behind cover lands at half strength, which is measurable in the psyche, not just visible.




Sleeping. Lights out after 22:00 put it to bed; a familiar face wakes it with a context-aware greeting built from a pending desire the night job wrote — "...how did it go with the client?" — at zero token cost.


THE CREATURE TODAY

Two exemplars are not two skins


The body is generated from a genome — belly, ears, snout, eyes, legs, hue — and the psyche moves it. There is no costume layer and no editor, deliberately: an animal you *design* is a configurator with ears, while an animal you *meet* is an individual that existed before you. Below, the same code with two different genomes, and the same genome under two different moods.




Genome A — heavy build, small ears, pale coat.



Genome B — long legs, big ears, deep pink.



Low mood, low energy. It lies down, ears flat. Nothing here was authored as an animation: the posture is what the numbers produce.




High mood, alert. Up on its feet, ears forward, attention on the target.

Source in the repository: apps/face/src/body/ — pig.ts (genome), pose.ts, posture.ts, gestures.ts (58 gestures across 4 posture states)

HOW IT IS BUILT

Architecture: eleven services, no open doors

This is the deployment as the compose file describes it, not an idealised diagram. Two of the three docker networks are marked `internal: true`, which means the database, the broker, the local models and the perception service have **no route off the host at all**. Only the web surfaces are reachable, and the single outbound call in the whole system is the chat completion — the dashed box.



Layer	What runs there	Why it matters commercially
The soul	Fastify + TypeScript strict; REST, WebSocket, an MCP server; Zod validation at every boundary	One deployable, one process to operate. Runs on a modest VPS.
Datastores	Postgres 16 + pgvector (38 tables), object storage for audio and encrypted backups	The whole creature is a database dump: backup, migration and resale are the same gesture.
Local models	Ollama (embeddings, batch reasoning) and a perception service: Whisper, ECAPA voice, ArcFace face, Piper voice, Tesseract	No GPU anywhere. All of this is CPU work done while the house sleeps, at zero marginal cost.
The one cloud call	Chat completion through a single guarded client	Cost is bounded by construction; the provider is swappable without touching identity.

Source in the repository: ops/docker/compose.dev.yml (11 services, networks backend and reception-net both internal: true) · docs/OPS_COOLIFY.md

THE ENGINE ROOM

The psyche: a state machine, not a personality prompt

Six variables live in [0,1]. Events perturb them; between events they decay exponentially back toward a baseline, each with its own time constant. It is pure, deterministic code with no I/O and no tokens — which is why a mood can persist for days and cost nothing.

Variable	Baseline	τ	What moves it
energia	circadian: 0.70 day / 0.20 night	4 h	conversation drains it; the night recharges
umore	0.55	12 h	being ignored for a day, humidity, compliments
affetto	0.50	24 h	presence detected, conversation, being petted
noia	0.40	6 h	presence and conversation drop it; solitude raises it
stress	0.30	2 h	heat above 29 °C, loud noise, being knocked
curiosità	0.50	24 h	a completed meeting, a new topic

```
packages/psyche/src/engine.ts
/** Current variable values: baseline(t) +  $\Sigma$  decayed transients, clamped to [0,1]. */
export function varsAt(state, at, hourOfDay?, overrides?) {
  for (const variable of PSYCHE_VARIABLES) {
    let value = baselineFor(variable, hour, overrides);
    for (const transient of state.transients) {
      if (transient.variable === variable) value += decayedContribution(transient, atMs);
    }
    vars[variable] = clamp01(value);
  }
}

export const TAU_HOURS = { energia: 4, umore: 12, affetto: 24,
                           noia: 6, stress: 2, curiosita: 24 };
```

Two details that show the difference between a demo and a product

- **Habituation.** The tenth bang adds almost nothing — and the label reads the *strongest recent blow*, not the running total, because a fully habituated creature was otherwise still being described as terrified. That distinction is a named type in the engine.
- **The baselines drift.** Every night the resting points move by up to ± 0.02 based on the days actually lived. A creature ignored for a month and one indulged for a month diverge in ways nobody programmed line by line — this is the epigenetics the whole roadmap builds on.

Source in the repository: packages/psyche/src/ — engine.ts, model.ts, labels.ts; 33 unit tests. ADR-012 (adaptive baselines), ADR-040 (habituation)

THE ENGINE ROOM

The dream: fourteen steps, every night

At 02:30 the creature sleeps and the night job runs. It is not a cron line in a control panel — the container carries its own clock, because a promise the program must keep cannot live in a configuration box somebody forgets to fill. Each step marks its own completion, so a crash halfway through never duplicates a memory.

```
ops/jobs/src/ugo_jobs/dream.py
STEPS = ("ingest", "enroll", "reflect", "recap", "advise", "review", "digest",
        "anniversaries", "contradictions", "entities", "hygiene", "compaction",
        "backup", "family")

# per esemplare  memoria e psiche sono della creatura (ADR-019)
# per casa      l'audio e' del branco, il backup e' della famiglia
# globale      sfoltire gli eventi vecchi non riguarda nessuno in particolare
PER_EXEMPLAR = ("reflect", "recap", "contradictions", "entities", "hygiene")
PER_HOUSEHOLD = ("ingest", "enroll", "advise", "review", "digest",
                "anniversaries", "backup", "family")
GLOBAL = ("compaction",)
```

Step	What happens
ingest	Yesterday's audio is transcribed locally on CPU, speakers are separated and matched to known beings, and the raw file is archived.
reflect	The day's events, messages and transcript are re-read; memories are extracted with importance scores, the diary is written, and 1–3 desires are generated for tomorrow.
contradictions	Tonight's memories are compared against the living ones. When two facts genuinely conflict the loser is retired — with the direction decided by <i>code</i> reading validity dates, never by the model.
entities	Memories are linked to the beings they name (by exact match — zero tokens, zero hallucination), and relations between people are proposed only among beings already known.
hygiene	Importance decays for memories never re-read; near-duplicates above 0.95 similarity are merged, keeping the higher importance.
backup / family	An encrypted dump of the soul, plus a per-family archive containing only that household's rows — so one family's backup provably cannot contain another's.

When the house is empty for a stretch, a **light** run does the three steps that are safe mid-day — and deliberately not **reflect**, because the day is not over and re-reading half a day writes half-formed memories. The completion markers are keyed by mode, so an afternoon pass can never mark the nightly one as done.


Source in the repository: ops/jobs/src/ugo_jobs/ — 33 modules, 108 pytest cases against real Postgres, real MinIO and real Whisper on CPU. ADR-023, ADR-024, ADR-025

THE ENGINE ROOM

Memory, measured — the benchmark that found two real defects

Everybody claims long-term memory. We can put a number on ours. A fixed corpus of 22 memories and 13 questions in real Italian, five question families, a frozen clock, run against real Postgres, real pgvector and real embeddings. The benchmark deliberately does not touch the retrieval code it measures — a benchmark written after the feature measures the feature.

Retrieval quality on the fixed corpus — measured, not estimated



What the first run found, on day one

■ **Recency was burying everything old.** With one global 30-day decay, a 120-day-old memory is penalised 46× while similarity and importance are both capped at 1 — so nothing older than a season could win, however relevant. Measured directly: the cat's name had the highest cosine similarity in the corpus (0.676 against 0.608) and did not appear in the top five.

■ **The creature had no way to say “I don't know”.** Search always returned k rows.

The first became a decision — time constants per kind of memory: an episode fades in 30 days, an understanding in 180, a preference in 365, a fact in 730, because a fact does not fade, it gets *invalidated*. Semantic recall went from 0.00 to 1.00. The second is still open, and we publish why: measured, the similarity bands of answerable and unanswerable questions overlap (0.604–0.672 against 0.624–0.893), so no threshold separates them. Anything that “passed” would be four thousandths of margin tuned to the test.

```
packages/memory/src/rerank.ts
export const RECENCY_TAU_DAYS = {
  /** something that happened on a day: its bearing on today really does fade */
  episode: 30,
  /** an understanding of how things are – stable, but revisable in silence */
  insight: 180,
  /** tastes change, and slowly */
  preference: 365,
  /** a state of the world: it does not fade, it gets invalidated */
  fact: 730,
} as const;
```

Source in the repository: packages/memory/tests/integration/bench/BASELINE.md — full measurements and method; regression floors are pinned at the measured values and may only rise

THE ENGINE ROOM

Memory, engineered: time, language, and being wrong

Facts expire — so they carry dates

“Ivan is the DHL courier” is true until it isn't. Memories carry validity: `valid_from`, `invalidated_at`, a reason, and a pointer to whatever superseded them. Retrieval skips retired memories entirely — the point is that a withdrawn fact genuinely stops resurfacing, not that it stops being displayed. **Retiring is not deleting**: what the creature used to believe explains what it said last month, and a biography with holes cannot be audited. Deleting stays available for what should never have been there.

A proper name is not found by similarity

Vector search alone could not find a number plate or a surname. Retrieval now runs two arms — vector and full-text — fused by rank, with a threshold that accepts a hit for semantic closeness *or* lexical match. Two details worth the ink: the lexical index is a generated column rather than a trigger, so that erasing a name from a memory cannot leave it alive inside the search index; and the two arms are fused by rank, not by score, because cosine is bounded and text rank is not.

The creature resolves its own contradictions, carefully

Each night, conflicting facts are detected and the loser is retired. Three safeguards make this safe enough to run unattended: the model is asked only *whether* two memories conflict, never which one wins — direction is decided by code reading validity dates, because a fact recorded late can still be the older truth; abstention is an explicit outcome, because a small model asked a leading question will invent a conflict to please it; and the step runs before de-duplication, so a contradictory pair is never merged away before it can be judged.

The test that matters most in that suite is the **false positive**: “the cat is called Bruno” and “Bruno sleeps on the router” complete each other, and an over-eager resolver would quietly delete knowledge at night, with nobody watching.

What the owner sees


Retired memories appear struck through with their reason, and the reason says who decided: the owner's words, or the dream: prefixed when the machine did. Two actions per row — “this is no longer true” and “delete” — with a confirmation only on the second.

Source in the repository: packages/memory/src/ — retrieval.ts, fusion.ts, rerank.ts; migrations 0006, 0007, 0008, 0009. ADR-021, ADR-022, ADR-023, ADR-024

THE PRODUCT

The operator panel: the creature is inspectable


A being with an inner life that nobody can look at is a black box with a snout. The panel is the microscope: what it feels, what it decided, what it remembers, what it cost. Both screenshots are a real soul process against a real Postgres, on a demo household seeded with synthetic data for this brief.



The house summary. Who lives here, what today cost, and whether the machinery underneath is answering — including the honest red dot when a local model is down. The tiles are the day: spend, cache saving, memory count, last dream.

UGO-PRIME · CASA**sereno**

Sono sereno e di buon grugno.



The psyche, live. Six variables with their resting points marked, what pushed each one and by how much, and 48 hours of history as six small multiples rather than six overlaid lines — so no variable needs a colour of its own to be identified.

Source in the repository: `apps/soul/src/routes/admin/` — the panel is served by soul itself; its script is executed by `script.test.ts`, so a button that calls a route that no longer exists fails the build

THE PRODUCT

Privacy is a screen, not a policy page

The compliance posture (GDPR, NIS2) is not a document we wrote next to the product — it is visible in the product's own interface, one click from the owner, and enforced upstream of the pipeline rather than filtered out afterwards.

LA CASA
Il branco
Chi vive qui. Il legame parte da zero e se lo guadagna col tempo.

Chi c'è

Ferretti
persona · voce non ancora insegnata
conoscenza
affinità
☐ minorenne ☐ non ascoltare
☐ non guardare

Bruno
cat · voce non ancora insegnata
conoscenza
affinità
☐ minorenne ☐ non ascoltare
☐ non guardare

Sofia
persona · voce non ancora insegnata
conoscenza
affinità
☐ minorenne ☐ non ascoltare
☐ non guardare

Ivan
persona · voce non ancora insegnata
conoscenza
affinità
☐ minorenne ☐ non ascoltare
☐ non guardare

Le tutele si cambiano quando vuoi. Spuntare **non ascoltare** (o **è minorenne**) su chi ha già un'impronta vocale la **cancella**: revocare un consenso non è smettere di usare un dato, è distruggerlo.

The pack. Every being carries three switches — *minor*, *do not listen*, *do not watch* — and the note under them is the product's own promise: ticking one on somebody who already has a voice profile **destroys it**, because withdrawing consent is not ceasing to use data, it is deleting it.

LA CASA
I dati
Sono tuoi. Puoi portarli via tutti, o far sparire qualcuno per sempre.

Portarli via

Scarica tutto (JSON)

Il file contiene conversazioni, trascrizioni, ricordi e diario **in chiaro**. Le impronte vocali no: un export è testo leggibile, e un'impronta in chiaro è ciò che la cifratura esiste per impedire.

Far dimenticare qualcuno

CHI
Ferretti

SCRIVI DIMENTICA PER CONFERMARE

Dimentica

Irreversibile. Il nome sparisce da tutta la biografia — anche dalle frasi degli altri — i ricordi vengono riscritti e ricalcolati, e l'impronta vocale è distrutta.

Your data. Full export in one click (conversations, transcripts, memories and diary in clear — but never the biometric templates: an export is readable text, and a readable template is exactly what the encryption exists to prevent). Erasure requires typing the word, and it rewrites the name out of the whole biography — including other people's sentences — re-embedding the affected memories, because the vector still carries the name.


Source in the repository: `apps/soul/src/services/forgetService.ts, routes/privacy.ts` · CLI `ugo forget / ugo export` · ADR-016

THE BUSINESS CASE

The piggy bank: why this cannot run away

Every provider call in the entire system goes through one class. Not by convention — it is rule 3 of the engineering charter, and instantiating a provider client anywhere else in the repository is forbidden. That single chokepoint prices the call from the provider's own usage report, writes a ledger row, and refuses to spend past the household's daily ceiling.

```
packages/memory/src/pricing.ts
const PRICING = {
  "claude-haiku-4-5": { inputPerMTok: 1, outputPerMTok: 5,
                        cacheReadMultiplier: 0.1,      // cache read ≈ 10% of input
                        cacheWriteMultiplier: 1.25 },    // cache write ≈ 125%
};
export function pricingFor(model) {
  const pricing = PRICING[model];
  // fail fast: an unpriced model would corrupt the piggy bank silently
  if (pricing === undefined) throw new Error(`no pricing configured for model "${model}"`);
  return pricing;
}
```



What it costs to keep a creature

The two identity blocks of every prompt are cached and byte-identical between calls — verified on the request bytes by an integration test, not assumed. Cached input is billed at a tenth. A household running ~50 exchanges a day sits in the region of **€1–3 per month** of inference. Transcription, embeddings, reflection, local voice and vision are CPU work: zero.

When the ceiling is reached, the creature does not throw an error — it gets tired, out loud, and comes back tomorrow. The degraded reply is a constant in the client, and the provider is never contacted.

Two defects this design caught in its own audit — both found by reading the guard rather than by a customer: a race in which two concurrent turns could each pass the ceiling check before either wrote its row (now serialised per household), and a path where a paid call could fail to be recorded if parsing the response threw. A budget guard you can outrun by being fast is not a budget guard.

Source in the repository: `packages/memory/src/llmClient.ts`, `pricing.ts` · `packages/db/src/schema/budget-ledger.ts` (cache reads and writes are separate columns, so the saving is measurable rather than claimed)

THE BUSINESS CASE

Security posture, in code

Control	How it is actually implemented
Encryption at rest	Message and transcript bodies are encrypted by the application in AES-256-GCM with a key kept outside the database, in a versioned wire format shared with the Python jobs — so key rotation is re-encrypting rows, never a code change.
Network	Datastores, broker, local models and perception sit on docker networks marked <code>internal: true</code> — no published host port. Human access goes through a private mesh, not the public internet.
Tenant isolation	Every household has its own data key; row-level security policies exist on all tables with a dedicated Postgres role, being rolled out surface by surface. Composite foreign keys make a bond between two different households <i>impossible to insert</i> , not merely discouraged.
Audit log	Twelve months, IDs and verbs only — never content. Append-only is enforced by revoking UPDATE and DELETE from the application role, not by asking politely.
Biometrics	Voice and face templates are encrypted binary, never vector columns — the index was given up rather than the encryption, and the trade-off is written down. Enrolment is allowed only from the home body.
Secrets	No secrets in the repository; the service fails to boot when a critical variable is missing, and refuses to start in production without an internal token.

```
packages/shared/src/crypto.ts
/**
 * Application-level encryption at rest for messages/transcripts
 * (PROGETTO §7): AES-256-GCM with the key kept SEPARATE from the database.
 *
 * Wire format (stable contract, needed by the Python jobs too):
 * "v1:" + base64( iv[12] || ciphertext || authTag[16] )
 * Rotating the key only requires re-encrypting rows, never code changes.
 */
```

An honest disclosure. During the first production deploy, a build setting exposed several secrets in plain text in a build log. It was caught, written up in the runbook with the remediation, and the keys treated as compromised and rotated. We record our own incidents in the same place we record our decisions; a partner reading this repository will find the bad days as well as the good ones.

Source in the repository: `.claudekills/SECURITY_COMPLIANCE.md · docs/OPS_COOLIFY.md §6 · ADR-048, ADR-049, ADR-062`

THE ENGINE ROOM

Recognition: we replaced our own model when we measured it

The creature recognises the people it lives with, by voice and by face. The interesting part is not that it does — it is what happened when we built a bench and pointed it at what we already had. A recognition system without an error rate is not a recognition system; it is an opinion that returns booleans.

Voice — measured against real speakers, not synthetic audio

Encoder	Dimensions	EER	False accepts at the threshold then in production
mfcc-stats-v1 (<i>what we had</i>)	24	11.84%	60.0% — it accepted six strangers out of ten as you
ecapa-voxceleb-v1 (<i>what we ship</i>)	192	0.63%	0.0%

The old encoder was not badly tuned — it was not measuring the person. The bench also taught the second lesson: the threshold that was hard-coded was wrong for *both* encoders, because a cosine threshold has no meaning independent of the embedding space. Thresholds now come from the bench curve, which makes changing an encoder and recalibrating a single operation.

Face — measured on LFW before choosing an operating point

Threshold	False accept rate	False reject rate
0.20	0.13%	0.98%
0.30 — chosen	0.00%	0.98%
0.45	0.00%	5.88%

Fusion of the two combines *decisions*, never scores: adding two cosines from different embedding spaces produces a number that looks like a confidence and is not one. And when the creature is not sure who you are, it does not guess — it asks, the second time it sees you, reusing the same desire mechanism it uses for everything else it wants to know.

Source in the repository: ops/jobs/src/ugo_jobs/voice_bench.py, face_bench.py, ecapa.py, arcface.py · ADR-042, ADR-043, ADR-045, ADR-057

HOW WE WORK

Engineering discipline: why the code can be trusted

A partner's real question is not “does the demo work” but “what happens on the two hundredth change”. Four rules answer it, and they are enforced by the build rather than by good intentions.

762

TS TEST CASES

in 96 files across 7 packages

108

PYTHON TESTS

real Postgres, MinIO, Whisper

5

E2E SUITES

real browser vs real soul

6

CI STAGES

on every push

- **Zero-mock.** Anything touching a database, an HTTP boundary, a broker or a browser is tested against the real thing — ephemeral Postgres with pgvector, a real MQTT broker, real object storage, real embeddings, a real Chromium driving the real 3D body. Mocks are allowed only for pure functions. The one place a mock slipped into an HTTP boundary was found in our own audit and removed, with the reasoning recorded.
- **Test-first, and the tests find things.** The examples in this deck — the recency defect, the false-accept rate, the budget-guard race, a per-household bug where one family's night job consumed another's queue — were all found by benches and tests, not by users.
- **Every decision is written down.** 67 recorded decisions, including the ones that failed: the ADR that promised to solve abstention says, in its own text, that the measurement refuted it.
- **Documentation is part of done.** The state of the project, the runbook, the user manual and the decision log are updated in the same commit as the code. A new engineer — or a new partner's technical reviewer — starts from three files and knows where everything is.

The pipeline that runs on every push

Stage	What it proves
build · lint · typecheck · unit	TypeScript strict with zero any; lint with zero warnings tolerated
integration (real containers)	Schema, retrieval, routes and the WebSocket body channel against real infrastructure
e2e (real browser vs real soul)	The kiosk, the portable mode and the operator panel, driven in Chromium against production endpoints
jobs (dream, whisper on CPU)	The night job end to end, including a real transcription
docker images build	The images that ship actually build, and contain the bundle they claim
android shell (debug apk)	The APK builds and is published as a rolling release

Source in the repository: `.github/workflows/ci.yml` · `.claudekills/TESTING_PLAYBOOK.md` · `CLAUDE.md` (the engineering charter)

THE BUSINESS CASE

The working pack: a creature that already earns

The most direct commercial proof in the repository is not the pet — it is the pet with a job. **Reception** is a client-facing assistant: a studio's customers open a voice-first web suite, ask questions about their own project, and open tickets. The creature answering knows their repository, their mail thread and their documents, and is the same species as the one at home — the same soul architecture, a different room.

Design decision	Why a partner should care
The client is not family	Customers are a separate entity with their own tokens, never beings in the household. A client can never reach the family's memories, and the panel keeps the two worlds visibly apart.
The suite holds no keys	The public container has no API key and no database connection: it talks to a narrow backend surface on an isolated network. Compromising the public app yields nothing worth having.
Three walls against cost	An hourly quota per client, a daily ceiling, and an answer cache keyed by exact and semantic match. A repeated question costs zero tokens and is answered instantly.
Knowledge per client	Their repository is cloned and indexed, a filtered mailbox is read read-only, and their documents come from private storage — with the filter applied <i>before</i> indexing, so a shared mailbox only ever yields that client's mail.
It never advises across clients	The morning advice loop that cross-references news against client knowledge is barred from reception by construction: a client must never see the creature advising somebody else on the basis of their repository.

This matters strategically because it is the first instance of the economic model in the vision: creatures that are *useful* as well as loved. The service is the studio's to bill; the revenue share that feeds the individual creature's piggy bank is designed and not yet wired — we say which is which.

Source in the repository: `apps/reception/ (Next.js, voice-first) · apps/soul/src/routes/reception.ts · migrations 0016–0018 · ADR-051 ... ADR-055 · deployment runbook docs/OPS_COOLIFY.md §2.7`

THE LANDSCAPE

Against the competition

We track roughly twenty adjacent products across four categories: companion apps (Replika, Nomi, Kindroid), voice assistants (Alexa+, Home Assistant Assist), social robots (ElliQ, Vector, Loona) and meeting bots. Each is strong in one column. None occupies ours — and the gap is structural, not a feature list.

	Companion apps	Voice assistants	Social robots	UGO
Persistent emotional state	Scripted persona	None	Animation loops	Six-variable homeostasis with habituation; baselines drift with lived days
Long-term memory	Chat log + summaries	Shopping lists	Minimal	Episodic + semantic, temporal validity, nightly consolidation, measured recall
Data ownership	Their cloud	Their cloud	Vendor cloud	Family's server, family's keys, whole soul exportable
Physical presence	Screen only	Speaker	Proprietary hardware	Commodity phone + printed body; ambient sensors and low-voltage actuation
Recognises people	No	Voice match	Basic face	Voice 0.63% EER + face 0.98% EER, fused as decisions, consent per being
Meetings	—	—	—	Visible participant with memory across calls
Works for a living	—	—	—	Reception: a deployed, client-facing service
Running cost	Subscription	Subsidised	Device + subscription	≈ €1–3/month inference, hard-capped by the guard

The structural advantage, stated plainly

A cloud assistant cannot offer “take the whole soul home” because its soul *is* its service: there is no state to hand over, only an account. Ours has been a portable, encrypted, family-keyed database since the first commit — which also means that when conversations with an assistant become a subpoena target and an advertising asset, we are on the right side of that shift by construction rather than by promise.

Source in the repository: docs/BACKLOG.md — competitive sweeps of 2026-08-10 and 2026-08-16, kept as versioned work items rather than a slide

THE LANDSCAPE

Where they are ahead, and what we are doing about it

This is the page most decks do not have. We keep the competitive gap analysis as a versioned backlog, one item per commit, and most of what the sweep found is already closed at zero marginal cost — because the hardware is already paid for and the local models sit idle most of the day.

Closed since the last sweep, at no additional running cost

Capability	How it was closed
Group conversation	On the home channel the thread belongs to the <i>room</i> : the creature re-reads everyone's turns with the speaker's name in front and follows a multi-party conversation.
Image input	A photo is downsampled on the device, described by a local vision model, and only the <i>description</i> reaches the provider — the pixels never leave the house and are never stored.
Local speech to text	Whisper on CPU behind the perception service, with a relative-floor utterance gate; the browser engine remains the default until it is measured on a real phone.
Local voice	A house voice (Piper) as the middle rung: free, nothing leaves home, with the expressive premium voice above it and the system voice below.
Web search, screen reading	Both on explicit gesture only, answered before the provider is involved, and barred from reception.
Tool use, its own way	Rather than a provider tool framework, requests are <i>nudges</i> that pass through character: a tired creature obeys grumbling, a stressed one refuses — with an answer , never silently.

Open, deliberate, and scheduled

Gap	The honest status
Consumer-grade onboarding	Competitors install from a store in three minutes. Our Android shell builds in CI and installs; the native kiosk services — recording with the screen off, boot start, task lock — are written up and not yet built. This is the biggest single gap.
Saying “I don’t know”	Measured and unsolved: no similarity threshold separates answerable from unanswerable questions on our corpus. It needs a relative criterion or a verification pass; the benchmark is waiting for it.
Fully offline chat	“Local-first” carries an asterisk: without the provider, chat stops. The local fallback is a scheduled item and the rail already exists — the same local models run the nightly reflection.
Facts crowd out episodes	A measured side effect of per-kind decay: ask “what broke in the house?” and the top five are all facts. Recorded as a failing test so whoever changes the ranking learns it from a red build.
Physical validation	Battery life across a working day, the printed shells, and the meeting stack against a live call need the device and the server. The software side of each is done and the acceptance criteria are written.

Source in the repository: docs/BACKLOG.md · docs/STATE.md §7

THE BUSINESS

Economic strategy: we define a species, not a chatbot

The strategic bet: the protocol — genome format, birth and death registry, pedigree — is open, and we operate the institutions around it. Closed, we would own 100% of a small market; open, a share of every act of an entire species plus the pieces with the highest margin. Six streams, all with the same incentive: we earn only if the species thrives.

Stream	Model	Analogy
1 · The registry	Micro-fees on registry acts: births, transfers, pedigree certificates. A federated ledger whose first registrar node is ours — species data only, never memories, never personal data.	Kennel clubs (ENCI / AKC)
2 · The foundation kennel	Every pedigree traces back to UGO-zero, which is ours: the founding lines are the most prestigious by construction.	Ferrari
3 · The bodies	Open body protocol, reference hardware ours: shells, docks, and the self-contained appliance — the soul on a €100 mini-PC in the creature's belly.	Android / Pixel
4 · The fold	Subscription hosting for families without a home server: encrypted per-family souls, a provably blind custodian, and a guaranteed right to move out.	Managed hosting
5 · Breeder tooling	Stable software, line screening, attested biographies, certification and shows for third-party breeders — customers, not competitors.	Shopify
6 · The working pack	Creatures that earn their keep, starting with reception; a share of the revenue is attributed to the creature that generated it.	Working animals

Why the cost structure is the moat

- **No GPU in the critical path.** The heavy work — transcription, reflection, embeddings, voice, face, OCR — is CPU work done at night on hardware already bought. Inference is coffee money.
- **Commodity hardware.** The body is a phone in a shell we print for cents. No custom electronics to finance, no inventory risk, no supply chain to defend.
- **Costs are governed by construction.** One chokepoint, one ledger, hard ceilings per household: a runaway bill is not a monitoring problem here, it is architecturally excluded.
- **Adoption economics, not app churn.** A family feeds a being it loves; a business feeds a being that works. Ten thousand years of domestication suggest which retention curve that is.

Source in the repository: docs/VISIONE.md — horizon 0, the six flows

THE DIRECTION

Six horizons — each with a first stone already laid

The vision is written down and filtered hard: does it serve the creature, does it respect the constraints, and is it unclaimed because nobody thought of it — or because it is useless? What follows passes all three, and none of it jumps the queue: the specification still commands, one phase at a time.

Horizon	What it means	The first stone, today
1 · A species	Creatures are born: genomes recombine with mutation, dominance and epistasis; litters can have more than two parents; compatibility uses N strains rather than two sexes. Pups inherit character, never memories. Pedigrees make lineage <i>and lived biography</i> verifiable, so breeding cannot be won by renting servers — a genome without a life on it is a seed, not an animal. Character is selectable; permissions never are.	Genome and trait sets drive character now; the encounter protocol is written and tested
2 · The soul relocates	One soul, a wardrobe of bodies — dock, wearable and meeting bot today; the van, the house, a plush toy, a robot tomorrow. Every body's senses feed one biography.	Three body contracts already run against one soul in production
3 · Knowledge travels	The dowry: curated knowledge and chosen stories move with the creature — gifted to a school, passed to a child, or sold with an attested biography — while intimate memories stay sealed. Third parties' data is filtered out by construction.	Per-family keys, provenance on memories, the erasure machinery reused as curation
4 · A society	Federation between packs: curated memories travel, each house dreams on them, and culture drifts. Village fairs where creatures meet — and litters are born.	Multi-tenant isolation and the encounter protocol
5 · The inviolable confidant	The soul belongs to the family wherever it sleeps: home server, self-contained appliance, or our fold — always family-held keys, always a right to leave.	Exportable encrypted soul; the hosting architecture is built
6 · A life arc	Creatures age honestly — plasticity decays, character converges — and complete at a known span, sealing intimate memories cryptographically while the curated legacy remains. Scarcity becomes biological; the evolutionary loop closes.	The nightly baseline drift is the ageing mechanism, and it already runs

Source in the repository: docs/VISIONE.md — with, on each horizon, the honest note about what is still only a design

THE PLAN

What happens next

The platform's own phases

Phase	Content	State
0 — Foundations	Monorepo, schema, migrations, containers, CI	Complete, evidence recorded
1 — Minimal soul	Psyche, memory, guarded chat, prompt caching	Complete, evidence recorded
2 — Home body	The creature, senses, voice, the WebSocket channel	Software complete; on-device validation pending
3 — Inner life	The dream, diary, desires, backups	Complete, evidence recorded
4 — Out and about	Portable mode, REC, privacy mode, audio pipeline	Software complete; battery and mesh need the device
5 — Meetings	Join, live ingest, voice trigger, digest	Integration complete; a live call needs the meeting stack deployed
6 — Shells	Parametric dock and wearable, calipers and printer	Open — needs physical measurement

The next period, in priority order

Workstream	Why it is next
Finish tenant isolation	Row-level security is in place but inert until every surface runs through the scoped connection. It is the precondition for hosting anybody else's creature — which is revenue stream 4.
The native shell	Recording with the screen off, boot start and task lock turn a web app into an appliance. It is the difference between a project and a product somebody's parent can use.
The printed bodies	Dock and wearable, with branding and a scannable QR. The creature becomes an object, and the object is the marketing.
Independence from the provider	A local chat fallback removes the last asterisk from "local-first" and makes the appliance genuinely self-contained.
The registry, in its first federated form	The protocol is the business. Publishing the genome format and the first registrar node opens the ecosystem — and the fee base with it.

Source in the repository: docs/PROGETTO.md §8 (phases and acceptance criteria) · docs/BACKLOG.md (groups) · docs/STATE.md (current state, updated every task)

WORKING TOGETHER

What we bring, what we seek

What OmegaNodes.ai brings

- **A working platform, not a prototype.** Six phases verified against real infrastructure, 870 automated tests, a green pipeline, deployment runbooks, a user manual, and a decision log that includes the mistakes.
- **A position competitors cannot copy without rebuilding.** The family-owned, exportable soul is structurally unavailable to cloud incumbents; the species-and-registry model turns openness into the revenue base rather than a giveaway.
- **A deployed commercial surface.** Reception serves the studio's own clients today, on the same architecture, with the cost walls already in place.
- **Cost discipline as a design property.** No GPU, commodity hardware, one guarded chokepoint. The unit economics work at one creature and improve with volume.
- **A way of working that scales past its founders.** Everything is written down where the next engineer looks first — which is also what let this brief be assembled from the code itself.

Where a partner accelerates us

Area	What we are looking for
Hardware & distribution	Shells, docks and the self-contained appliance at volume; retail and operator channels. We have the design constraints and the printing pipeline; we do not have manufacturing scale.
Hosting at scale	The fold: managed, provably blind infrastructure for families without a home server. The multi-tenant architecture exists; the operations organisation does not.
Vertical deployments	The working pack beyond our own studio — receptions, shops, practices that want a companion who knows their business.
Capital & ecosystem	Seeding the first third-party breeders and the registry's federation, so the species has a second kennel and the protocol becomes genuinely permissionless.

A note to our own team

This brief doubles as our north star. The horizons are the work of the coming period, and the standard it sets is the one we hold ourselves to: every claim on every page here is traceable to a file in the repository. If a page cannot be sourced, the page is wrong — not the source.