

SPAZA SHOP FOOD SAFETY CHECKLIST

Daily & Weekly Compliance Log (Regulation R638 Standards - South Africa)

Shop Name: _____

Inspector / Owner: _____

Municipality: _____

Week Starting Date: ____ / ____ / 2026

1. Temperature Control & Cold Storage

Check Item	M	T	W	T	F	S	S	Corrective Actions / Notes
Fridge temperature checked & recorded (Must be 0°C to 4°C)	[]	[]	[]	[]	[]	[]	[]	
Freezer temperature checked & recorded (Must be -18°C or colder)	[]	[]	[]	[]	[]	[]	[]	
No raw meat stored directly above ready-to-eat food (No cross-contamination)	[]	[]	[]	[]	[]	[]	[]	
All perishable goods immediately refrigerated upon delivery	[]	[]	[]	[]	[]	[]	[]	
Cold display units functioning correctly without visual water leakage	[]	[]	[]	[]	[]	[]	[]	

2. Stock Integrity & Expiry Dates

Check Item	M	T	W	T	F	S	S	Corrective Actions / Notes
First-In, First-Out (FIFO) stock rotation system implemented	[]	[]	[]	[]	[]	[]	[]	
Shelves checked for expired goods (All expired stock removed immediately)	[]	[]	[]	[]	[]	[]	[]	
Cans checked for swelling, deep dents, rust, or puncture leaks	[]	[]	[]	[]	[]	[]	[]	
No repackaged bulk items sold without correct ingredient labeling	[]	[]	[]	[]	[]	[]	[]	
Chemicals and pesticides stored entirely separate from food inventory	[]	[]	[]	[]	[]	[]	[]	

3. Cleaning, Hygiene & Waste Management

Check Item	M	T	W	T	F	S	S	Corrective Actions / Notes
Food counter surfaces and preparation areas sanitized regularly	☐	☐	☐	☐	☐	☐	☐	
Floor swept and mopped with hot water and commercial food-safe detergent	☐	☐	☐	☐	☐	☐	☐	
Staff hands washed regularly with warm water and liquid soap	☐	☐	☐	☐	☐	☐	☐	
Refuse bins lined, kept tightly covered, and emptied daily	☐	☐	☐	☐	☐	☐	☐	
No evidence or signs of pests (mice, cockroaches, flies, weevils)	☐	☐	☐	☐	☐	☐	☐	

4. Physical Premises & Facilities

Check Item	M	T	W	T	F	S	S	Corrective Actions / Notes
Valid Certificate of Acceptability (CoA) displayed visibly on site	☐	☐	☐	☐	☐	☐	☐	
All food handling staff wearing clean aprons and hair constraints	☐	☐	☐	☐	☐	☐	☐	
Running potable water available at the handwashing basin	☐	☐	☐	☐	☐	☐	☐	
Lights working and covered to prevent glass fragments if broken	☐	☐	☐	☐	☐	☐	☐	
Ventilation is adequate and free of excessive dust accumulation	☐	☐	☐	☐	☐	☐	☐	

This is for informational purposes only. For medical advice or diagnosis, consult a professional. AI responses may include mistakes.