



Assignment 4 — Screenshot Evidence

Shvil HaTahina — Full Stack Application

MySQL + Prisma ORM • Socket.IO • Groq AI Integration

Requirement	Evidence included
Database-connected application	Website records are shown alongside their matching Prisma/MySQL data.
Successful CRUD operation	Create, read, update, and delete are demonstrated on trips/attractions.
ORM relationships working	One-to-many and many-to-many relationships are shown through Prisma tables.
WebSocket communication between two clients	Two browser clients receive real-time updates over Socket.IO.
AI feature input and output	The user input, AI reply, and generated trip draft are shown.
Database tables or migrations	Prisma Studio tables and schema-related DB evidence are included.

Prisma Studio shows the City records stored in the MySQL database. These records are the source data rendered by the React application.


Prisma Studio shows the City records stored in the MySQL database. These records are the source data rendered by the React application.

Search models									
City x Trip x Close all									
All Models									
Attraction 20 City 6 Country 4 Message 0 Settings 2 Trip 0 TripAttraction 0 User 4									
Filters None Fields All Showing 6 of 6 Add record									
		cityId #	cityNameEn A	cityNameHe A	countryId #	summaryHe A?	bannerImageUrl A?	latitude	
		1	Lima	לימה	1	ceviche בירת פרי, עיר של ...	https://picsum.photos/s/...	-12.6	
		2	Buenos Aires	בואנוס איירס	2	השנגו והתרבות העשירה ...	https://picsum.photos/s/...	-34.6	
		3	Rio de Janeiro	ריו דה'ניירו	3	הסוכר וחופי קופקאנה ואיפאנמה ...	https://picsum.photos/s/...	-22.9	
		4	Cusco	קוסקו	1	מאצ'ו פיצ'ו ומרכז תרבותי עשיר ...	https://picsum.photos/s/...	-13.5	
		5	Cali	קאלי	4	מוזיקה חיה ושוקי אמנות ...	https://picsum.photos/s/...	3.451	
		6	Bogotá	בוגוטה	4	... בגובה 2,640 מטר - מוזיאונים	https://picsum.photos/s/...	4.711	

Prisma Studio: City table with the database records used by the website.

Database-Connected Application — Website Rendering

The website displays the same cities as cards, demonstrating that the frontend is connected to the MySQL database through the backend and Prisma.



React website: city cards rendered from the database-backed API.

Successful CRUD Operation — Create

The manual trip form creates a new Trip record through the existing POST /api/profile flow.

The screenshot displays the 'Shvil HaTahina' web application interface. A modal form titled 'טיול חדש' (New Trip) is centered on the screen, overlaying a blurred background of the application's main content. The form contains the following fields and controls:


- שם הטיול** (Trip Name): A text input field with the placeholder 'הטיול הגדול!'.- יעד (מדינה)** (Destination (Country)): A dropdown menu with 'פרו' (Peru) selected.- מחודש** (Month): A dropdown menu with 'יוני' (June) selected.- עד חודש** (Until Month): A dropdown menu with 'ספטמבר' (September) selected.- סגנון טיול** (Trip Style): A dropdown menu with 'מוצ'ילר / יחיד' (Mochila / Solo) selected.- תקציב** (Budget): A dropdown menu with 'בינוני' (Medium) selected.- מה הכי מעניין אותך? (אפשר לבחור כמה)** (What interests you most? (You can choose multiple)): A set of buttons for selecting interests. The selected options are 'אוכל' (Food), 'נוף' (Landscape), 'סבע' (Adventure), 'חיי לילה' (Nightlife), and 'חוף' (Beach). Other visible options include 'תרבות' (Culture), 'היסטוריה' (History), 'צילום' (Photography), 'הליכה' (Hiking), 'קניות' (Shopping), 'אמנות' (Art), and 'אדריכלות' (Architecture).- Buttons:** At the bottom of the form are two buttons: 'ביטול' (Cancel) and 'צור טיול' (Create Trip).

The background application interface shows a navigation bar with links like 'התנתק', 'שלום, michal', 'ניהול', 'פורום', 'הגדרות', and 'הטיולים שלי'. The main content area includes a post titled 'אל יוחו אלמסן' and a section titled 'הטיולים שלי'.

Create: filling and submitting the new trip form.

Successful CRUD Operation — Read


After creation, the trip is read from the backend and displayed in the user trips grid.



Read: the created trip appears in the application UI.

Successful CRUD Operation — Update


Updating the trip/favorites demonstrates that existing records can be changed and reloaded from the database-backed API.



Update: adding/updating an attraction in the existing trip flow.

Successful CRUD Operation — Delete

The delete confirmation and resulting database state demonstrate removal of a record through the existing delete flow.



Delete: confirming removal through the application UI.

Successful CRUD Operation — Database Verification

Prisma Studio confirms the database state after create/update/delete operations.

Trip X City X Close all

Filters

None

Fields

All

Showing 1 of 1

Add record

	travelStyle A	budget A	interests {}?	createdAt	user {}	country {}	attractions []
	solo	medium	["חיפה", "חיפה", "אילת", "בית", "בית"]	2026-06-21T00:00:00.000Z	User	Country	1 TripAttraction

Database verification: the relevant Prisma table after the CRUD operation.

ORM Relationship — One-to-Many

The Trip table includes userId, demonstrating the one-to-many relationship where one User can have many Trips.

The screenshot shows a database management tool with a sidebar on the left listing models: Attraction (20), City (6), Country (4), Message (9), Settings (2), and Trip (2). The main area displays the 'Trip' model with a table of records. The table has columns: tripId #, userId #, tripName A, countryId #, startMonth #, endMonth #, and travel. Two records are shown, both with userId 1, illustrating that one user can have multiple trips.

tripId #	userId #	tripName A	countryId #	startMonth #	endMonth #	travel
6	1	הטיול הגדול	1	6	8	solo
7	1	טיול זוגי בספר	1	1	3	coup1

One-to-many: User → Trips, represented by userId on Trip records.

ORM Relationship — Many-to-Many

The TripAttraction junction table demonstrates the many-to-many relationship between Trips and Attractions.

Search models

All Models

Attraction20

City6

Country4

Message1

Settings2

Trip3

TripAttraction8


User4

		Settings X		Message X		Country X		Attraction X		User X		Trip X		City X		TripAttraction X		Close all			
		FiltersNone		FieldsAll		Showing8 of 8		Add record													
				tripId #		attractionId #		trip {}		attraction {}											
				6		9		Trip		Attraction											
				6		11		Trip		Attraction											
				6		20		Trip		Attraction											
				7		11		Trip		Attraction											
				7		12		Trip		Attraction											
				8		7		Trip		Attraction											
				8		15		Trip		Attraction											

Many-to-many: Trip ↔ Attraction through the TripAttraction junction table.

WebSocket Communication Between Two Clients


Two browser clients are open at the same time. A real-time Socket.IO update appears across clients without refreshing the page.



Socket.IO: two clients connected to the same real-time feature.

AI Feature — Input and Chat Output


The user provides trip-planning input in the AI chat. The backend forwards the conversation to Groq and returns an assistant response through Socket.IO.



AI input/output: user message and assistant response in the AI trip planner.

AI Feature — Structured Draft Output

After collecting enough information, the AI produces a structured trip draft that is reviewed through the existing TripForm before saving.



AI output: generated draft and review/confirmation step.

Database Tables — Countries

The Country table stores country records used by cities, trips, and the website filters.

Search models

All Models

Attraction20

City6

Country4

Message0

Settings2

Trip2

TripAttraction5

			Country	Attraction	User	Trip	City	TripAttraction	Close all							
			Filters	None	Fields	All	Showing	4 of 4	Add record							
				countryId	#	countryNameEn	A	countryNameHe	A	summaryHe	A?	bannerimageUrl	A?	latitude	#?	longit
				1		Peru		פרו		בית למאצ'ו פיצ'ו, קוסקו ולימה		https://picsum.photos/s...		-9.19		-75.6
				2		Argentina		ארגנטינה		ליקה asosכנו, מטיילים, יין סנז		https://picsum.photos/s...		-38.416		-63.6
				3		Brazil		ברזיל		היעד הגדול ביותר בזרזם אמריקה		https://picsum.photos/s...		-14.235		-51.5
				4		Colombia		קולומביה		...ביה — מנוון נופים ותרבות עשירה		https://picsum.photos/s...		4.571		-74.2

Prisma Studio: Country table.

Database Tables — Cities

The City table stores the city records displayed on the homepage and connected to countries.

Search models	City X Trip X Close all							
All Models	Filters None Fields All Showing 6 of 6 Add record							
Attraction 20		cityId #	cityNameEn A	cityNameHe A	countryId #	summaryHe A?	bannerImageUrl A?	latitud
City 6		1	Lima	לימה	1	cevice בירת פרו, עיר של	https://picsum.photos/s...	-12.6
Country 4		2	Buenos Aires	בואנוס איירס	2	הטנגו והתרבות העשירה	https://picsum.photos/s...	-34.6
Message 0		3	Rio de Janeiro	ריו דה ז'ניירו	3	הסוכר וחופי קופקבאנה ואיפאנמה	https://picsum.photos/s...	-22.9
Settings 2		4	Cusco	קוסקו	1	מאצ'ו פיצ'ו ומרכז תרבותי עשיר	https://picsum.photos/s...	-13.5
Trip 0		5	Cali	קאלי	4	מוזיקה חיה ושוקי אמנות	https://picsum.photos/s...	3.451
TripAttraction 0		6	Bogotá	בוגוטה	4	בגובה 2,640 מטר – מוזיאונים	https://picsum.photos/s...	4.711
User 4								

Prisma Studio: City table.

Database Tables — Attractions

The Attraction table stores attraction data displayed in the app and connected to trips through favorites.

Search models

All Models

Attraction20

City6

Country4

Message0

Settings2

Trip2

TripAttraction5

User4

Attraction xUser xTrip xCity xTripAttraction xClose all

FiltersNone

FieldsAll

Showing20 of 20

Add record

		attractionId #	cityId #	name A	nameHE A?	type A	descriptionHe A?	tags
		1	2	La Boca & Caminito	לה בוקה וקמיניטו	site	... ריקודי טנגו ברחוב ודוכני אמנים	["נ"]
		2	2	Teatro Colón	תיאטרון קולון	tour	...המפואר והכנסיות מאחורי הקלעים	["ה"]
		3	2	Recoleta Cemetery	בית הקברות ריקולטה	site	...שלמה בפני עצמה. כניסה חופשית	["י"]
		4	2	San Telmo Market	שוק סן תלמו	site	...גים. בסופי שבוע שוק חיצוני ענק	["ז"]
		5	2	Puerto Madero Waterfront	רצועת הנמל פוארטו מדרו	route	...דות מעוצבות ושמורת טבע עירונית	["ז"]
		6	2	Tango Show - El Viejo A...	מופע טנגו - אל ויחו אלמסן	tour	... מקצועי עם רקדנים ותזמורת חיה	["ה"]
		7	3	Christ the Redeemer	פסל הישו הגואל	site	...מרהיב על ריו דה ז'ניירו והמפרץ	["ת"]
		8	3	Copacabana Beach Walk	טיול לאורך חוף קופקבאנה	route	...לי, דוכני קוקוס ואווירה ברזילאית	["ט"]
		9	4	Machu Picchu	מאצ'ו פיצ'ו	site	...ה בלתי נשכחת של היסטוריה ונוף	["ו"]
		10	4	Cusco City Tour	סיור בעיר קוסקו	tour	...ת האבן האינקאיות שעדיין עומדות	["י"]
		11	1	Miraflores Cliff Walk	טיול לאורך מצוקי מירפלורס	route	...פחים, בתי קפה ושקיעות מדהימות	["ס"]
		12	1	Larco Museum	מוזיאון לארקו	site	...יל. ממוקם בארמון מהמאה ה-18	["י"]
		13	1	Magic Water Circuit	פארק המים הקסום	site	...יהנות ממופעי מים, אורות ומוזיקה	["ם"]
		14	2	Palermo Soho	פאלרמו סוהו	route	...קפה, ברים ואמנות רחוב צבעונית	["ם"]
		15	3	Sugarloaf Mountain	הר הסוכר (פאו דה אסוקר)	site	...ץ גואנברה, חופי ריו והעיר כולה	["י"]
		16	4	Sacsayhuamán	סקסייוואמן	site	...א מלט, המשקף על העיר קוסקו	["ה"]
		17	1	Barranco District	שכונת באראנקו	site	...טרנדיים ו'גשר האנחות' המפורסם	["י"]
		18	2	El Ateneo Grand Splendid	אל אטנאו גראנד ספלנדיד	site	...קרוא על הבמה שהפכה לבית קפה	["י"]

Prisma Studio: Attraction table.

Database Tables — Trips

The Trip table stores user-created trips, including destination, months, travel style, budget, and user relationship.

Search models

All Models

Attraction20

City6

Country4

Message1

Settings2

Trip3

TripAttraction5

Settings × Message × Country × Attraction × User × Trip × City × TripAttraction × Close all

FiltersNone

FieldsAll

Showing3 of 3

Add record

	tripId #	userId #	tripName A	countryId #	startMonth #	endMonth #	travel
☐	6	1	הטיול הגדול	1	6	8	solo
☐	7	1	טיול זוגי בספר	1	1	3	coup1
☐	8	3	טיול משפחתי בבריזל	3	9	9	famil


Prisma Studio: Trip table.

TripAttraction is the junction table that supports the many-to-many relationship between trips and attractions.

Prisma Studio: TripAttraction table.

Database Tables — Messages

The Message table persists Socket.IO forum messages in MySQL instead of storing them only in memory.



The screenshot shows the Prisma Studio interface. On the left, a sidebar lists 'All Models' with counts: Attraction (20), City (6), Country (4), Message (1), Settings (2), and Trip (2). The main area displays the 'Message' table. The table has columns: messageid #, room A, userid #, userName A, text A, and createdAt. A single record is shown with messageid 1, room country_3, userid 3, userName hillel, and text 'אין על ברזל!'. The interface includes tabs for various models at the top and a bottom bar with 'Filters', 'Fields', 'Showing', and 'Add record' buttons.

messageid #	room A	userid #	userName A	text A	createdAt
1	country_3	3	hillel	אין על ברזל!	2026-06-21T11:04:30.321Z

Prisma Studio: Message table.

Database Tables — Users

The User table stores application users and roles used by the frontend and backend authorization checks.

Search models

All Models

Attraction

City

Country

Message

Settings

Trip

TripAttraction

User

Settings

Message

Country

Attraction

User

Trip

City

TripAttraction

Close all

Filters

None

Fields

All

Showing 4 of 4

Add record

		userId #	firstName A	lastName A	email A	password A	userRole A	create
☐		1	Michal	Adam	Michal@example.com	123456	admin	2026-
☐		2	Omer	Sherman	omersherman22@gmail.com	123456	admin	2026-
☐		3	Hillel	Zilberman	Hillel@example.com	123456	manager	2026-
☐		4	test	user	user@example.com	123456	user	2026-

Prisma Studio: User table.

Database Tables — Settings

The Settings table stores per-user display preferences such as theme, font size, and density.

Search models

All Models

Attraction20

City6

Country4

Message1

Settings2

Trip2

TripAttraction5

User4

Settings

Message

Country

Attraction

User

Trip

City

TripAttraction

Close all

FiltersNone

FieldsAll

Showing2 of 2

Add record

	userId #	theme A	fontSize A	density A	user {}
	1	light	medium	normal	User
	2	light	medium	normal	User

Prisma Studio: Settings table.