

PLATE tile row 1/2, column 1/3 (print at 100% / "Actual size", no scaling)



case x 0 to 192 mm, y 36 to 277 mm. Overlap 10 mm: line up the solid guide line with the next tile's edge.


PLATE tile row 1/2, column 2/3 (print at 100% / "Actual size", no scaling)



case x 182 to 374 mm, y 36 to 277 mm. Overlap 10 mm: line up the solid guide line with the next tile's edge.


PLATE tile row 1/2, column 3/3 (print at 100% / "Actual size", no scaling)

this bar must measure exactly 100 mm




case x 364 to 556 mm, y 36 to 277 mm. Overlap 10 mm: line up the solid guide line with the next tile's edge.

PLATE tile row 2/2, column 1/3 (print at 100% / "Actual size", no scaling)




case x 0 to 192 mm, y 267 to 508 mm. Overlap 10 mm: line up the solid guide line with the next tile's edge.

PLATE tile row 2/2, column 2/3 (print at 100% / "Actual size", no scaling)




case x 182 to 374 mm, y 267 to 508 mm. Overlap 10 mm: line up the solid guide line with the next tile's edge.

PLATE tile row 2/2, column 3/3 (print at 100% / "Actual size", no scaling)




case x 364 to 556 mm, y 267 to 508 mm. Overlap 10 mm: line up the solid guide line with the next tile's edge.

SHELF tile row 1/1, column 1/3 (print at 100% / "Actual size", no scaling)




case x 0 to 192 mm, y 0 to 241 mm. Overlap 10 mm: line up the solid guide line with the next tile's edge.

SHELF tile row 1/1, column 2/3 (print at 100% / "Actual size", no scaling)



case x 182 to 374 mm, y 0 to 241 mm. Overlap 10 mm: line up the solid guide line with the next tile's edge.

SHELF tile row 1/1, column 3/3 (print at 100% / "Actual size", no scaling)



case x 364 to 556 mm, y 0 to 241 mm. Overlap 10 mm: line up the solid guide line with the next tile's edge.