My Document

Histograms

```
params$sth
```

```
## [1] 100
```

```
params$ivs
```

```
## [1] "cyl"  "disp"
```

```
params$dvs
```

```
## [1] "mpg"  "qsec"
```

```
plotMaker1()
```

```
## 'geom_smooth()' using method = 'loess' and formula 'y ~ x'
```

#python and #rstats: Comparing 1,000 random tweets

plotMaker2()

plotMaker3()

```
## Adding missing grouping variables: 'R0', 'p.symp', 'iso_delay_traced_max', 'iso_delay_untraced_sd_max
```

#python and #rstats: Comparing 1,000 random tweets

```
plotMaker4()
```

```
plotMaker5()
```

```
df <- data.frame(bucket = c("Omid Gheysar Gharamaki for the best table of the year is selected","1:11",
                value = c(-0.8125594, -0.7590050, -0.7189301, -0.7188391, -0.5047816,
                          -0.3439579, -0.4376782, -0.1300217, 0.9145718, 2.1844290,
                          4.8374356))
db <- data.frame(bucket = c("Omid Gheysar Gharamaki for the best","1:11","1:11","1:11",
"1:11","1:11","1:11","1:11","1:11","1:11"),
                value = c(-0.8125594, -0.7590050, -0.7189301, -0.7188391, -0.5047816,
                          -0.3439579, -0.4376782, -0.1300217, 0.9145718, 2.1844290,
                          4.8374356))
library(knitr)
kable(db)
```

bucket	value
Omid Gheysar Gharamaki for the best	-0.8125594
1:11	-0.7590050
1:11	-0.7189301
1:11	-0.7188391
1:11	-0.5047816
1:11	-0.3439579
1:11	-0.4376782
1:11	-0.1300217
1:11	0.9145718
1:11	2.1844290
1:11	4.8374356

```r
kable(df)
```

bucket	value
Omid Gheysar Gharamaki for the best table of the year is selected	-0.8125594
1:11	-0.7590050
1:11	-0.7189301
1:11	-0.7188391
1:11	-0.5047816
1:11	-0.3439579
1:11	-0.4376782
1:11	-0.1300217
1:11	0.9145718
1:11	2.1844290
1:11	4.8374356