

Home → Medical Encyclopedia → Bland diet

URL of this page: //medlineplus.gov/ency/patientinstructions/000068.htm

Bland diet

A bland diet can be used alongside lifestyle changes to help address the symptoms of ulcers, heartburn, GERD, nausea, and vomiting. You may also need a bland diet after stomach or intestinal surgery.

Self-care

A bland diet includes foods that are soft, not very spicy, and low in fiber. If you are on a bland diet, you should not eat spicy, fried, or raw foods. You should not drink alcohol or drinks with caffeine in them.

Your health care provider will tell you when you can start eating other foods again. It is still important to eat healthy foods when you add foods back in. Your provider can refer you to a dietitian or nutritionist to help you plan a healthy diet.

Foods you can eat

Foods you can eat on a bland diet include:

- Milk and other dairy products, low-fat or fat-free only
- Cooked, canned, or frozen vegetables
- Fruit juices and vegetable juices (some people, such as those with GERD, may want to avoid citrus and tomato)
- · Breads, crackers, and pasta made with refined white flour
- Refined, hot cereals, such as Cream of Wheat (farina cereal)
- Lean, tender meats, such as poultry, whitefish, and shellfish that are steamed, baked, or grilled with no added fat
- Creamy peanut butter
- · Pudding and custard
- Eggs
- Tofu
- · Soup, especially broth
- Weak tea

Foods to Avoid

Some foods you may want to avoid when you are on a bland diet are:

- Fatty dairy foods, such as whipped cream or high-fat ice cream
- Strong cheeses, such as bleu or Roquefort cheese
- Raw vegetables
- · Vegetables that make you gassy, such as broccoli, cabbage, cauliflower, cucumber, green peppers, and corn
- · Dried fruits
- · Whole-grain or bran cereals
- Whole-grain breads, crackers, or pasta
- Pickles, sauerkraut, and similar foods
- · Spices, such as hot pepper and garlic
- · Foods with a lot of sugar in them
- · Seeds and nuts
- Highly seasoned, cured or smoked meats and fish
- Fried foods

· Alcoholic beverages and drinks with caffeine in them

You should also avoid medicine that contains aspirin or ibuprofen (Advil, Motrin).

Other Diet Tips

When you are on a bland diet:

- Eat small meals and eat more often during the day.
- · Chew your food slowly and chew it well.
- Stop smoking cigarettes, if you smoke.
- DO NOT eat within 2 hours of your bedtime.
- DO NOT eat foods that are on the "foods to avoid" list, especially if you do not feel well after eating them.
- · Drink fluids slowly.

Alternative Names

Heartburn - bland diet; Nausea - bland diet; Peptic ulcer - bland diet

References

Thompson M, Noel MB. Nutrition and family medicine. In: Rakel RE, Rakel DP, eds. Textbook of Family Medicine. 9th ed. Philadelphia, PA: Elsevier Saunders; 2016:chap 37.

Review Date 1/13/2018

Updated by: Emily Wax, RD, The Brooklyn Hospital Center, Brooklyn, NY. Also reviewed by David Zieve, MD, MHA, Medical Director, Brenda Conaway, Editorial Director, and the A.D.A.M. Editorial team.

How helpful is this web page to you?

Not helpful











A.D.A.M., Inc. is accredited by URAC, also known as the American Accreditation HealthCare Commission (www.urac.org). URAC's accreditation program is an independent audit to verify that A.D.A.M. follows rigorous standards of quality and accountability. A.D.A.M. is among the first to achieve this important distinction for online health information and services. Learn more about quality A.D.A.M.'s editorial policy, editorial process and privacy policy. A.D.A.M. is also a founding member of Hi-Ethics and subscribes to the principles of the Health on the Net Foundation (www.hon.ch)

The information provided herein should not be used during any medical emergency or for the diagnosis or treatment of any medical condition. A licensed physician should be consulted for diagnosis and treatment of any and all medical conditions. Call 911 for all medical emergencies. Links to other sites are provided for information only -- they do not constitute endorsements of those other sites. Copyright 1997-2019, A.D.A.M., Inc. Duplication for commercial use must be authorized in writing by ADAM Health Solutions.