

Backend Developer

(Jio Translate)

Developer Responsibilities & Workflow

1. Start of the Day (10 AM - 10:30 AM)

- Check for any messages on Teams and respond if not already addressed.
- Open the work items board and pick a task based on priority.

2. Scrum Call (Morning Standup)

- Provide updates to the Scrum Master on:
 - What was worked on yesterday.
 - What will be worked on today.
 - ETA for current tasks.
- Discuss any blockers with the PM, frontend team, or testing team.

3. Development Process

If Working on a New Feature:

Discussion & Planning:

- Discuss the feature flow with mentors/seniors.
- Finalize the technical approach.

API Contract & Coordination:

- Identify required APIs and define the API contract.
- Share the API contract with the frontend team to prevent blocking their progress.

Development & Testing:

- Implement backend logic and write necessary code.
- Test locally and then deploy it to the development environment for further verification.

Code Review & Deployment:

- Raise a Pull Request (PR).
- Conduct a self-review before assigning it to seniors.

- Address comments from seniors, make necessary changes, and merge the code into the main branch.
- Deploy backend changes to the development environment.

If Making Changes to an Existing Feature:

- Analyze the impact of changes.
- Modify the existing code while ensuring backward compatibility.
- Follow the same process of testing, PR review, and deployment as mentioned above.

If a Bug Arises:

Bug Analysis:

- Identify the severity (Low, Major, Critical).
- Check logs and debug to find the root cause.

Fix & Testing:

- Implement the fix and test locally.
- Deploy the fix to the development environment.

Verification:

- Ensure testers validate the fix before moving it to further environments.

4. Testing & Fixing Issues

- Once both backend and frontend changes are deployed in the development environment, testers start their testing.
- Testers report observations categorized by severity (Low, Major, Critical).
- Fix issues based on priority and deploy them back to the development environment for the next round of testing.