```
Applis var express=require("express");
var bodyParser=require("body-parser");
const mongoose = require('mongoose');
mongoose.connect('mongodh://localhost:27017/gfg');
var db=mongoose.connection;
{\tt db.on('error', console.log.bind(console, "connection error"));}\\
db.once('open', function(callback){
  console.log("connection succeeded");
1)
var app=express()
app.use(bodyParser.json());
app.use(express.static('public'));
app.use(bodyParser_urlencoded({
  extended: true
app.post('/sign_up', function(reg_res){
  var name = req.body.name;
  var email =req.body.email;
  var pass = req.body.password;
  var phone =req.body.phone;
  var data = {
    "name": name,
    "email":email,
    "password":pass,
```

```
Index.html
<!DOCTYPE html>
<html>
<head>
 <title> Signup Form</title>
k rel="stylesheet"
href=
"https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css"
integrity=
"sha384-BVYiiSIFeK1dGmJRAkycuHAHRg32OmUcww7on3RYdg4Va+PmSTsz/K68vbdEjh4u"
crossorigin="anonymous">
k col="stylesheet" type="text/css" href="style.css">
</head>
<body>
  <br/>
<br/>
d>
  <br/>
<br/>
d>
  <div class="container" >
    <div class="row">
    <div class="colored-3">
    </div>
```

```
<div class="colongle main">
   <form action="http://localhost:3000/sign_up" method="post">
   <h1> Signup form </h1>
   <input class="box" type="text" name="name" id="name"
    placeholder="Name" required /><br/>
    <input class="box" type="email" name="email" id="email"
    placeholder="E-Mail" required />>
    <input class="box" type="password" name="password"
    id="password" placeholder="Password " required/>
    <input class="box" type="text" name="phone" id="phone"
    placeholder="Phone Number" required/><
          <br/>
   <input type="submit" id="submitDetails"
   name="submitDetails" value="Submit" /><br/>
   </form>
 </div>
 <div class="colonol3">
 </div>
</div>
```

</div>

```
Signup_success.html <!DOCTYPE html>
<html>
<head>
  <title> Signup Form</title>
k rel="stylesheet"
href=
"https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css"
"sha384-BVYiiSIFeK1dGmJRAkycuHAHRg32OmUcww7on3RYdg4Va+PmSTsz/K68vbdEjh4u"
crossorigin="anonymous">
<link rel="stylesheet" type="text/css" href="style.css">
</head>
  <body>
  <br/>bt>
  <br/>br>
  <br/>br>
  <div class="container" >
    <div class="row">
    <div class="col-md-3">
    </div>
    <div class="col-md-6 main">
      <h1> Signup Successful</h1>
```

```
</div>
<div class="col-md-3">
</div>
</div>
</div>
</div>
</body>
</html>
```

```
Signup_success.html
 <!DOCTYPE html>
 <html>
 <head>
          <title> Signup Form</title>
 stylesheet"
  "https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css"
 "sha384-BVYiiSIFeK1dGmJRAkycuHAHRg32OmUcww7on3RYdg4Va+PmSTsz/K68vbdEjh4u"
 crossorigin="anonymous">
 <link rel="stylesheet" type="text/css" href="style.css">
 </head>
          <body>
           <br />
br>
          <br/>

          <br/>
          <div class="container" >
                      <div class="row">
                     <div class="col-md-3">
                      </div>
                      <div class="col-md-6 main">
                                <h1> Signup Successful</h1>
```

```
</div>
<div class="colored3">
</div>
</div>
</div>
</div>
</body>
</html>
```

```
Style.css
.main{
  padding:20px;
  font-family: 'Helvetica', serif;
  box-shadow: 5px 5px 7px 5px #888888;
.main h1{
  font-size: 40px;
  text-align:center:
  font-family: 'Helvetica', serif;
input{
  font-family: 'Helvetica', serif;
  width: 100%;
  font-size: 20px;
  padding: 12px 20px;
  margin: 8px 0;
  border: none;
  border-bottom: 2px solid #767474;
input[type=submit] {
  font-family: 'Helvetica', serif;
  width: 100%;
  background-color; #767474;
  border: none;
  color: white;
  padding: 16px 32px;
```

```
margin: 4px 2px;
border-radius: 10px;
```