Output of select * statement

Data Output | Messages | Notifications

SQL

	d_id [PK] integer	d_name character varying (100)	hod character varying (100)
1	1	CE	HOD_CE
2	2	IT	HOD_IT

Output of select for specific columns

Data Output | Messages | Notifications

	s_id [PK] integer	s_name character varying (100)
1	1	abc
2	2	def
3	3	ghi
4	4	jkl

Output of select for specific columns with where condition

Data Output | Messages | Notifications

	s_id [PK] integer	s_name character varying (100)
1	1	abc
2	2	def

Output of order by and limit statement

Data Output | Messages | Notifications

Showing ro

	s_id [PK] integer	s_name character varying (100)	mobile_no character varying (15)	d_id integer
1	4	jkl	7326454567	2
2	3	ghi	2318904567	2
3	2	def	3218904567	1

Output of AND and BETWEEN statements

Data Output | Messages | Notifications

Showing ro

	s_id [PK] integer	s_name character varying (100)	mobile_no character varying (15)	d_id integer
1	3	ghi	2318904567	2
2	4	jkl	7326454567	2

Output of OR and BETWEEN statements

Data Output | Messages | Notifications

Showing ro

	s_id [PK] integer	s_name character varying (100)	mobile_no character varying (15)	d_id integer
1	1	abc	1238904567	1
2	2	def	3218904567	1
3	3	ghi	2318904567	2
4	4	jkl	7326454567	2

Output of LIKE statement



	s_id [PK] integer	s_name character varying (100)	mobile_no character varying (15)	d_id integer
1	2	def	3218904567	1
2	3	ghi	2318904567	2