Ustart (-) - This method starts animation

Page Date

T 43212)

ii) set duration (long duration) - The's sets duration of animation.

that has been set by set Duration ().

IV) end () - This ends the animation.

v) concer() - This concels animation.

To start animation, we call a function start Animation () method of object

Steps to create animation-

- Il Create a new Android Studio Project.
- 2) Modify Main Activity java & create code for animation.
- 3) Right click on res. Greate resource directory of type amin

or execute an xm) file within it. I have created two xml files rotate I clockwise of rotate - anticlockwise. xml

5] Since, I have to rotate fan I have written following cocle



| _ | | | _ | _ | _ | | - |
|---|---|-------|-----|----|---|---------|---|
| _ | _ | - | _ | _ | = | | = |
| • | | • | 100 | | | | |
| • | | 1 4 | | 18 | • | 1 | |
| | | Aug I | - | | | 100 | |
| | | - | - | | | - Arian | |

Lset...)

Lotate android: from Degrees = "360"

android: to Degrees = "0";

android: pivot x = "50";

android: plvot Y = "50";

android: duretion = "500";

android: repeat (munt = "infinite")

conclusion -

This assignment tought me how to create a simple animation in andraid.

TOTAL SILE SIMB DE SI - SE

Trivase total from part smart

the las of book so the

bone Bond (A

assily seithe