Skip to Main Content

Login to your account

Email/Username Password Show Forgot password? Remember me Log in Don't have an account? Create a Free Account
If you don't remember your password, you can reset it by entering your email address and clicking the Reset Password button. You will then receive an email that contains a secure link for resetting your password
Email* Submit
If the address matches a valid account an email will be sent toemail with instructions for resetting your password
<u>Cancel</u>
Advertisement Lung Cancer Close
• Home
• Articles and Issues
• Back
• Articles in Press
• Current Issue
• List of Issues
 For Authors Back
• About Open Access
• Author Information
• Permissions
• Researcher Academy
• Submit a Manuscript
 Journal Info Back
• About Open Access
• About the Journal
• Abstracting/Indexing
 Advertising Information
• <u>Career Opportunities</u>
 Contact Information
 Editorial Board

• Society Info
• Back
• International Lung Cancer Consortium (ILCCO)
European Thoracic Oncology Platform (ETOP)
British Thoracic Oncology Group (BTOG)
More Periodicals
• Back
• Find a Periodical
 Go to Product Catalog_
Search for
Go search Control of the Control of
All Content •
Advanced SearchSave search
Please enter a term before submitting your search.
<u>Ok</u>
• Submit Article
Log in
• <u>Register</u>
Log in
• Submit Article
• Log in
• <u>Subscribe</u>
• <u>Claim</u>

Full length article Volume 67, ISSUE 2, P205-215, February 01, 2010

- Purchase
 - Academic and Personal
 - Corporate R&D Professionals
- Subscribe
- <u>Save</u>
 - Add To Online Library Powered By Mendeley
 - Add To My Reading List
 - Export Citation
 - Create Citation Alert
- Share

Share on

- Email
- Twitter
- Facebook
- o Linked In
- o Sina Weibo
- more
 - Reprints
 - Request
- <u>Top</u>

Kaiso is expressed in lung cancer: Its expression and localization is affected by p120ctn

• Shun-Dong Dai

Shun-Dong Dai

Affiliations

Department of Pathology, First Affiliated Hospital and College of Basic Medical Sciences of China Medical University, Shenyang 110001, China

Search for articles by this author

• Yan Wang

Yan Wang

Affiliations

Department of Pathology, First Affiliated Hospital and College of Basic Medical Sciences of China Medical University, Shenyang 110001, China

Search for articles by this author

• Gui-Yang Jiang

Gui-Yang Jiang

Affiliations

Department of Pathology, First Affiliated Hospital and College of Basic Medical Sciences of China Medical University, Shenyang 110001, China

Search for articles by this author

• Peng-Xin Zhang

Peng-Xin Zhang

Affiliations

Department of Pathology, First Affiliated Hospital and College of Basic Medical Sciences of China Medical University, Shenyang 110001, China

Search for articles by this author

• Xin-Jun Dong

Xin-Jun Dong

Affiliations

Department of Pathology, First Affiliated Hospital and College of Basic Medical Sciences of China Medical University, Shenyang 110001, China

Search for articles by this author

• Oiang Wei

Qiang Wei

Affiliations

Department of Pathology, First Affiliated Hospital and College of Basic Medical Sciences of China Medical University, Shenyang 110001, China

Search for articles by this author

• Hong-Tao Xu

Hong-Tao Xu

Affiliations

Department of Pathology, First Affiliated Hospital and College of Basic Medical Sciences of China Medical University, Shenyang 110001, China

Search for articles by this author

• Qing-Chang Li

Qing-Chang Li

Affiliations

Department of Pathology, First Affiliated Hospital and College of Basic Medical Sciences of China Medical University, Shenyang 110001, China

Search for articles by this author

• Chen Zhao

Chen Zhao

Affiliations

Department of Pathology, First Affiliated Hospital and College of Basic Medical Sciences of China Medical University, Shenyang 110001, China

Search for articles by this author

• En-Hua Wang

En-Hua Wang

Correspondence

Corresponding author at: Department of Pathology, College of Basic Medical Sciences and First Affiliated Hospital of China Medical University, North 2nd Road 92, Heping Ward, Shenyang 110001, China. Tel.: +86 2423261638; fax: +86 24 23261638.

Affiliations

Department of Pathology, First Affiliated Hospital and College of Basic Medical Sciences of China Medical University, Shenyang 110001, China Search for articles by this author

Published:July 21, 2009DOI: https://doi.org/10.1016/j.lungcan.2009.06.013
Kaiso is expressed in lung cancer: Its expression and localization is affected by p120ctn
Previous ArticleBreast cancer resistant protein (BCRP) is a molecular determinant of the outcome of photodynamic therapy (PDT) for centrally located early lung cancer
Next ArticleAnalysis of GD2/GM2 synthase mRNA as a biomarker for small cell lung cancer

_

Advertisement

Abstract

Background

Kaiso is a recently identified transcription factor that binds to p120-catenin (p120ctn), an Armadillo catenin and cell adhesion cofactor. However, clinical studies of human solid tumors have not been reported to investigate relationship between these proteins.

Methods

Expression and localization of Kaiso and p120ctn were examined in 196 lung cancer specimens (including 55 cases of paired lymph node metastases and 80 cases with complete follow-up records) by immunohistochemistry. Three lung cancer cell lines, BE1, SPC, and A549 were used to establish p120ctn stably ablated or overexpressed cell lines. Co-immunoprecipitation was used to confirm p120ctn bind Kaiso in lung cancer tissue and cell lines. Localization and expression levels of Kaiso were detected via immunofluorescence, cytoplasmic vs. nuclear fractionation Western blot analysis and reverse transcription-polymerase chain reaction.

Results

Cytoplasmic Kaiso expression was evident in 115 (58.7%), and abnormal p120ctn expression was noted in 168 (85.7%). Cytoplasmic Kaiso and abnormal p120ctn expressions were associated with higher degree of malignancy (high-stage and lymph node metastases, all P < 0.05). Abnormal p120ctn and cytoplasmic Kaiso expressions were higher in matched autologous nodal metastases than in primary growths. The lung cancer-related 5-year survival rate was significantly lower in patients who were cytoplasmic Kaiso-positive (22.9%; P = 0.029) or abnormal p120ctn expression (20.6%; P = 0.001). Multivariate analysis showed abnormal p120ctn expression was an independent factor defining the clinicopathological characters of patients. Cytoplasmic Kaiso expression was correlated with cytoplasmic p120ctn, they formed Kaiso-p120ctn complex in lung cancer tissues and cell lines. In addition, p120ctn ablation and overexpression altered Kaiso subcellular localization and protein level. Although both isoforms can regulate subcellular localization and protein levels of Kaiso, we found that only p120ctn isoform 3, but not isoform 1, directly interacts with Kaiso.

Conclusion

p120ctn and Kaiso might co-participate in the progression and lymph node metastasis of lung cancer. p120ctn regulates expression and localization of Kaiso in lung cancer cells.

Keywords

- Lung cancer
- Clinicopathological factors
- Kaiso
- p120ctn
- Metastasis

To read this article in full you will need to make a payment

Purchase one-time access:

▶ One-time access price info

Subscribe:

Already a print subscriber? Claim online access

Already an online subscriber? Sign in

Register: Create an account

Institutional Access: Sign in to ScienceDirect

References

- 1. Maeda M.
 - Johnson E.
 - Mandal S.H.
 - Lawson K.R.
 - Keim S.A.
 - Svoboda R.A.
 - o et al.

Expression of inappropriate cadherins by epithelial tumor cells promotes endocytosis and degradation of E-cadherin via competition for p120(ctn).

Oncogene. 2006; 25: 4595-4604

View in Article

- <u>Scopus (51)</u>
- PubMed
- Crossref
- Google Scholar
- 2. o Moreno-Bueno G.
 - Hardisson D.
 - Sarrio D.
 - Sanchez C.
 - Cassia R.
 - Prat J.
 - o et al.

Abnormalities of E- and P-cadherin and catenin (beta-, gamma-catenin, and p120ctn) expression in endometrial cancer and endometrial atypical hyperplasia.

J Pathol. 2003; 199: 471-478

- Scopus (119)
- PubMed

- Crossref
- Google Scholar
- 3. Birchmeier W.
 - Behrens J.

Cadherin expression in carcinomas: role in the formation of cell junctions and the prevention of invasiveness.

Biochim Biophys Acta. 1994; 1198: 11-26

View in Article

- Scopus (921)
- PubMed
- Crossref
- Google Scholar
- 4. Davis M.A.
 - Reynolds A.B.

Blocked acinar development, E-cadherin reduction, and intraepithelial neoplasia upon ablation of p120-catenin in the mouse salivary gland.

Dev Cell. 2006; 10: 21-31

View in Article

- Scopus (146)
- PubMed
- Abstract
- Full Text
- Full Text PDF
- Google Scholar
- 5. Thoreson M.A.
 - Reynolds A.B.

Altered expression of the catenin p120 in human cancer: implications for tumor progression.

Differentiation. 2002; 70: 583-589

View in Article

- Scopus (132)
- PubMed
- Crossref
- Google Scholar
- 6. o Anastasiadis P.Z.
 - Reynolds A.B.

The p120 catenin family: complex roles in adhesion, signaling and cancer.

J Cell Sci. 2000; 113: 1319-1334

View in Article

- PubMed
- Google Scholar
- 7. Davis M.A.
 - Ireton R.C.
 - Reynolds A.B.

A core function for p120-catenin in cadherin turnover.

J Cell Biol. 2003; 163: 525-534

- Scopus (558)
- PubMed
- Crossref
- Google Scholar
- 8. Xiao K.
 - Allison D.F.
 - Buckley K.M.
 - Kottke M.D.
 - Vincent P.A.
 - Faundez V.
 - et al.

Cellular levels of p120 catenin function as a set point for cadherin expression levels in microvascular endothelial cells.

J Cell Biol. 2003; 163: 535-545

View in Article

- Scopus (341)
- PubMed
- Crossref
- Google Scholar
- 9. Ireton R.C.
 - o Davis M.A.
 - van Hengel J.
 - Mariner D.J.
 - Barnes K.
 - Thoreson M.A.
 - o et al.

A novel role for p120 catenin in E-cadherin function.

J Cell Biol. 2002; 159: 465-476

View in Article

- Scopus (431)
- <u>PubMed</u>
- Crossref
- Google Scholar
- 10. Liu Y.
 - Xu H.T.
 - Dai S.D.
 - Wei Q.
 - Yuan X.M.
 - Wang E.H.

Reduction of p120(ctn) isoforms 1 and 3 is significantly associated with metastatic progression of human lung cancer.

Apmis. 2007; 115: 848-856

View in Article

- <u>Scopus (28)</u>
- PubMed
- Crossref
- Google Scholar
- 11. Liu Y.
 - Li Q.C.
 - o Miao Y.
 - Xu H.T.
 - Dai S.D.
 - Wei Q.
 - o et al.

Ablation of p120-catenin enhances invasion and metastasis of human lung cancer cells.

Cancer Sci. 2009; 100: 441-448

- Scopus (45)
- PubMed
- Crossref
- Google Scholar
- 12. Wang E.H.
 - Liu Y.
 - Xu H.T.
 - Dai S.D.
 - Liu N.
 - Xie C.Y.
 - et al.

Abnormal expression and clinicopathologic significance of p120-catenin in lung cancer.

Histol Histopathol. 2006; 21: 841-847

View in Article

- PubMed
- Google Scholar
- 13. Reynolds A.B.
 - Roesel D.J.
 - Kanner S.B.
 - Parsons J.T.

Transformation-specific tyrosine phosphorylation of a novel cellular protein in chicken cells expressing oncogenic variants of the avian cellular src gene.

Mol Cell Biol. 1989; 9: 629-638

View in Article

- <u>Scopus (286)</u>
- PubMed
- Crossref
- Google Scholar
- 14. Kanner S.B.
 - Reynolds A.B.
 - Parsons J.T.

Tyrosine phosphorylation of a 120-kilodalton pp60src substrate upon epidermal growth factor and platelet-derived growth factor receptor stimulation and in polyomavirus middle-T-antigentransformed cells.

Mol Cell Biol. 1991; 11: 713-720

View in Article

- Scopus (103)
- <u>PubMed</u>
- Crossref
- Google Scholar
- 15. Downing J.R.
 - Reynolds A.B.

PDGF, CSF-1, and EGF induce tyrosine phosphorylation of p120, a pp60src transformation-associated substrate.

Oncogene. 1991; 6: 607-613

View in Article

- <u>PubMed</u>
- Google Scholar
- 16. Reynolds A.B.
 - Roczniak-Ferguson A.

Emerging roles for p120-catenin in cell adhesion and cancer.

Oncogene. 2004; 23: 7947-7956

View in Article

- <u>Scopus (218)</u>
- <u>PubMed</u>
- Crossref
- Google Scholar
- 17. Anastasiadis P.Z.
 - Moon S.Y.
 - Thoreson M.A.
 - Mariner D.J.
 - Crawford H.C.
 - Zheng Y.
 - o et al.

Inhibition of RhoA by p120 catenin.

Nat Cell Biol. 2000; 2: 637-644

View in Article

• Scopus (371)

- PubMed
- Crossref
- Google Scholar
- 18. Grosheva I.
 - Shtutman M
 - Elbaum M.
 - Bershadsky A.D.

p120 catenin affects cell motility via modulation of activity of Rho-family GTPases: a link between cell–cell contact formation and regulation of cell locomotion.

J Cell Sci. 2001; 114: 695-707

View in Article

- PubMed
- Crossref
- Google Scholar
- 19. o Noren N.K.
 - Liu B.P.
 - Burridge K.
 - Kreft B.

p120 catenin regulates the actin cytoskeleton via Rho family GTPases.

J Cell Biol. 2000; 150: 567-580

View in Article

- Scopus (454)
- PubMed
- Crossref
- Google Scholar
- 20. o Daniel J.M.
 - Reynolds A.B.

The catenin p120(ctn) interacts with Kaiso, a novel BTB/POZ domain zinc finger transcription factor

Mol Cell Biol. 1999; 19: 3614-3623

View in Article

- Scopus (330)
- PubMed
- Crossref
- Google Scholar
- 21. Daniel J.M.
 - Spring C.M.
 - Crawford H.C.
 - Reynolds A.B.
 - Baig A.

The p120(ctn)-binding partner Kaiso is a bi-modal DNA-binding protein that recognizes both a sequence-specific consensus and methylated CpG dinucleotides.

Nucleic Acids Res. 2002; 30: 2911-2919

View in Article

- Scopus (193)
- PubMed
- Crossref
- Google Scholar
- 22. Kelly K.F.
 - Spring C.M.
 - o Otchere A.A.
 - Daniel J.M.

NLS-dependent nuclear localization of p120ctn is necessary to relieve Kaiso-mediated transcriptional repression.

J Cell Sci. 2004; 117: 2675-2686

View in Article

• Scopus (87)

- PubMed
- Crossref
- Google Scholar
- 23. Kim S.W.
 - Park J.I.
 - Spring C.M.
 - Sater A.K.
 - Ji H.
 - Otchere A.A.
 - o et al.

Non-canonical Wnt signals are modulated by the Kaiso transcriptional repressor and p120-catenin. *Nat Cell Biol.* 2004; 6: 1212-1220

View in Article

- <u>Scopus (132)</u>
- PubMed
- Crossref
- Google Scholar
- 24. Park J.I.
 - Kim S.W.
 - Lyons J.P.
 - Ji H.
 - Nguyen T.T.
 - Cho K.
 - o et al.

Kaiso/p120-catenin and TCF/beta-catenin complexes coordinately regulate canonical Wnt gene targets.

Dev Cell. 2005; 8: 843-854

View in Article

- Scopus (182)
- PubMed
- Abstract
- Full Text
- Full Text PDF
- Google Scholar
- 25. Spring C.M.
 - Kelly K.F.
 - o O'Kelly I.
 - Graham M.
 - Crawford H.C.
 - Daniel J.M.

The catenin p120ctn inhibits Kaiso-mediated transcriptional repression of the beta-catenin/TCF target gene matrilysin.

Exp Cell Res. 2005; 305: 253-265

View in Article

- <u>Scopus (101)</u>
- PubMed
- Crossref
- Google Scholar
- 26. Kelly K.F.
 - o Otchere A.A.
 - Graham M.
 - Daniel J.M.

Nuclear import of the BTB/POZ transcriptional regulator Kaiso.

J Cell Sci. 2004; 117: 6143-6152

- <u>Scopus (44)</u>
- PubMed

- Crossref
- Google Scholar
- 27. Soubry A.
 - van Hengel J.
 - Parthoens E.
 - Colpaert C.
 - Van Marck E.
 - Waltregny D.
 - o et al.

Expression and nuclear location of the transcriptional repressor Kaiso is regulated by the tumor microenvironment.

Cancer Res. 2005; 65: 2224-2233

View in Article

- <u>Scopus (54)</u>
- PubMed
- Crossref
- Google Scholar
- 28. Liu Y.
 - Dong Q.Z.
 - Zhao Y.
 - Dong X.J.
 - Miao Y.
 - Dai S.D.
 - o et al.

P120-catenin isoforms 1A and 3A differently affect invasion and proliferation of lung cancer cells. *Exp Cell Res.* 2009; 315: 890-898

View in Article

- <u>Scopus (28)</u>
- <u>PubMed</u>
- Crossref
- Google Scholar
- 29. Yanagisawa M.
 - Kaverina I.N.
 - Wang A.
 - Fujita Y.
 - Reynolds A.B.
 - Anastasiadis P.Z.

A novel interaction between kinesin and p120 modulates p120 localization and function.

J Biol Chem. 2004; 279: 9512-9521

View in Article

- Scopus (110)
- <u>PubMed</u>
- Crossref
- Google Scholar
- 30. Roczniak-Ferguson A.
 - Reynolds A.B.

Regulation of p120-catenin nucleocytoplasmic shuttling activity.

J Cell Sci. 2003; 116: 4201-4212

- <u>Scopus (70)</u>
- PubMed
- Crossref
- Google Scholar
- 31. ∘ van Hengel J.
 - Vanhoenacker P.
 - Staes K.
 - van Roy F.

Nuclear localization of the p120(ctn) Armadillo-like catenin is counteracted by a nuclear export signal and by E-cadherin expression.

Proc Natl Acad Sci U S A. 1999; 96: 7980-7985

View in Article

- Scopus (140)
- PubMed
- Crossref
- Google Scholar
- 32. Aho S.
 - Levansuo L.
 - Montonen O.
 - Kari C.
 - Rodeck U.
 - Uitto J.

Specific sequences in p120ctn determine subcellular distribution of its multiple isoforms involved in cellular adhesion of normal and malignant epithelial cells.

J Cell Sci. 2002; 115: 1391-1402

View in Article

- PubMed
- Crossref
- Google Scholar
- 33. ∘ Watanabe Y.

TNM classification for lung cancer.

Ann Thorac Cardiovasc Surg. 2003; 9: 343-350

View in Article

- <u>PubMed</u>
- Google Scholar
- 34. Sobin D.H.
 - Witteking C.

International Union Against Cancer (UICC): TNM classification of malignant tumours. 6th ed. Wiley-Liss, New York2002

View in Article

- Google Scholar
- 35. Dai S.D.
 - Zhang X.W.
 - Qi F.J.
 - Xu H.T.
 - Wang E.H.

Expression of E-cadherin, beta-catenin and p120ctn in the pulmonary sclerosing hemangioma.

Lung Cancer. 2007; 57: 54-59

View in Article

- Scopus (12)
- PubMed
- Abstract
- Full Text
- Full Text PDF
- Google Scholar
- 36. ∘ Liu Y.
 - Wang Y.
 - Zhang Y.
 - Miao Y.
 - Zhao Y.
 - Zhang P.X.
 - et al.

Abnormal expression of p120-catenin, E-cadherin, and small GTPases is significantly associated with malignant phenotype of human lung cancer.

Lung Cancer. 2009; 63: 375-382

View in Article

- Scopus (87)
- PubMed
- Abstract
- Full Text
- Full Text PDF
- Google Scholar
- 37. ∘ Ogden S.R.
 - Wroblewski L.E.
 - Weydig C.
 - Romero-Gallo J.
 - o O'Brien D.P.
 - Israel D.A.
 - o et al.

p120 and Kaiso regulate *Helicobacter pylori*-induced expression of matrix metalloproteinase-7. *Mol Biol Cell.* 2008; 19: 4110-4121

View in Article

- <u>Scopus (58)</u>
- PubMed
- Crossref
- Google Scholar
- 38. Lopes E.C.
 - Valls E.
 - Figueroa M.E.
 - Mazur A.
 - Meng F.G.
 - Chiosis G.
 - o et al.

Kaiso contributes to DNA methylation-dependent silencing of tumor suppressor genes in colon cancer cell lines.

Cancer Res. 2008; 68: 7258-7263

View in Article

- <u>Scopus (80)</u>
- PubMed
- Crossref
- Google Scholar
- 39. Bardwell V.J.
 - Treisman R.

The POZ domain: a conserved protein–protein interaction motif.

Genes Dev. 1994; 8: 1664-1677

View in Article

- <u>Scopus (647)</u>
- PubMed
- Crossref
- Google Scholar
- 40. Albagli O.
 - o Dhordain P.
 - Deweindt C.
 - Lecocq G.
 - Leprince D.

The BTB/POZ domain: a new protein–protein interaction motif common to DNA- and actin-binding proteins.

Cell Growth Differ. 1995; 6: 1193-1198

- PubMed
- Google Scholar
- 41. Prokhortchouk A.

- Hendrich B.
- Jorgensen H.
- Ruzov A.
- Wilm M.
- Georgiev G.
- o et al.

The p120 catenin partner Kaiso is a DNA methylation-dependent transcriptional repressor.

Genes Dev. 2001; 15: 1613-1618

View in Article

- <u>Scopus (362)</u>
- PubMed
- Crossref
- Google Scholar
- 42. ∘ Ruzov A.
 - Dunican D.S.
 - Prokhortchouk A.
 - Pennings S.
 - Stancheva I.
 - Prokhortchouk E.
 - et al.

Kaiso is a genome-wide repressor of transcription that is essential for amphibian development. *Development*. 2004; 131: 6185-6194

View in Article

- <u>Scopus (98)</u>
- PubMed
- Crossref
- Google Scholar
- 43. Yoon H.G.
 - Chan D.W.
 - Reynolds A.B.
 - Qin J.
 - Wong J.

N-CoR mediates DNA methylation-dependent repression through a methyl CpG binding protein Kaiso

Mol Cell. 2003; 12: 723-734

View in Article

- Scopus (281)
- PubMed
- Abstract
- Full Text
- Full Text PDF
- Google Scholar
- 44. van Roy F.M.
 - McCrea P.D.

A role for Kaiso-p120ctn complexes in cancer?.

Nat Rev Cancer. 2005; 5: 956-964

View in Article

- Scopus (92)
- PubMed
- Crossref
- Google Scholar
- 45. Kelly K.F.
 - Daniel J.M.

POZ for effect—POZ-ZF transcription factors in cancer and development.

Trends Cell Biol. 2006; 16: 578-587

View in Article

• Scopus (202)

- PubMed
- Abstract
- Full Text
- Full Text PDF
- Google Scholar
- 46. o Daniel J.M.

Dancing in and out of the nucleus: p120(ctn) and the transcription factor Kaiso.

Biochim Biophys Acta. 2007; 1773: 59-68

View in Article

- Scopus (103)
- PubMed
- Crossref
- Google Scholar
- 47. Park J.I.
 - Ji H.
 - Jun S.
 - Gu D.
 - Hikasa H.
 - Li L.
 - o et al.

Frodo links Dishevelled to the p120-catenin/Kaiso pathway: distinct catenin subfamilies promote Wnt signals.

Dev Cell. 2006; 11: 683-695

View in Article

- Scopus (80)
- PubMed
- Abstract
- Full Text
- Full Text PDF
- Google Scholar

Article Info

Publication History

Published online: July 21, 2009

Accepted: June 16, 2009

Received in revised form: June 11, 2009

Received: March 16, 2009

Identification

DOI: https://doi.org/10.1016/j.lungcan.2009.06.013

Copyright

© 2009 Elsevier Ireland Ltd. Published by Elsevier Inc. All rights reserved.

ScienceDirect

Access this article on ScienceDirect

Linked Article

• RETRACTED: Kaiso is expressed in lung cancer: Its expression and localization is affected b	<u>y</u>
<u>p120ctn</u> Lung CancerVol. 102	
o <u>Preview</u>	
This article has been retracted: please see Elsevier Policy on Article Withdrawal (
http://www.elsevier.com/locate/withdrawalpolicy). • Full-Text	
o PDF	
Related Articles	
Hide CaptionDownloadSee figure in Article Toggle Thumbstrip	
 <u>Download Hi-res image</u> <u>Download .PPT</u> 	
Home	
ARTICLES AND ISSUES	
Articles in Press	
Current Issue	
List of Issues	
FOR AUTHORS	
About Open Access	
Author Information	
Permissions	

Researcher Academy

Submit a Manuscript **JOURNAL INFO About Open Access** About the Journal Abstracting/Indexing **Advertising Information Career Opportunities Contact Information Editorial Board** Pricing **New Content Alerts SUBSCRIBE SOCIETY INFO** International Lung Cancer Consortium (ILCCO) European Thoracic Oncology Platform (ETOP) British Thoracic Oncology Group (BTOG) MORE PERIODICALS Find a Periodical

We use cookies to help provide and enhance our service and tailor content. To update your cookie settings, please visit the Cookie Preference Center for this site.

Copyright © 2022 Elsevier Inc. except certain content provided by third parties. The content on this site is intended for healthcare professionals.

- Privacy Policy
- Terms and Conditions

Go to Product Catalog

- Accessibility
- Help & Contact

