OMNICABLE

SUPPORTING ALL OF YOUR SPECIALTY WIRE AND CABLE NEEDS

Exclusively Servicing the Electrical Distribution Market







OMNICABLE

We ONLY Sell Through Electrical Distributors!



A National Specialty Wire and Cable Distributor Since 1977



Markets Served


- Manufacturing
- Comm. Construction
- Renewable Energy
- Pulp & Paper
- Food Processing
- Oil & Gas
- Refineries
- WWTP
- Mining
- Utilities

Omni Cable has 10 Stocking Locations

Atlanta, Boston, Chicago, Denver, Houston, Los Angeles, Philadelphia, St. Louis, San Francisco, Tampa

OMNICABLE

An extension of your warehouse inventory



OMNICABLE

On Time, On Spec, and in the Desired Length – Next Day

alpha

Raychem

BELDEN
SENDING ALL THE RIGHT SIGNALS

General Cable

Southwire

Nexans

lifeline Cables

Draka

LUTZE
Systematic Technology

SUPERIOR ESSEX
COMMUNICATIONS GROUP

VFD Cables

Heavier Industrial-Grade XLPE Insulation
- Lower Capacitance > Better Electricals
- Reduced Standing Waves & Corona Discharge

Highly Effective Shielding
- Low Resistance Ground Path
- Protects against Radiated & Conducted Noise

High-Strand Tinned Copper Conductors
- Ease of Installation
- Better Vibration Resistance

Industrial Grade PVC Jacket
- Oil & Sunlight Resistant

Cable sizing Guideline

Unarmored VFD Cable






Fiber Optics Cable

Indoor/Indoor-Outdoor/Outdoor

6/12/24 Strand

Single/Multi-Mode








Fiber Optics

Use our E-Z Find Fiber Indentifyer to find the Fiber Optic Cable you need @ www.omnicable.com

F	6M	06	LN	R
F - Fiber	Fiber Grade	Fiber Count	Construction	Cable Style
	6S - Singlemode	06	LA - Loose-Tube Armored	PI - Plenum Indoor
	51 - 50µ, 150M @ 10G	12	LN - Loose-Tube Non-Armored	RI - Riser Indoor
	53 - 50µ, 300M @ 10G	24	TA - Tight-Buffer Armored	ZI - Low Smoke Zero Halogen
	6M - 62.5µ		TN - Tight-Buffer Non-Armored	PIO - Plenum Indoor/Outdoor
				RIO - Riser Indoor/Outdoor
				ZIO - LSZH Indoor/Outdoor
				AO - Outdoor (Arid Core)
				GO - Outdoor (Gel filled)

How to identify the Omni Cable Part Number

These identifiers will help you determine your fiber optic cable. The fiber grade, the fiber count, the construction, and the cable style. All fiber optic cable part numbers start with the letter F, and are then followed by these letters and numbers.



OMNICABLE

Flexible Control Cables

- Flexible Control Cable
  - Ideal for flexible or continuously flexing applications (flex cycles)
  - Oil/sunlight resistant jacket
  - Optional TC-ER rating
  - Optional jacket colors

- Applications
  - Assembly/Production lines
  - Robotics
  - HVAC
  - Safety controls
  - C-Track
  - Drive/Motors



OMNICABLE

WE NOW HAVE THE MISSING PIECE.

With the addition of Belden products, Omni Cable offers the most comprehensive selection of wire and cable in the industry. Our 10 nationwide locations have a complete inventory to exclusively service the electrical distribution channel, 24 hours a day, 7 days a week, 365 days of the year.




The first call, every time, for specialty wire and cable.

OMNICABLE

(800) 292-OMNI | omnicable.com

Industrial Ethernet Overview



Cable Highlights

-Twisted Bonded Pairs

-Stranded / Solid

-PE Insulation

-Industrial Grade PVC

-CMR / CMP Ratings

-Shielding Options

OMNICABLE

Armor Cable Constructions



- AIA, CCW,TECK 90
- Markets

  -Petro chemical, mining, pulp & paper mills, industrial plants

  Omni Cable Inventory

  -750 MCM to 8 AWG power sizes with ground

  -10 AWG to 14 AWG multi conductor

  -16 AWG shielded pairs and triad constructions

  Value Add

  -Bulk reels cut to length, same day shipment

  -T&B fittings to size can ship with wire





OMNICABLE

Hook Up Wire

PVC Hook-up wire (UL 1007, 1012, 1015, 1061)
-6 AWG and larger - 1232/1284/1338 600V or 10269 1KV

Irradiated PVC Hook up wire (UL 1429, 1430, 1431)

Neoprene Lead Wire (UL 3044, 3046, 3048)

MIL – Spec (M16878, M22759)
Harmonized PVC Hook-up

EPDM


SIS VW-1 (All colors)



Flexible Control Cables


- Flexible Control Cable
  - Ideal for flexible or continuously flexing applications (flex cycles)
  - Oil/sunlight resistant jacket
  - Optional TC-ER rating
  - Optional jacket colors

- Applications
  - Assembly/Production lines
  - Robotics
  - HVAC
  - Safety controls
  - C-Track
  - Drive/Motors



Omnicable.com

Easy to Use Search For Products View Specification Sheets



Omnicable.tv

Access to over 100 online product videos!



OMNICABLE

DID YOU KNOW

?

- Circuit Size TFFN/THHN/MTW always available for immediate ship (500's, 1000's and 2500's increments)
- 3 & 4 conductor SJEOOW/SEOOW white and yellow available for custom marine applications and lighting systems.
- ***SRML, SF-2 SRG-K, TGGT, MG, Thermocouple- All in stock***

HI-TEMP

We have the MEDIUM VOLTAGE CABLE you need!



STOCKED in Norcross • NO Cut Charges • NO Minimums

5-35kv / 100 or 133% Insulation Levels / EPR-PVC / EPR-CPE / XLP-PVC