# **ACTIVITY: SUPERGLOBALS**


# SUPERGLOBALS (GET)


• Source Code (get.php):

```
### PROFESS | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | ***
```

• Source Code (style.css):

## Output:





# **SUPERGLOBALS (POST)**

• Source Code (index.php):


• Source Code (student\_info.php):


```
| The last section was a way of the section was a way and the state of the section of the sectio
```

Source Code (style.css):

```
| Time Set Selection | View | Go | Run | Terminal | Help | ← → Problem | Pr
```

## Output:





#### ALL SOURCE CODES FOR SUPERGLOBALS (GET):

#### Source Code (get.php):

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width. initial-scale=1.0">
  <title>Student Information Form</title>
  k rel="stylesheet" href="style.css" class="style">
</head>
<body>
  <h2>Student Information Form</h2>
  <form action="" method="get">
    <label for="first_name">First Name:</label>
    <input type="text" name="first name" required><br>
    <label for="middle name">Middle Name:</label>
    <input type="text" name="middle name"><br>
    <label for="last_name">Last Name:</label>
    <input type="text" name="last_name" required><br>
    <label for="dob">Date of Birth:</label>
    <input type="date" name="dob" required><br>
    <label for="age">Age:</label>
    <input type="text" name="age" required><br>
    <a href="course year">Course and Year:</a></a>
    <input type="text" name="course_year" required><br>
    <label for="enrolled">Enrolled:</label>
    <input type="radio" name="enrolled" value="Yes" checked> Yes
    <input type="radio" name="enrolled" value="No"> No<br><br>
    <label for="subject">Subject:</label>
    <input type="text" name="subject" required><br>
    <label for="grade">Grade:</label>
    <input type="number" name="grade" step="0.1" required><br>
    <input type="submit" value="Submit">
  </form>
  <br>
  <?php
  if ($ SERVER["REQUEST METHOD"] == "GET") {
    if (isset($ GET["first name"])) {
       $first_name = $_GET["first_name"];
       $middle_name = isset($_GET["middle_name"]) ? $_GET["middle_name"] : "";
       $last_name = $_GET["last_name"];
       $dob = $_GET["dob"];
       $age = $ GET["age"];
       $course_year = $_GET["course_year"];
$enrolled = isset($_GET["enrolled"]) ? $_GET["enrolled"] : "No";
       $subject = $_GET["subject"];
```

```
$grade = isset($_GET["grade"]) ? $_GET["grade"] : "";
       echo "<div class='result'>";
       echo "<h2>Student Information Result:</h2>";
       echo "First Name: $first_name<br>";
       echo "Middle Name: $middle_name<br>";
       echo "Last Name: $last_name<br>";
       echo "Date of Birth: $dob<br>";
       echo "Age: $age<br>";
       echo "Course and Year: $course year<br>";
       echo "Enrolled: $enrolled<br>";
       echo "Subject: $subject<br>";
       echo "Grade: $grade<br>";
       echo "</div>";
  ?>
</body>
</html>
```

#### • Source Code (style.css):

```
body {
  font-family: 'Arial', sans-serif;
  background-color: #f0f0f0;
  color: #333;
  margin: 0;
  padding: 0;
}
h2 {
  text-align: center;
  color: #008080;
}
form {
  max-width: 600px;
  margin: 20px auto;
  padding: 20px;
  background-color: #fff;
  border-radius: 8px;
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
}
label {
  display: block;
  margin-bottom: 8px;
  color: #333;
input[type="text"],
input[type="date"],
input[type="number"] {
  width: 100%;
  padding: 8px;
  margin-bottom: 15px;
  border: 1px solid #ccc;
```

```
border-radius: 4px;
  box-sizing: border-box;
}
input[type="radio"] {
  margin-right: 5px;
input[type="submit"] {
  background-color: #008080;
  color: #fff;
  padding: 10px 15px;
  border: none;
  border-radius: 4px;
  cursor: pointer;
}
input[type="submit"]:hover {
  background-color: #006666;
.result {
  max-width: 600px;
  margin: 20px auto;
  padding: 20px;
  background-color: #fff;
  border-radius: 8px;
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
  line-height: 30px;
}
.result h2 {
  text-align: center;
  color: #008080;
}
.result p {
  margin-bottom: 10px;
  color: #333;
}
.result span {
  font-weight: bold;
  color: #008080;
}
```

#### ALL SOURCE CODES FOR SUPERGLOBALS (POST):

#### • Source Code (index.php):

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Student Information Form</title>
  k rel="stylesheet" href="style.css" class="style">
</head>
<body>
<form action="student_info.php" method="post">
  <label for="firstName">First Name:</label>
  <input type="text" name="firstName" required><br>
  <label for="middleName">Middle Name:</label>
  <input type="text" name="middleName"><br>
  <label for="lastName">Last Name:</label>
  <input type="text" name="lastName" required><br>
  <a href="label">Label for="dob">Date of Birth:</a>
  <input type="text" name="dob" placeholder="YYYY-MM-DD"><br>
  <label for="age">Age:</label>
  <input type="text" name="age" required><br>
  <label for="courseYear">Course and Year:</label>
  <input type="text" name="courseYear" required><br>
  <label for="enrolled">Enrolled:</label>
  <input type="radio" name="enrolled" value="Yes" checked> Yes
  <input type="radio" name="enrolled" value="No"> No<br> <br>
  <label for="subjectGrade">Subject and Grade:</label>
  <input type="text" name="subject" placeholder="Subject">
  <input type="number" step="0.1" name="grade" placeholder="Grade"><br>
  <input type="submit" value="Submit">
</form>
</body>
</html>
```

#### Source Code (student\_info.php):

```
<?php
if ($ SERVER["REQUEST METHOD"] == "POST") {
  $firstName = $ POST["firstName"];
  $middleName = $ POST["middleName"];
  $lastName = $_POST["lastName"];
  dob = POST["dob"];
  $age = $_POST["age"];
  $courseYear = $_POST["courseYear"];
  $enrolled = $_POST["enrolled"];
  $subject = $_POST["subject"];
  $grade = $_POST["grade"];
  echo '<style>
    body {
       font-family: "Arial", sans-serif;
       background-color: #f4f4f4;
       color: #333;
       margin: 0;
       padding: 0;
       display: flex;
       align-items: center;
       justify-content: center;
       height: 100vh;
    }
    #studentInfo {
       background-color: #fff;
       border-radius: 10px;
       box-shadow: 0 0 20px rgba(0, 0, 0, 0.1);
       padding: 20px;
       max-width: 400px;
       width: 100%;
    }
    h2 {
       text-align: center;
       color: #007acc;
    }
    p {
       margin: 10px 0;
       font-size: 16px;
       line-height: 1.5;
       color: #333;
    }
    strong {
       color: #007acc;
  </style>';
  echo '<div id="studentInfo">';
  echo "<h2>Student Information:</h2>";
  echo "<strong>First Name:</strong> $firstName";
  echo "<strong>Middle Name:</strong> $middleName";
  echo "<strong>Last Name:</strong> $lastName";
```

```
echo "<strong>Date of Birth (or Age):</strong> $dob";
echo "<strong>Age:</strong> $age";
echo "<strong>Course and Year:</strong> $courseYear";
echo "<strong>Enrolled:</strong> $enrolled";
echo "<strong>Subject and Grade:</strong> $subject - $grade";
echo '</div>';
} else {
echo "Invalid request method!";
}
?>
```

#### • Source Code (style.css):

```
body {
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
  background-color: #f4f4f4;
  color: #333;
  margin: 0;
  padding: 0;
  display: flex;
  align-items: center;
  justify-content: center;
  height: 100vh;
}
form {
  background-color: #fff;
  border-radius: 10px;
  box-shadow: 0 0 20px rgba(0, 0, 0, 0.1);
  padding: 20px;
  max-width: 400px;
  width: 100%;
}
h2 {
  text-align: center;
  color: #007acc;
}
label {
  display: block;
  margin: 10px 0 5px;
  color: #333;
}
input[type="text"],
input[type="number"] {
  width: calc(100% - 22px);
  padding: 10px;
  margin-bottom: 15px;
  border: 1px solid #ccc;
  border-radius: 5px;
  box-sizing: border-box;
}
input[type="radio"] {
  margin-right: 5px;
```

```
input[type="submit"] {
  background-color: #007acc;
  color: #fff;
  padding: 12px 15px;
  border: none;
  border-radius: 5px;
  cursor: pointer;
  font-weight: bold;
}
input[type="submit"]:hover {
  background-color: #00598e;
}
```