

## Work Order

<b>Work Order</b>	10039371556	<b>Scheduled Start Date</b>	09/19/2025
	RGB Missing view   ODS   A3106   TPA4	<b>Scheduled End Date</b>	09/19/2025
<b>Status</b>	Open		Reprint
<b>Created By</b>	SIM	<b>Date Started</b>	09/19/2025 02:04
<b>Created</b>	09/19/2025	<b>Date Completed</b>	
<b>WO Type</b>	CM	<b>Parent WO</b>	
	Corrective	<b>Class</b>	
<b>Department</b>	RME	<b>Priority</b>	4
	Reliability Maintenance Engineering (RME)	<b>Warranty</b>	
<b>PM Schedule</b>		<b>Safety</b>	
		<b>Equipment Criticality</b>	3
<b>Problem Code</b>		<b>Assigned To</b>	ERWOMACK
		<b>Reported By</b>	

## Equipment

<b>Equipment</b>	AR.ZONE.3.A.STN.UNIV.3106	<b>Manufacturer</b>	KIVA
	TPA4-paKivaA03 Station 3106	<b>Model</b>	700-0012-132
		<b>Serial Number</b>	

## Comments

**SIM [09/19/2025 02:04]:**

Direct Link to SIM Ticket -  
Click here

**SIM [09/19/2025 02:04]:**

Hi,

We are receiving jobs from Station ID/Zone: TPA4-3106/paKivaA03 where the ODS is RGB\_MISSING\_VIEW which is impacting the decision making here at TRON.

Note: All these jobs are checked for last 24 hours.

Job Count impacted- 25

All the Dig-dug links are added in the Work Log for reference.

=====

WaterRule:

=====

Specify the Video (ODS/RGB) –

Which view is affected (Top/Bottom)?

Are multiple stations affected? If not, roughly how many stations are affected? (specify station ID/IDs)

Is the issue zone specific?

Roughly, how many jobs are affected?

Is the issue persistent? Does the recent stows in dig-dug show the defect?

If the issue is not persistent, how frequently is it being encountered?

What answers are the associates selecting? Please provide the answer selection path.

Additional details (if any) –

Attach relevant screenshots/videos (if any).

Attach the entire content of the diagnostic button of the job(s).

SIM Description

## Activity List

Activity	Task Plan Description	Trade	Start Date	End Date	Supplier
1	LOTO Evidence	TECH	09/19/2025	09/19/2025	

## Checklist

Sequence	Equipment	Description	Result
10	AR.ZONE.	Does this task require LOTO to one or more energy sources?	Yes: _____
	3.A.STN.UNIV.		No: _____
	3106		

Activity List					
Activity	Task Plan Description	Trade	Start Date	End Date	Supplier
20	AR.ZONE. Are photos of applied LOTO devices uploaded to this check (comment if not)?				Yes: _____ No: _____
	3.A.STN.UNIV.				
	3106				

#### Task Plan Instructions

##### **R5 [02/13/2023 13:46]:**

Photographic Evidence of applied LOTO

"10 - Does the task require LOTO to one or more energy source?"

Confirm if this task requires a LOTO procedure to any energy source by selecting 'Yes'. If the task does not require LOTO select 'No'.

"20 - Are photos of applied LOTO devices uploaded to this check (comment if not)?"

In case LOTO is required for this task photographic evidence should be uploaded to this check (sequence 20). In case there are multiple energy sources to be isolated, upload a photo of every isolation point showing the applied LOTO device.

Steps to upload LOTO photos on APM:

- select the checklist item (sequence 20),
- click 'Actions' on the bottom of the checklist tab,
- select 'Add/Edit Checklist Items Documents'
- select 'Actions' > Create/Upload Document'

Steps to upload LOTO photos on APM Mobile:

- select the checklist item (sequence 20),
- click the camera symbol,
- take a photo directly or navigate to saved photos on your device

#### Booked Hours

Employee	Date	Time On	Time Off	Total Time	Type of Hours
----------	------	---------	----------	------------	---------------

Activity	Task Plan Description	Trade	Start Date	End Date	Supplier
10		TECH	09/19/2025	09/19/2025	

#### Task Plan Instructions

#### Booked Hours

Employee	Date	Time On	Time Off	Total Time	Type of Hours
----------	------	---------	----------	------------	---------------

## Work Order

<b>Work Order</b>	10040286511	<b>Scheduled Start Date</b>	10/12/2025
	AMER-AR FLOOR WITH HIGH TRAFFIC SEGMENT 4 WEEK	<b>Scheduled End Date</b>	10/12/2025
<b>Status</b>	Open	<b>Date Started</b>	10/02/2025 05:29
<b>Created By</b>	R5	<b>Date Completed</b>	
<b>Created</b>	10/02/2025		
<b>WO Type</b>	PM	<b>Parent WO</b>	
	Preventive maintenance	<b>Class</b>	
<b>Department</b>	RME	<b>Priority</b>	5
	Reliability Maintenance Engineering (RME)	<b>Warranty</b>	
<b>PM Schedule</b>	MED.AMZ.FLR02.4W	<b>Safety</b>	
	AMER-AR FLOOR WITH HIGH TRAFFIC SEGMENT 4 WEEK	<b>Equipment Criticality</b>	3
<b>Problem Code</b>	N.A.	<b>Assigned To</b>	ERWOMACK
	Not Applicable (not allowed to be used in Breakdowns and Corrective)	<b>Reported By</b>	

## Equipment

<b>Equipment</b>	AR.ZONE.4.A.SECTION.03	<b>Manufacturer</b>	AMAZON
	TPA4-paKivaA04 SECTION 04 03	<b>Model</b>	AR FLOOR SECTION
		<b>Serial Number</b>	03

## Activity List

Activity	Task Plan Description	Trade	Start Date	End Date	Supplier
1	LOTO Evidence	TECH	09/21/2025	09/21/2025	

## Checklist

Sequence	Equipment	Description	Result
10	AR.ZONE.4.A.SECTION.03	Does this task require LOTO to one or more energy sources?	Yes: _____ No: _____
20	AR.ZONE.4.A.SECTION.03	Are photos of applied LOTO devices uploaded to this check (comment if not)?	Yes: _____ No: _____

## Task Plan Instructions

**R5 [02/13/2023 13:46]:**

Photographic Evidence of applied LOTO

"10 - Does the task require LOTO to one or more energy source?"

Confirm if this task requires a LOTO procedure to any energy source by selecting 'Yes'. If the task does not require LOTO select 'No'.

"20 - Are photos of applied LOTO devices uploaded to this check (comment if not)?"

In case LOTO is required for this task photographic evidence should be uploaded to this check (sequence 20). In case there are multiple energy sources to be isolated, upload a photo of every isolation point showing the applied LOTO device.

Steps to upload LOTO photos on APM:

- select the checklist item (sequence 20),
- click 'Actions' on the bottom of the checklist tab,
- select 'Add/Edit Checklist Items Documents'
- select 'Actions' > Create/Upload Document'

Steps to upload LOTO photos on APM Mobile:

Activity List					
Activity	Task Plan Description	Trade	Start Date	End Date	Supplier
Task Plan Instructions					
- select the checklist item (sequence 20), - click the camera symbol, - take a photo directly or navigate to saved photos on your device					
Booked Hours					
Employee	Date	Time On	Time Off	Total Time	Type of Hours

Activity	Task Plan Description	Trade	Start Date	End Date	Supplier
10	AMER-AR FLOOR HIGH TRAFFIC SEGMENT 4 WEEK	TECH	10/12/2025	10/12/2025	
Checklist					
	<b>Sequence</b>	<b>Equipment</b>	<b>Description</b>	<b>Result</b>	
	10	AR.ZONE.	I have completed all tasks referenced on the task list of this PM	Yes: _____	
		4.A.SECTION.		No: _____	
		03			
	20	AR.ZONE.	I have created a follow-up work order for any issues found during this PM	Completed: _____	
		4.A.SECTION.			
		03			
Task Plan Instructions					
<b>LUKEFLE@AMAZON.COM [11/26/2024 14:39]:</b> Find PM tasks on GRU: <a href="https://learning.robotics.amazon.dev/24840#/ee0225a5-b0cb-4b82-be0a-fe8b65d76e16/Overview">https://learning.robotics.amazon.dev/24840#/ee0225a5-b0cb-4b82-be0a-fe8b65d76e16/Overview</a> Overview  Or navigate from GRU main page: <a href="https://learning.robotics.amazon.dev/">https://learning.robotics.amazon.dev/</a>					
Booked Hours					
	<b>Employee</b>	<b>Date</b>	<b>Time On</b>	<b>Time Off</b>	<b>Total Time</b>
					<b>Type of Hours</b>

## Work Order

<b>Work Order</b>	10040286512	<b>Scheduled Start Date</b>	10/12/2025
	AMER-AR FLOOR WITH HIGH TRAFFIC SEGMENT 4 WEEK	<b>Scheduled End Date</b>	10/12/2025
<b>Status</b>	Open	<b>Date Started</b>	10/02/2025 05:29
<b>Created By</b>	R5	<b>Date Completed</b>	
<b>Created</b>	10/02/2025		
<b>WO Type</b>	PM	<b>Parent WO</b>	
	Preventive maintenance	<b>Class</b>	
<b>Department</b>	RME	<b>Priority</b>	5
	Reliability Maintenance Engineering (RME)	<b>Warranty</b>	
<b>PM Schedule</b>	MED.AMZ.FLR02.4W	<b>Safety</b>	
	AMER-AR FLOOR WITH HIGH TRAFFIC SEGMENT 4 WEEK	<b>Equipment Criticality</b>	3
<b>Problem Code</b>	N.A.	<b>Assigned To</b>	ERWOMACK
	Not Applicable (not allowed to be used in Breakdowns and Corrective)	<b>Reported By</b>	

## Equipment

<b>Equipment</b>	AR.ZONE.4.A.SECTION.04	<b>Manufacturer</b>	AMAZON
	TPA4-paKivaA04 SECTION 04 04	<b>Model</b>	AR FLOOR SECTION
		<b>Serial Number</b>	04

## Activity List

Activity	Task Plan Description	Trade	Start Date	End Date	Supplier
1	LOTO Evidence	TECH	09/21/2025	09/21/2025	

## Checklist

Sequence	Equipment	Description	Result
10	AR.ZONE.4.A.SECTION.04	Does this task require LOTO to one or more energy sources?	Yes: _____ No: _____
20	AR.ZONE.4.A.SECTION.04	Are photos of applied LOTO devices uploaded to this check (comment if not)?	Yes: _____ No: _____

## Task Plan Instructions

**R5 [02/13/2023 13:46]:**

Photographic Evidence of applied LOTO

"10 - Does the task require LOTO to one or more energy source?"

Confirm if this task requires a LOTO procedure to any energy source by selecting 'Yes'. If the task does not require LOTO select 'No'.

"20 - Are photos of applied LOTO devices uploaded to this check (comment if not)?"

In case LOTO is required for this task photographic evidence should be uploaded to this check (sequence 20). In case there are multiple energy sources to be isolated, upload a photo of every isolation point showing the applied LOTO device.

Steps to upload LOTO photos on APM:

- select the checklist item (sequence 20),
- click 'Actions' on the bottom of the checklist tab,
- select 'Add/Edit Checklist Items Documents'
- select 'Actions' > Create/Upload Document'

Steps to upload LOTO photos on APM Mobile:

Activity List					
Activity	Task Plan Description	Trade	Start Date	End Date	Supplier
Task Plan Instructions					
- select the checklist item (sequence 20), - click the camera symbol, - take a photo directly or navigate to saved photos on your device					
Booked Hours					
Employee	Date	Time On	Time Off	Total Time	Type of Hours

Activity	Task Plan Description	Trade	Start Date	End Date	Supplier
10	AMER-AR FLOOR HIGH TRAFFIC SEGMENT 4 WEEK	TECH	10/12/2025	10/12/2025	
Checklist					
Sequence	Equipment	Description	Result		
10	AR.ZONE.	I have completed all tasks referenced on the task list of this PM	Yes: _____		
	4.A.SECTION.		No: _____		
	04				
20	AR.ZONE.	I have created a follow-up work order for any issues found during this PM	Completed: _____		
	4.A.SECTION.				
	04				
Task Plan Instructions					
LUKEFLE@AMAZON.COM [11/26/2024 14:39]:					
Find PM tasks on GRU: <a href="https://learning.robotics.amazon.dev/24840#/ee0225a5-b0cb-4b82-be0a-fe8b65d76e16/Overview">https://learning.robotics.amazon.dev/24840#/ee0225a5-b0cb-4b82-be0a-fe8b65d76e16/Overview</a>					
Or navigate from GRU main page: <a href="https://learning.robotics.amazon.dev/">https://learning.robotics.amazon.dev/</a>					
Booked Hours					
Employee	Date	Time On	Time Off	Total Time	Type of Hours