

LUYI Enterprise Co., Ltd.

陸謚企業股份有限公司

AS9100-Certified Precision Manufacturing Partner for Aerospace Machining
& Controlled Trial Production / 具 AS9100 認證的航太精密加工與受控試製夥伴

PRECISION MACHINING / 精密加工

FAI EVIDENCE / 資料證據

TRACEABILITY / 追溯管理

LARGE 5-AXIS / 大型五軸

CONTROLLED TRIAL / 受控試製

Controlled disclosure · Supplier qualification briefing · June 2026 / 受控揭露 · 供應商資格簡報 · 2026 年
6 月

Why LUYI merits one controlled trial

為何 LUYI 值得一次受控試製機會

Three conditions align: technical fit, quality fit and a low-risk commercial entry path.

技術、品質與低風險商業導入條件同時到位。



Technical fit

技術契合

High-mix precision CNC, large-envelope machining, 5-axis execution and complex aluminum experience. / 少量多樣精密 CNC、大型加工、五軸執行與複雜零件經驗。



Quality fit

品質契合

AS9100:D and ISO 9001:2015 foundation, documented controls, metrology and FAI discipline. / 具備 AS9100:D、ISO 9001:2015、文件管制、量測與 FAI 基礎。



Business fit

商業契合

One bounded pilot part lets EGAT evaluate evidence and responsiveness before expanding supplier scope. / 以單一明確試製件，讓 EGAT 在擴大範圍前驗證證據與反應能力。

Position LUYI as an auditable precision-manufacturing partner—not as a commodity machine shop.

A practical opening in EGAT's manufacturing flow

切入 EGAT 製造流程的務實入口

Public disclosures connect aircraft-component work with machining, aluminum processing and controlled special processes.

公開資料顯示其航空零組件製造涉及機械加工、鋁合金與受控特殊製程。

What EGAT's operating model requires

EGAT 營運模式需要的供應能力

- ◇ Formal drawing and material interpretation / 正式圖面與材料規範解讀
- ◇ Mechanical processing with controlled handoffs / 具管制交接的機械加工
- ◇ Inspection evidence and revision discipline / 檢驗證據與版次紀律
- ◇ Special-process flow-down and supplier oversight / 特殊製程要求下達與供應商監督
- ◇ Reviewable delivery and acceptance records / 可審查的交付與驗收紀錄

01 part

A bounded entry point for supplier qualification
供應商資格評估的明確切入點

30 days

Proposed governance window, subject to part complexity
建議治理週期，依零件複雜度調整

The proposal is not immediate production approval. It is a controlled test of machining, evidence and communication.

Move the evaluation standard —from price to evidence

將評估標準從價格轉向證據

Drag the control to compare the two supplier propositions.

拖曳控制桿，比較兩種供應商定位。

CONTROLLED PARTNER | 受控制機夥伴

Prove the process

用製程證明能力

Part + traceability + inspection + change control. / 零件 + 追溯 + 檢驗 + 變更管制。

Controlled trial part

Revision and lot traceability

FAI / inspection evidence

Pilot-lot review gate

GENERIC SUPPLIER | 一般加工供應商

Machine the drawing

依圖加工

Capability described mainly by equipment and price. / 主要以設備與價格描述能力。

One-off emergency work

Limited document linkage

Unclear process ownership

Inspection after the fact

Precision manufacturing built for high-mix work

為少量多樣而建的精密製造能力

Taiwan-based CNC machining and assembly with a documented shift toward higher-value industries.

以台灣 CNC 加工與組裝為基礎，並具備轉向高價值產業的明確紀錄。

Current operating base

現有營運基礎

- ◇ OEM / ODM precision metal components / OEM / ODM 精密金屬零組件
- ◇ Approx. 28-30 employees in current briefing data / 現行簡報資料約 28—30 名員工
- ◇ Long-term Japanese industrial customer base / 長期日本工業客戶基礎
- ◇ Customized, engineering-led, high-mix production / 客製化、工程導向的少量多樣生產

Growth direction

成長方向

- ◇ Aerospace and semiconductor equipment / 航太與半導體設備
- ◇ Large-format and advanced 5-axis capability / 大型與進階五軸能力
- ◇ Stronger metrology and document control / 強化量測與文件管制
- ◇ Higher-value parts over commodity volume / 聚焦高價值零件而非大量通用品


Formal company name for customer-facing material: **LUYI Enterprise Co., Ltd.**

Formal certification and verification evidence

正式認證與查證證據

Quality-system certificates, annual greenhouse-gas inventory and the data-security audit roadmap.

品質系統認證、年度溫室氣體盤查，以及資訊安全稽核路線。



Evidence status

證據狀態

AS9100	AS9100:D / JISQ 9100:2016 / EN 9100:2018
ISO 9001	ISO 9001:2015 · valid through 2028-05-03
ISO 14064-1	2024 GHG inventory verification passed under ISO 14064-1:2018; carbon inventory conducted annually
ISO 27001	Consultant-led implementation; audit planned for 2027 H2
SCOPE	CNC precision machining—milling and hole processing—of metal parts

The controls EGAT should expect to see

EGAT 應能看見的管制機制

Translate certification into observable supplier behavior.

將認證轉化為可被查驗的供應商行為。

Before release

放行前

- ◇ Contract / PO review / 合約 / 採購單審查
- ◇ Drawing revision control / 圖面版次管制
- ◇ Material and lot requirements / 材料與批次要求

During execution

執行中

- ◇ Process route / traveler / 製程路線 / 旅程卡
- ◇ In-process inspection / 製程中檢驗
- ◇ Controlled external flow-down / 受控外包要求下達

After machining

加工後

- ◇ FAI / inspection evidence / FAI / 檢驗證據
- ◇ NCR / CAPA linkage / NCR / CAPA 串聯
- ◇ Change control before repeat / 重複生產前的變更管制

Claim boundary: LUYI does not claim FAA certification. EGAT requirements would be supported through an AS9100-based quality system and project-specific flow-down.

One project window; six controlled functions

單一專案窗口，串聯六項受控職能

Commercial, engineering and quality clarification converge before machining begins.

商務、工程與品質澄清在加工開始前完成收斂。

EGAT Pilot Project Window

Business + Engineering + Quality coordination

R&D / Engineering

DFM, process planning, fixture concept

QC / Metrology

FAI, CMM, inspection report

Manufacturing

Setup, machining, deburring, preservation

Planning / Logistics

Material, warehouse, schedule, shipment

Document / IT

Version, controlled records, data security

ADM / Business

Customer communication, quote, escalation

Proposed trial-phase commitment: respond to commercial or technical clarification within 24 hours.

From policy to auditable production record

從政策落實到可稽核的生產紀錄

Four document levels keep knowledge from living only in operator experience.

四層文件架構，避免知識只留在操作經驗。

Level 1 - Policy

Quality manual, certification scope, management direction

Level 2 - Procedure

Document, supplier, equipment, metrology, NCR/CAPA and change controls

Level 3 - Instruction

Machining, inspection, packaging, tool management and product protection

Build the evidence route before cutting metal

下刀前先建立完整證據路徑

AS9100 controls + APQP thinking + first-article evidence.

AS9100 管制 + APQP 思維 + 首件證據。



Before machining

加工前

Agree critical characteristics, inspection method and external-process boundary. / 確認關鍵特性、檢驗方法與外包製程邊界。

After machining

加工後

Review actual results, deviations and route updates before repeat production. / 重複生產前審查實際結果、偏差與製程路線更新。

Precision across scale and setup complexity

跨尺寸與裝夾複雜度的精密加工

3-axis, 4-axis, 5-axis, turning, large gantry machining and controlled process handoffs.

涵蓋三軸、四軸、五軸、車削、大型龍門與受控製程銜接。



Capacity is separated by ownership and evidence

依所有權與證據清楚區分能力

Internal CNC and metrology are distinct from controlled outsourced special processes.

自有 CNC / 量測與外包特殊製程明確分流。



14

Renhua CNC machines

仁化廠 CNC 機台

Rapid sampling, precision parts and pilot production. / 支援快速打樣、精密零件與試量產。



3

Large / 5-axis machines

大型 / 五軸設備

WELE, Ecom and APEC large-envelope capability. / WELE、Ecom 與 APEC 大行程加工能力。



1+1+36

Metrology base

量測基礎

CMM, Keyence 2.5D and standard measuring tools. / CMM、Keyence 2.5D 與標準量測工具。

Laser welding, vacuum brazing and skiving-fin resources are controlled partner capabilities—not LUYI-owned equipment.

Four equipment clusters; one 14-machine base

四大設備群，構成 14 台加工基礎

A simplified executive view of the detailed equipment workbook.

將詳細設備表轉為主管可讀的精簡視圖。

Cluster 設備群	Representative models 代表機型	Qty. 數量	Envelope / architecture 行程與架構	Best-fit use 最適用途
Brother compact CNC	S500X1, S1000X1, S2A, TC-229, TC-S2D-C	7	BT30 · X travel 480-1,000 mm	Fast precision parts, drilling / tapping, sampling
YCM 3-axis VMC	MV 66A, FV 85A, XV 1020A, N5V 102A / 106A	5	BT40-class · X travel 660-1,020 mm	Plates, housings, brackets, structural parts
YCM 4-axis	NXV 600A	1	600 / 410 / 450 mm	Compact multi-side machining
YCM turning	GT200A	1	Ø260 mm max turn · 360 mm length	Shafts, round parts, fittings and connectors

Public OEM specifications in the working file remain reference data; final installed configurations should be checked by machine nameplate or site survey when required.

Three machines extend size and geometry

三台設備延伸尺寸與幾何能力

Large plates, long structures, circular components and complex multi-face machining.

支援大型板件、長型結構、環形零件與多面複雜加工。

Machine 機台	Architecture 架構	Table 工作台	X / Y / Z travel X / Y / Z 行程	Primary role 主要用途
WELE RB-212	Large machining center	2,000 × 1,100 mm	2,120 / 1,200 / 800 mm	Large mechanical parts, tooling and prototypes
Ecom VX-11	5-axis machining center	1,200 × 600 mm	1,100 / 650 / 600 mm	Complex 5-axis precision components
APEC G3060	Large 5-axis gantry	6,000 × 3,000 mm	6,000 / 3,000 / 1,000 mm	Long structures, large plates and equipment parts

Long parts

長型零件

Reduced repositioning for structural components.

/ 減少結構件重複定位。

Complex geometry

複雜幾何

Multi-face access and setup consolidation. / 多面加

工並整合裝夾。

Large circular work

大型環件

Flanges, rings and plate-type components. / 支援法

蘭、環件與板類零件。

Investment supports the post-trial roadmap

投資支援試製後的能力路線

Future capability is disclosed as onboarding—not presented as current production capacity.

未來能力以導入中揭露，不視為現有量產能力。

CONTRACTED / ONBOARDING | 已簽約 / 導入中

Mikron MILL E 1900 U ST

- ◇ Advanced 5-axis capability expansion / 擴充進階五軸能力
- ◇ Higher technical-content aerospace and semiconductor work / 承接更高技術含量的航太與半導體工作
- ◇ Fewer setups for complex geometries / 降低複雜幾何的裝夾次數
- ◇ Long-term investment signal to qualified customers / 向合格客戶展現長期投資訊號

DATA-SECURITY ROADMAP | 資訊安全路線

ISO 27001

Under advisory / implementation. / 顧問輔導 / 導入中。

2027

H2

Audit planned.

Measured evidence connects machining to trust

量測證據連結加工能力與客戶信任

Every measuring device needs identity, range, ownership and calibration history.

每項量具都應具備識別、量程、責任與校正歷程。

Controlled equipment categories

受控設備類別

- ◇ CMM / coordinate measuring machine / CMM / 三次元量床
- ◇ 2.5D image measurement / 2.5D 影像量測
- ◇ Micrometers, calipers, height gauges / 分厘卡、游標卡尺、高度規
- ◇ Thread, block and dedicated gauges / 螺紋、塊規與專用量規
- ◇ Inspection pins, bars and standards / 檢驗銷、量棒與標準件

Control evidence

管制證據

- ◇ Equipment ID and serial number / 設備編號與序號
- ◇ Measuring range and responsible owner / 量測範圍與責任人
- ◇ Calibration date and report number / 校正日期與報告編號
- ◇ Annual calibration policy / 年度校正政策
- ◇ History available for qualification review / 歷史記錄可供資格審查

Open verification: confirm the latest external CMM calibration certificate before a formal supplier audit.

A compact inspection base for trial evidence

支援試製證據的精簡量測基礎

Current workbook data identifies the primary systems and annual policy.

現有設備表已界定主要系統與年度校正政策。

Category 類別	Brand / model 品牌 / 型號	Qty. 數量	Calibration 校正	Trial application 試製用途
CNC CMM	Mitutoyo CRYSTA-Apex V7106	1	Once per year	FAI and precision dimensional verification
2.5D image measurement	Keyence LM-X100T	1	Once per year	Visual and dimensional measurement support
Basic gauges	Standard measuring tools	36	Once per year	In-process and final inspection

What the list supports

設備表已支持

Defined equipment, quantity, intended use and policy cadence. / 已界定設備、數量、用途與政策週期。

What still requires evidence

仍需補充的證據


Latest certificates, equipment history and final installed model confirmation. / 仍需最新證書、設備歷史與最終安裝型號確認。

Characteristic accountability is already visible

特性責任已具備可見證據

A redacted Form 3-style sample demonstrates the inspection-record mindset.

去識別 Form 3 樣本呈現校驗紀錄邏輯。

[illegible]

What the sample shows

樣本呈現內容

- ◆ Characteristic numbering / 特性編號
- ◆ Requirement versus actual result / 要求值與實際結果
- ◆ Inspection-tool reference / 檢驗工具對應
- ◆ Nonconformance field / 不符合欄位
- ◆ Prepared-by and date control / 製表人與日期管制

Claim boundary: Implemented AS/EN/SJAC9102 Rev A Form 3-style records. A full Form 1 / 2 / 3 FAIR package must be confirmed by project scope and customer requirement.

Three controls preserve product intent

三項管制維持產品意圖

The evidence package must survive material, process and delivery handoffs.

證據包需貫穿材料、製程與交付銜接。



Traceability

追溯管理

- ◇ Material certificate / lot / 材料證明 / 批號
- ◇ PO and drawing revision / 採購單與圖面版次
- ◇ Traveler and inspection record / 製程旅程卡與檢驗紀錄



Change control

變更管制

- ◇ No silent material substitution / 禁止未經同意替代材料
- ◇ Controlled route changes / 受控製程路線變更
- ◇ Customer deviation disposition / 客戶偏差處置



Product protection

產品防護

- ◇ FOD / cleanliness mindset / FOD / 潔淨管理觀念
- ◇ Deburring and edge protection / 去毛邊與邊緣防護
- ◇ Segregation, packing and labeling / 區隔、包裝與標示

Separate proven evidence from development targets

將已證實能力與發展目標分開

Credibility improves when each material claim carries the right confidence level.

每項材料主張皆標示適當的證據強度。

EVIDENCE AVAILABLE | 已有證據

Current references

現有案例

- ◇ AC4A / AC4A 鋁合金
- ◇ 6061 / 6061-T6 / 6061 / 6061-T6 鋁合金
- ◇ 7075-T6 / 7075-T6 鋁合金
- ◇ ADC12 · non-aerospace / ADC12 · 非航太案例
- ◇ FC200 · non-aerospace / FC200 · 非航太案例

GENERAL CAPABILITY | 一般能力

Record-dependent

需紀錄支持

- ◇ Steel / 碳鋼
- ◇ Stainless steel / 不鏽鋼
- ◇ Copper alloys / 銅合金
- ◇ Engineering plastics / 工程塑膠

List only where internal process records support the claim. / 僅在內部製程紀錄可支持時列入能力。

DO NOT LEAD | 不宜主打

Development targets

發展目標

- ◇ Titanium alloys / 鈦合金
- ◇ Nickel-based alloys / 鎳基合金
- ◇ Aerospace qualification without records / 缺乏紀錄支持的航太資格主張

Avoid self-inflicted audit risk. / 避免自行製造稽核風險。

Show what each reference actually proves

明確說明每項案例實際證明什麼

Material + process + critical feature + inspection method + relevance to EGAT.

材料+製程+關鍵特徵+檢驗方式+EGAT 關聯。



AC4A cast component

AC4A 鑄件

Datum-based machining, H7 bore control and inspection-bar verification.

以基準管制、H7 孔與量棒驗證。



AEROSPACE EVIDENCE | 航太證據

Precision holes governed by datum strategy


MATERIAL	AC4A
PROCESS	CNC machining / hole processing
FEATURES	Ø10H7, Ø23H7, 30 ±0.05
INSPECTION	Datum surfaces, inspection bar, dimensional verification

Jet Vane

射流葉片

5-axis machining and CMM verification for complex circular geometry.

以五軸加工與 CMM 驗證複雜環形幾何。



AEROSPACE EVIDENCE | 航太證據

Complex circular geometry in one controlled route


MATERIAL	6061-T6
SIZE	Ø400 × 103 mm
PROCESS	CNC 5-axis machining
INSPECTION	CMM

Cabin structural mechanism

機艙結構件

Long high-strength aluminum machining with structural datum management.

高強度鋁合金長件加工與結構基準管理。



AEROSPACE EVIDENCE | 航太證據

Long-part control across a 1.66 m structure


MATERIAL	7075-T6
SIZE	1660 × 100 × 70 mm
PROCESS	CNC machining / engraving
INSPECTION	Project inspection record to be attached when requested

Satellite mechanism flange

衛星機構法蘭

Large-diameter 5-axis machining with CMM verification.

大直徑五軸加工與 CMM 驗證。



AEROSPACE EVIDENCE | 航太證據

Large circular geometry under coordinate inspection

MATERIAL 6061-T6

SIZE $\varnothing 1100 \times 60$ mm

PROCESS CNC 5-axis machining

INSPECTION CMM

Three references; three distinct claim levels

三項案例、三種主張層級

Select a tab to inspect the technical evidence. Non-aerospace examples remain explicitly labeled.

選擇頁籤查看技術證據；非航太案例均明確標示。

6061 PANEL

FC200 - NON-AEROSPACE

ADC12 - NON-AEROSPACE



PRECISION STRUCTURAL REFERENCE | 精密結構案例

6061 aluminum panel

6061 鋁合金結構板


SIZE	678 × 492.5 × 22.66 mm
PROCESS	Finish milling, sandblasting, anodizing
FEATURES	Hole-to-hole 0.15 mm; flatness 0.1 mm

From RFQ to a reviewable evidence package

從詢價到可審查的證據包

A proposed governance model; actual timing depends on material, complexity and external processes.

建議治理模型；實際時程依材料、複雜度與外包製程調整。



Where applicable: ballooned characteristic list, material certificate, external-process certificate, NCR / deviation record and COC / delivery documentation.

REQUEST FOR CONTROLLED TRIAL | 受控試製邀請

Give LUYI one part. Judge the evidence.

給 LUYI 一個零件，用證據評估我們。

A precision-machined component with formal drawing, material specification, inspection requirements and acceptance criteria. / 提供一項具正式圖面、材料規範、檢驗要求與驗收標準的精密加工零件。

Recommended starting families

建議起始零件族群

- ◇ Bracket, support or fitting / 支架、支撐件或接頭
- ◇ Base plate, structural plate or panel / 底板、結構板或面板
- ◇ Housing, cover or enclosure / 殼體、上蓋或外罩
- ◇ Flange or ring-type structure / 法蘭或環形結構
- ◇ Manifold / valve block with clear inspection criteria / 具明確檢驗標準的歧管 / 閥塊
- ◇ Controlled MRO support mechanical part / 受控 MRO 支援機械零件

Do not lead with primary flight-critical, rotating, landing-gear critical or hot-section engine parts.