

7 HIDDEN REASONS FOR PERSISTENT VAGINAL ODOUR

**Why It Keeps Coming Back, What You
May Be Doing Wrong, and How to
Finally Take Control**



DR. OMOLE KELVIN

7 REASONS YOU SMELL DOWN THERE

Why It Keeps Coming Back, What You May Be Doing Wrong, and How to Finally
Take Control

A practical, shame-free guide to understanding intimate odour, recognising common causes, avoiding common mistakes, and knowing when to get help.

PREMIUM EDITION

DR. OMOLE KELVIN

AUTHOR

Introduction: If You've Ever Been Afraid Someone Else Can Smell It...

Maybe you've checked your underwear more times than you can count. Maybe you have quietly wondered whether someone sitting beside you can smell what you smell. Maybe you showered, changed your underwear, tried a new soap or used a product to cover the smell, only to notice it again later.

Because intimate odour is embarrassing to talk about, many people try to solve it alone. Search after search. Product after product. One friend says one thing. Someone online says another.

This book is designed to replace that guessing with a clearer framework. **You will learn what can cause intimate odour, what clues matter, which habits can make things worse, what you can safely change, and when professional assessment is the smarter next step.**

One important idea will appear throughout this book: **smell is a clue, not a diagnosis.** Several conditions can produce overlapping symptoms. The goal is not to diagnose yourself from a checklist. The goal is to understand the possibilities well enough to stop blaming yourself, stop wasting money on random fixes and know what to do next.

You do not need to make your vagina smell like perfume. You need to understand what is normal for you, recognise meaningful changes and take appropriate action when something is wrong.

How to use this book

- Read Chapter 1 before deciding that your natural scent is a problem.
- Use the seven reasons as possibilities to investigate, not diagnoses.
- Pay special attention to the practical sections and red-flag guidance.
- Complete the tracker if the problem keeps returning.
- Take relevant notes to a healthcare appointment rather than trying another random product.

THE PROMISE OF THIS BOOK: Less guessing, less shame, more clarity about what may be happening and what to do next.

Contents

1. Chapter 1: First, Let's Talk About What "Normal" Actually Smells Like
2. Chapter 2: Reason #1: You're Sweating More Than You Realise
3. Chapter 3: Reason #2: Your Period May Be Changing the Smell
4. Chapter 4: Reason #3: Something May Have Changed in Your Vaginal Bacteria
5. Chapter 5: Reason #4: Sex Can Change Your Intimate Odour
6. Chapter 6: Reason #5: It Could Be an Infection You Didn't Know You Had
7. Chapter 7: Reason #6: You May Be Cleaning Too Much
8. Chapter 8: Reason #7: There's More Going On Than You Think
9. Chapter 9: The Things You're Doing That May Be Making It Worse
10. Chapter 10: What Actually Helps
11. Chapter 11: The "Should I Be Worried?" Checklist
12. Chapter 12: Why It Keeps Coming Back
13. Chapter 13: Your Personal Intimate-Care Reset
14. Chapter 14: When You Should Stop Guessing and See a Doctor
15. Bonus: The Odour Decision Guide
16. Bonus: 14-Day Symptom Tracker
17. References
18. Medical Disclaimer

Chapter 1: First, Let's Talk About What "Normal" Actually Smells Like

The first thing you need to know

There is a huge difference between **having a natural intimate scent** and having a new, strong, unpleasant odour that makes you uncomfortable or worried. The vagina is not supposed to smell like perfume, flowers, soap or nothing at all. A mild scent can be completely normal, and the smell can change during the menstrual cycle, after sex, or when you sweat more.

What matters most is **a noticeable change from what is normal for you**. A strong or persistent smell, especially when it comes with unusual discharge, itching, burning, pain, sores or discomfort, deserves attention. The smell itself cannot tell you exactly what is wrong. Several different conditions can produce overlapping symptoms, which is why repeatedly guessing and treating yourself can waste time.

The vagina and vulva are not the same thing

The **vagina** is the internal muscular canal. The **vulva** is the external genital area, including the labia and the opening of the vagina. When people say they want to "wash the vagina," they often mean washing the vulva. The distinction matters because the vagina has its own ecosystem and cleaning it internally is unnecessary.

A simple rule to remember

If your smell is mild, familiar and not accompanied by other concerning symptoms, it may simply be part of your normal body chemistry. If the smell is **new, strong, persistent or paired with symptoms**, stop trying to cover it up and work out what may be causing the change.

Before you panic, ask yourself

When did the change start? Did it appear around your period? Did it begin after sex? Have you started a new soap, wash, lubricant, medication or contraceptive product? Is there a change in discharge? Is there itching, burning, pain or bleeding? Has this happened repeatedly? These questions are useful clues, but they are not a diagnosis.

REMEMBER: Your goal is not to eliminate every natural scent. Your goal is to understand what is normal for you and notice meaningful changes.

Chapter 2: Reason #1: You're Sweating More Than You Realise

Why sweat can change your smell

The groin is warm, covered by clothing and close to skin folds. Sweat itself is not necessarily foul-smelling. Odour develops as moisture interacts with skin bacteria and other substances on the skin. Exercise, hot weather, tight clothing, prolonged sitting and spending the day in damp underwear can make the external genital area smell stronger.

Clues that this may be the issue

The smell is mainly external. It gets stronger after exercise or a long day. Your underwear is damp. You notice it improves after bathing and changing into dry, breathable clothing. There is no unusual discharge, burning, pelvic pain or persistent vaginal irritation.

What to do

Focus on the **outside**, not inside. Keep the vulva clean and dry. Change out of sweaty clothing. Choose breathable underwear and avoid staying for long periods in damp gym clothes or swimwear. After washing, gently pat the area dry rather than aggressively rubbing it.

You do not need to perfume the area. Sprays, deodorants and fragranced products can irritate sensitive tissue and may make an existing problem worse.

The mistake many people make

When someone notices odour, the instinct is often: "I need to wash harder." More scrubbing, stronger soap and repeated internal cleaning do not necessarily solve the source of the smell. If the odour persists despite sensible external hygiene, consider that the cause may be something other than sweat.

Chapter 3: Reason #2: Your Period May Be Changing the Smell

Your period can temporarily change your scent

Menstrual blood can change the smell around the vulva and vagina. Hormonal changes also alter vaginal discharge across the menstrual cycle. A temporary change around menstruation is not automatically a sign of poor hygiene or infection.

When it is probably temporary

The change begins during your period, is relatively mild, and settles after menstruation. You do not have significant itching, burning, pelvic pain or an unusual discharge that continues afterward.

When to pay attention

A very strong or persistent odour that continues well beyond your period, especially with unusual discharge, pain, fever, itching, burning or abnormal bleeding, should not simply be masked with fragrance or extra washing. Get evaluated.

Period hygiene without overdoing it

Change menstrual products according to the product instructions and your flow. Keep reusable products clean according to their instructions. Wash the vulva gently and avoid fragranced menstrual products if they irritate you. You do not need to douche to remove menstrual blood.

Chapter 4: Reason #3: Something May Have Changed in Your Vaginal Bacteria

Bacterial vaginosis: the smell many people recognise

Bacterial vaginosis, commonly called **BV**, happens when the normal balance of bacteria in the vagina changes. One classic symptom is a strong fish-like odour, often with thin white or gray discharge. The smell may be more noticeable after sex.

BV is common and treatable, but you should not assume every fishy smell is BV. Other conditions can cause odour too, and a healthcare professional may need to examine you or test a sample of vaginal fluid to determine the cause.

Why “just buy something for yeast” can be a problem

Yeast infections and BV are different conditions. A yeast infection commonly causes itching, burning and thick discharge, while BV more often causes a strong odour with thinner discharge. Symptoms can overlap, however. Treating the wrong condition can delay the right treatment.

What actually helps

If BV is suspected, professional assessment is the safest route. When BV is diagnosed and symptomatic, healthcare providers treat it with appropriate antibiotics. Follow the prescribed course exactly as directed. If symptoms return, go back for review rather than repeatedly starting the same treatment on your own.

Why it can come back

Recurrence is possible. A returning smell does not mean you are dirty or that you failed at hygiene. It means the underlying situation may need reassessment. Persistent or recurrent symptoms are a reason to speak with a healthcare professional.

KEY TAKEAWAY: A fishy smell can be associated with BV, but smell alone cannot confirm it. Persistent symptoms deserve proper assessment.

Chapter 5: Reason #4: Sex Can Change Your Intimate Odour

After sex, things can smell different

Sex can temporarily change the vaginal environment. Semen, lubricants, condoms, menstrual blood and changes in vaginal secretions can all affect smell. Some people notice the difference for a short period after sex and then return to their usual scent.

But don't use sex as an automatic explanation

If a new strong smell persists, especially with unusual discharge, itching, burning, pain with urination, sores or pelvic discomfort, do not assume it is simply semen or “leftover sex.” An infection may be involved and testing may be needed.

A healthier approach after sex

You do not need to douche or flush the vagina after sex. Clean the external area gently if you want to, urinate if that is part of your normal routine, and use condoms if appropriate for STI prevention. If symptoms repeatedly appear after sex, discuss the pattern with a clinician.

The relationship conversation

If an STI is possible, the conversation may feel uncomfortable, but it is better than silently guessing. Some STIs cause few or no symptoms. Testing is the only way to know for sure in many cases.

Chapter 6: Reason #5: It Could Be an Infection You Didn't Know You Had

Some infections are quiet

One of the most important facts about intimate health is that **the absence of dramatic symptoms does not always mean the absence of infection**. Trichomoniasis, for example, often causes no symptoms or only mild symptoms. When symptoms occur, they can include irritation and malodorous or yellow-green discharge.

Why smell alone cannot diagnose an STI

BV, trichomoniasis, yeast infections and other conditions can all produce discharge, irritation or odour. Medical history alone is often not enough to accurately identify the cause. A clinician may need an examination and laboratory testing.

If an STI is possible

Consider testing, particularly after unprotected sex, a new partner, a partner with an STI, or symptoms that are new or unexplained. Avoid guessing based on smell, discharge colour or internet symptom lists.

Do not let embarrassment delay care

Healthcare professionals deal with these symptoms regularly. You are not the first person to ask. Being honest about sexual history, symptoms and products you have used helps them choose appropriate tests and treatment.

KEY TAKEAWAY: Some STIs cause few or no symptoms. If exposure is possible, testing is more reliable than trying to interpret smell.

Chapter 7: Reason #6: You May Be Cleaning Too Much

The uncomfortable truth

Sometimes the person trying hardest to prevent odour is accidentally creating irritation or disrupting the normal environment. Douching, scented washes, feminine sprays, deodorants and harsh products can irritate the vulva or disturb the vaginal ecosystem.

The vagina is not a dirty place

The vagina has its own natural cleaning process. Normal discharge helps remove dead cells and maintain the vaginal environment. You do not need to put soap, perfume, antiseptic, herbs, vinegar, baking soda or other homemade mixtures inside it.

A better cleaning routine

For the vulva, gentle washing is usually enough. If soap irritates you, plain water may be sufficient for the inner parts of the vulva. Avoid fragranced products and do not douche. After washing, gently pat dry.

What about “feminine hygiene” products?

A product being marketed for intimate use does not automatically mean it is necessary or beneficial. If a product burns, stings, causes dryness or seems to make your symptoms worse, stop using it and seek advice if symptoms persist.

The reset

For the next several days, simplify. Stop douching and fragranced intimate products. Keep the external area clean and dry. Wear breathable clothing. Monitor whether the smell changes. If it remains strong or symptoms are present, get evaluated rather than escalating the products you use.

THE LESS-IS-MORE RULE: If a product repeatedly irritates the area and is not medically necessary, removing it is often better than adding another product.

Chapter 8: Reason #7: There's More Going On Than You Think

A forgotten tampon or other retained object

A retained tampon or other foreign object can cause a very unpleasant smell and unusual discharge. If you think something may have been left inside the vagina, do not keep trying to cover the smell. Seek appropriate medical help if you cannot safely remove it or if you develop pain, fever or significant illness.

Hormonal changes

Pregnancy, breastfeeding, perimenopause and menopause can change the vaginal environment. Reduced estrogen around menopause can cause dryness, irritation and other changes. A new persistent smell should still be assessed rather than automatically blamed on hormones.

Skin and external causes

Not every smell originates inside the vagina. Sweat, skin irritation, urine, fecal contamination, dermatitis and other external issues can contribute to odour. This is another reason to look at the whole picture rather than assuming "vaginal infection" every time.

When symptoms do not fit

If you have persistent symptoms but repeated testing does not identify an obvious cause, ask for a proper review. Persistent symptoms may require a different evaluation or referral to a specialist.

Chapter 9: The Things You're Doing That May Be Making It Worse

Mistake #1: Trying to perfume the problem away

Fragrance can temporarily cover a smell while doing nothing about its cause. It may also irritate sensitive skin and mucosal tissue.

Mistake #2: Douching

Douching is not necessary for hygiene and can disrupt the normal vaginal environment. It is not a reliable way to prevent or treat infection.

Mistake #3: Treating yourself from a symptom search

A symptom such as “fishy smell” is not a diagnosis. Buying medication based on one symptom can mean treating the wrong condition.

Mistake #4: Stopping prescribed treatment early

If a clinician prescribes treatment, follow the instructions. Symptoms can improve before the underlying condition has fully resolved.

Mistake #5: Ignoring recurrence

If the same problem keeps returning, don't simply repeat the last remedy forever. Recurrence is information. It may mean the diagnosis needs confirmation, the treatment needs review, or another cause needs consideration.

Mistake #6: Assuming it must be an STI

An unusual smell does not automatically mean an STI. BV and other non-STI causes are common. At the same time, an STI cannot be ruled out by smell alone. Testing is what resolves the uncertainty.

Mistake #7: Feeling ashamed

Shame makes people delay care, hide symptoms and experiment with increasingly aggressive products. Your body deserves proper care, not punishment.

Chapter 10: What Actually Helps

Build a simple routine

Keep intimate care boring. Boring is good. Gently clean the external genital area, keep it dry, change out of sweaty clothing, avoid unnecessary fragrances, and avoid internal cleansing.

Clothing and moisture

Choose breathable underwear and avoid spending long periods in damp clothes. If tight clothing repeatedly causes irritation or moisture, consider changing what you wear for extended periods.

During your period

Use menstrual products according to their instructions and keep reusable products clean. If a product causes irritation, consider switching to a fragrance-free alternative.

Sexual health

Use condoms when appropriate, communicate with partners, and get STI testing when your sexual history or symptoms make it appropriate. If symptoms repeatedly appear after sex, bring that pattern to a healthcare professional.

Your goal is not “no smell”

Your goal is **healthy, comfortable and familiar**. Chasing a completely scentless vagina can push you toward unnecessary and irritating products.

Chapter 11: The “Should I Be Worried?” Checklist

Get checked if you notice

A new or strong smell that does not settle; unusual discharge; itching or burning; pain with urination; pain during sex; pelvic or lower abdominal pain; sores or blisters; unexplained bleeding; fever or feeling significantly unwell; symptoms after a possible STI exposure; or symptoms that keep returning.

Seek urgent medical care when

You have severe pelvic or abdominal pain, high fever, fainting, severe weakness, vomiting with significant pelvic symptoms, or you feel seriously ill. Pregnancy plus concerning pelvic symptoms also warrants prompt professional assessment.

A useful appointment note

Before your appointment, write down when symptoms began, your last menstrual period, changes in discharge, recent sexual activity, new products, medications including antibiotics, and what treatments you have already tried. This can make the consultation more efficient.

Quick red-flag checklist

- Strong persistent odour
- Unusual discharge
- Itching or burning
- Pain with urination or sex
- Pelvic pain
- Sores or blisters
- Unusual bleeding
- Fever or feeling very unwell
- Possible STI exposure
- Symptoms that keep returning

Chapter 12: Why It Keeps Coming Back

The real problem with “quick fixes”

If a product temporarily reduces smell but does not address the underlying cause, the problem may return. This creates a frustrating cycle: smell → product → temporary relief → recurrence → stronger product → more irritation → more confusion.

Three reasons recurrence happens

The cause was never confirmed. Several conditions look similar. **The trigger is still present.** A clinician may need to explore recurring patterns. **The condition itself can recur.** Some vaginal conditions, including BV, can return even after appropriate treatment.

How to break the cycle

Stop changing five things at once. Record what happens. Simplify your hygiene routine. Avoid irritants. If symptoms persist or recur, get assessed. Ask what the likely diagnosis is, what test supports it, what treatment is recommended, and what to do if symptoms return.

Your symptom diary

For two to four weeks, note: date; cycle day; smell intensity from 0–10; discharge changes; itching/burning; sex; new products; medications; period; and whether symptoms improved or worsened. Patterns can be surprisingly useful during a clinical consultation.

KEY TAKEAWAY: Recurrence is a reason to reassess the cause, not a reason to punish yourself with stronger hygiene products.

Chapter 13: Your Personal Intimate-Care Reset

Days 1–2: Remove the noise

Stop douching, internal cleansing and fragranced intimate products. Do not introduce new remedies just because you are worried.

Days 3–4: Focus on comfort

Keep the external area clean and dry. Change sweaty clothing. Use breathable underwear. Pay attention to whether the smell is external, internal, temporary or persistent.

Days 5–7: Look for patterns

Review your notes. Does the smell occur around your period? After sex? After exercise? After a new product? Does it come with discharge, itching or burning?

At the end of the reset

If the problem has resolved and you feel well, continue the simple routine. If the smell persists, keeps returning or is accompanied by concerning symptoms, stop experimenting and arrange a professional evaluation.

The non-negotiables

Do not douche. Do not put household mixtures or perfumes inside the vagina. Do not assume an STI or yeast infection based on smell alone. Do not repeatedly use medication without knowing what you are treating.

Chapter 14: When You Should Stop Guessing and See a Doctor

The simplest rule

If something has changed and you cannot explain it, you do not need to panic. But you also do not need to keep guessing. A healthcare professional can assess symptoms, examine you when appropriate and use testing to identify the cause.

What to expect

Depending on your symptoms, a clinician may ask about your menstrual cycle, sexual activity, hygiene practices, medications and previous episodes. They may examine the vulva and vagina and collect a sample of discharge for testing.

What to tell them

Be specific. Say when it started, what the smell is like, whether it is constant or comes and goes, what the discharge looks like, whether you have pain or itching, whether it follows sex or your period, and what products or medications you have tried.

Your permission to seek help

You do not have to wait until the problem becomes unbearable. If the smell is bothering you, affecting your confidence, interfering with sex, or repeatedly returning, that is enough reason to seek professional advice.

REMEMBER: You do not have to wait until the problem becomes unbearable before seeking professional care.

Bonus: The Odour Decision Guide

Use this as a navigation tool, not a diagnostic chart. More than one cause can produce similar symptoms.

What you notice	What it could mean	What to do next
Mild, familiar scent with no other symptoms	Normal variation or external sweat	Monitor and keep hygiene simple.
Temporary change around your period	Menstrual blood or cycle-related change	Monitor; investigate if it persists.
Strong fishy smell, especially with thin discharge	BV is one possibility	Arrange professional assessment.
Itching/burning with thick discharge	Yeast infection is one possibility	Get assessed if unsure, severe or recurrent.
Odour plus unusual discharge after possible STI exposure	STI is possible	Get appropriate STI testing.
Very unpleasant odour plus suspected retained tampon	Foreign object is possible	Seek appropriate medical care if not safely removable.
Odour plus pelvic pain or fever	Needs medical assessment	Seek prompt medical attention.

WHEN IN DOUBT: Persistent, recurrent or concerning symptoms are worth getting checked. The goal is an answer, not another product.

Bonus: Your 14-Day Intimate Health Tracker

Use this to identify patterns. It is not meant to make you obsess over every small change.

Day	Smell 0–10	Discharge	Itch/ Burn	Pain	Sex	Period	Product/ Medicine	Notes
1	_____	_____	_____	_____	_____	_____	_____	_____
2	_____	_____	_____	_____	_____	_____	_____	_____
3	_____	_____	_____	_____	_____	_____	_____	_____
4	_____	_____	_____	_____	_____	_____	_____	_____
5	_____	_____	_____	_____	_____	_____	_____	_____
6	_____	_____	_____	_____	_____	_____	_____	_____
7	_____	_____	_____	_____	_____	_____	_____	_____
8	_____	_____	_____	_____	_____	_____	_____	_____
9	_____	_____	_____	_____	_____	_____	_____	_____
10	_____	_____	_____	_____	_____	_____	_____	_____
11	_____	_____	_____	_____	_____	_____	_____	_____
12	_____	_____	_____	_____	_____	_____	_____	_____
13	_____	_____	_____	_____	_____	_____	_____	_____
14	_____	_____	_____	_____	_____	_____	_____	_____

At the end of the 14 days, ask: What triggers it? What makes it better? Is it persistent? Is there a symptom I should discuss with a clinician?

References

Key medical guidance in this ebook was checked against current public guidance from ACOG and the CDC, including guidance on vulvovaginal health, vaginitis, bacterial vaginosis, douching and sexually transmitted infections.

ACOG. Vulvovaginal Health. Updated January 2026.

<https://www.acog.org/womens-health/faqs/vulvovaginal-health>

ACOG. Think You Have a Vaginal Infection? Here's What You Need to Know. Updated December 2025.

<https://www.acog.org/womens-health/experts-and-stories/the-latest/think-you-have-a-vaginal-infection-heres-what-you-need-to-know>

ACOG. Is it safe to douche during pregnancy?

<https://www.acog.org/womens-health/experts-and-stories/ask-acog/is-it-safe-to-douche-during-pregnancy>

CDC. STI Treatment Guidelines: Vaginal Discharge.

<https://www.cdc.gov/std/treatment-guidelines/vaginal-discharge.htm>

CDC. Bacterial Vaginosis.

<https://www.cdc.gov/std/treatment-guidelines/bv.htm>

CDC. Trichomoniasis.

<https://www.cdc.gov/std/treatment-guidelines/trichomoniasis.htm>

Medical Disclaimer

This ebook is for general educational and informational purposes only. It is not medical advice, diagnosis, treatment or a substitute for a consultation with a qualified healthcare professional. It is not intended to tell you what condition you have or which prescription or over-the-counter medicine you should take.

Intimate odour can have many causes, including normal variation, sweat, menstrual changes, changes in vaginal bacteria, infections, sexually transmitted infections, retained foreign objects, irritation and hormonal changes. Symptoms can overlap. A smell, discharge colour or other symptom cannot reliably diagnose the cause by itself. Professional assessment and testing may be necessary.

Do not use this ebook to delay medical care. Seek prompt medical attention for severe or worsening pelvic or abdominal pain, fever, fainting, severe weakness, significant bleeding, or feeling seriously unwell. If you are pregnant and have concerning vaginal or pelvic symptoms, contact your pregnancy or maternity care provider promptly.

Do not douche or put perfumes, deodorants, antiseptics, household mixtures, herbs, vinegar, baking soda or other unapproved substances inside the vagina. Do not repeatedly use antibiotics, antifungals or other medicines simply because a previous episode seemed similar. Medication should be selected according to the appropriate diagnosis and professional guidance.

If you have persistent, recurrent or unexplained symptoms, speak with a healthcare professional. Be honest about symptoms, sexual exposure, menstrual timing, medications and products you have used. This information can help with accurate assessment.

Every person's medical circumstances are different. Information that is appropriate for one person may not be appropriate for another, including people who are pregnant, breastfeeding, immunocompromised, taking medicines, living with chronic conditions or experiencing recurrent symptoms.

No guarantee is made that the information in this ebook will prevent, diagnose, cure or treat any condition. The authors, publishers and distributors are not responsible for decisions made solely on the basis of this educational material. Use it as a guide for better questions and better decisions, not as a replacement for personal medical care.

Your body is not a source of shame. When something changes, you deserve clarity, care and appropriate help.