


**Lab #3(d)**

**Lab#3 Design web pages for mobile shopping application using HTML5, CSS3 and Bootstrap 5.**

**d. Login page for User**

TAGS USED	ATTRIBUTES USED	DESCRIPTION
<HTML>	--	Write the description of HTML tags and attributes
<HEAD>	--	A container for metadata
<TITLE>	--	Title of Web Page
<LINK>	REL,TYPE,HREF	Used for defining a link to an external document
<BODY>	BGCOLOR,TEXT, BACKGROUND	contains all the contents of an HTML document
<H1>	--	an HTML heading used for web page title
<FORM>	METHOD,ACTION	required when you want to collect information that visitors provide
<DIV>	--	defines a division or a section in an HTML document
<INPUT>	TYPE	To take input from user
<LABEL>	--	to specify a label for an <input> element of a form
<FIGURE>	--	specifies self-contained content, like photos
<SPAN>	--	an inline container used to mark up a part of a text, or a part of a document
<HEADER>	--	contain some heading elements such as logo of html document

## Final Outcome:



## Code Snippet:

### login.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login</title>
</head>
<body>
  <link rel="stylesheet" href="login.css">
  <header>
    
    <div class="menu">
      <a href="home.html">HOME</a>
      <a href="category.html">CATEGORIES</a>
      <a href="reg.html">REGISTRATION</a>
      <a href="login.html">USER LOGIN</a>
      <a href="product.html">PRODUCT</a>
      <a href="alogin.html">ADMIN LOGIN</a>
```

## Lab #3(d)

```
<a href="cat.html">CATEGORY AND PRODUCT</a>
</div>
</header>
<div class="log">
  <h1>LOGIN</h1>
  <form action="" method="post">
    <div class="txt">
      <input type="text" required>
      <span></span>
      <label>Username</label>
    </div>
    <div class="txt">
      <input type="password" required>
      <span></span>
      <label>Password</label>
    </div>
    <div class="forget">Forgot Password</div>
    <input type="submit" value="login">
  </form>
</div>
</body>
</html>
```

### login.css

```
body{
  margin: 0;
  padding: 0;
  font-family: 'Courier New', Courier, monospace;
  background: linear-gradient(45deg, white 50%, grey 50%);
  height: 100vh;
  overflow: hidden;
}
.log{
  position: absolute;
  top:50%;
  left:80%;
  transform:translate(-50%,-50%);
  width:400px;
  background: white;
  border-radius: 10px;
}
.log h1{
  text-align: center;
  padding: 0 0 10px 0;
  border-bottom: 1px solid silver;
}
```

## Lab #3(d)

```
.center form{
  padding: 0 40px;
  box-sizing: border-box;
}
form .txt{
  position: relative;
  border-bottom: 2px solid #adadad;
  margin: 30px 0;
}
.txt input{
  width: 100%;
  padding: 0 5px;
  height: 40px;
  font-size: 16px;
  border:none;
  background: none;
  outline: none;
}
.txt label{
  position: absolute;
  top:50%;
  left: 5px;
  color: #adadad;
  transform: translateY(-50%);
  font-size: 16px;
  pointer-events: none;
  transition: .5s;
}
.txt span::before{
  content:"";
  position: absolute;
  top:40px;
  left: 0;
  width: 0%;
  height: 2px;
  background: #2691d9;
  transition: .5s;
}
.txt input:focus ~ label,
.txt input:valid ~ label{
  top:-5px;
  color: #2691d9;
}
.txt input:focus~span::before,
.txt input:focus~span::before{
  width:100%;
```

## Lab #3(d)

```
}  
.forget{  
    margin: -5px 0 20px 5px;  
    color:grey;  
    cursor: pointer;  
}  
.forget:hover{  
    text-decoration: underline;  
}  
input[type="submit"]{  
    width:100%;  
    height:50px;  
    border:1px solid;  
    background: #2691d9;  
    border-radius: 25px;  
    font-size: 18px;  
    color:aqua;  
    font-weight: 700;  
    cursor: pointer;  
    outline:none;  
}  
header {  
    display: flex;  
    justify-content: space-between;  
    align-items: center;  
    padding: 16px;  
    background-color: #f0f0f0;  
}  
footer {  
    display: flex;  
    justify-content: space-between;  
    align-items: center;  
    padding: 16px;  
    background-color: #f0f0f0;  
}  
  
.logo {  
    max-width: 100px;  
}
```