


Lab#3(a) Implement Design web pages for mobile shopping application using HTML5, CSS3 and Bootstrap 5.

a. Home Page: list few products & few menus like category, registration, sign in and about us.

TAGS USED	ATTRIBUTES USED	DESCRIPTION
<HTML>	lang="en"	Write the description of HTML tags and attributes
<HEAD>	-	Contains meta-information about the document, such as title and CSS scripts.
<TITLE>	-	Defines the title of the document that appears in the browser's title bar.
<LINK>	rel, href	Links external resources, like CSS stylesheets, to the HTML document.
<BODY>	-	Contains the visible content of the document.
<NAV>	-	Defines a container for navigation links.
<DIV>	class	A generic container element for styling and layout purposes.
<A>	class, href	Creates hyperlinks and defines the URL they link to.
<BUTTON>	class, type, onclick	Defines a clickable button.
	class	Represents an unordered list.
	-	Represents an item in a list (or).
<H2>	-	Defines a level 2 heading.
<H5>	-	Defines a level 5 heading.
<P>	-	Defines a paragraph of text.
	src, alt, class	Embeds an image into the document with a specified source and alternate text.
<CARD>	-	Custom element representing a card-like container for content

Final Outcome:



Code Snippet:

```
<html>
<head>
  <title>Mobile Shopping App - Home</title>
  <!-- Include Bootstrap CSS -->
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css">
  <!-- Custom CSS -->
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <!-- Navbar -->
  <nav class="navbar navbar-expand-md navbar-light bg-light">
    <div class="container">
      <!-- Your logo/image -->
      <a class="navbar-brand" href="#">Mobile Shop</a>

      <!-- Navbar toggler for mobile -->
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNav">
        <ul class="navbar-nav ms-auto">
          <!-- Menu options -->
          <li class="nav-item">
            <a class="nav-link" href="P1B.html">Category</a>
          </li>
```


```
<li class="nav-item">
  <a class="nav-link" href="P1C.html">Registration</a>
</li>
<li class="nav-item">
  <a class="nav-link" href=" P1D.html ">Sign In</a>
</li>
<li class="nav-item">
  <a class="nav-link" href="#">About Us</a>
</li>
</ul>
</div>
</div>
</nav>
<!-- Main content -->
<div class="container mt-4">
  <h2>Featured Products</h2>
  <div class="row">
    <!-- Product 1 -->
    <div class="col-md-4">
      <div class="card">
        
        <div class="card-body">
          <h5 class="card-title">Iphone 14 Pro Max</h5>
          <p class="card-text">$1999</p>
          <a href="#" class="btn btn-primary">Buy Now</a>
        </div>
      </div>
    </div>
  </div>
</div>
```

```
<!-- Product 2 -->
<div class="col-md-4">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Vivo T1 5G</h5>
      <p class="card-text">$299.9</p>
      <a href="#" class="btn btn-primary">Buy Now</a>
    </div>
  </div>
</div>
<!-- Product 3 -->
<div class="col-md-4">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Samsung S20</h5>
      <p class="card-text">$599.9</p>
      <a href="#" class="btn btn-primary">Buy Now</a>
    </div>
  </div>
</div>
<!-- Include Bootstrap JS at the end of the body -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

Lab#3(b) Implement Design web pages for mobile shopping application using HTML5, CSS3 and Bootstrap 5.

b. Categories: display few products per each category and provide show more option for complete list.

Final Outcome:



Code Snippet:

```
<html>

<head>

  <title>Mobile Shopping App - Categories</title>

  <!-- Include Bootstrap CSS -->

  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css">

  <!-- Custom CSS -->

  <style>

    /* Add any custom styles here */

  </style>

</head>

<body>

  <!-- Navbar -->

  <nav class="navbar navbar-expand-md navbar-dark bg-dark">

    <div class="container">

      <a class="navbar-brand" href="#">Mobile Shop</a>

      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">

        <span class="navbar-toggler-icon"></span>

      </button>

      <div class="collapse navbar-collapse" id="navbarNav">

        <ul class="navbar-nav ml-auto">

          <li class="nav-item">

            <a class="nav-link" href="#categories">Categories</a>

          </li>

          <li class="nav-item">
```

Lab #3

```
<a class="nav-link" href="#registration">Registration</a>
</li>
<li class="nav-item">
  <a class="nav-link" href="#signin">Sign In</a>
</li>
<li class="nav-item">
  <a class="nav-link" href="#aboutus">About Us</a>
</li>
</ul>
</div>
</div>
</nav>
<!-- Main content -->
<div class="container mt-4" id="categories">
  <h2 class="mb-4">Categories</h2>
  <!-- Category 1 -->
  <div class="category">
    <h3>Android Phone</h3>
    <div class="row">
      <div class="col-md-4 mb-4">
        <div class="card">
          
          <div class="card-body">
            <h5 class="card-title">nothing Phone 1</h5>
            <p class="card-text">$599.9</p>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
```


Lab #3


```
<div class="col-md-4 mb-4">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Vivo T1 5G</h5>
      <p class="card-text">$499.9</p>
    </div>
  </div>
</div>
</div>
<!-- Add more product cards for Category 1 here -->
</div>
<div class="text-center mt-2">
  <button class="btn btn-primary">Show More</button>
  <!-- Implement JavaScript to load more products for Category 1 -->
</div>
</div>
<!-- Category 2 -->
<div class="category mt-4">
  <h3>IPhone</h3>
  <div class="row">
    <div class="col-md-4 mb-4">
      <div class="card">
        
        <div class="card-body">
          <h5 class="card-title">Iphone 13</h5>
          <p class="card-text">$799.9</p>
        </div>
      </div>
    </div>
  </div>
</div>
```

```
</div>
<div class="col-md-4 mb-4">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Iphone 14</h5>
      <p class="card-text">$999.9</p>
    </div>
  </div>
</div>
</div>
<!-- Add more product cards for Category 2 here -->
</div>
<div class="text-center mt-2">
  <button class="btn btn-primary">Show More</button>
  <!-- Implement JavaScript to load more products for Category 2 -->
</div>
</div>
<!-- Add more categories with "Show More" buttons as needed -->
</div>
<!-- Include Bootstrap JS at the end of the body -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

Lab#3(C) Implement Design web pages for mobile shopping application using HTML5, CSS3 and Bootstrap 5.

c. User registration web page

Final Outcome:



The screenshot displays a user registration form within a dark-themed header. The header contains navigation links: 'Mobile Shop', 'Categories', 'Registration', 'Sign In', and 'About Us'. The main heading of the page is 'User Registration'. The form includes four text input fields: 'Full Name' (placeholder: 'Enter your full name'), 'Email address' (placeholder: 'Enter your email address'), 'Password' (placeholder: 'Enter your password'), and 'Confirm Password' (placeholder: 'Confirm your password'). Below these fields is a checkbox labeled 'I agree to the' followed by a blue link 'Terms and Conditions'. At the bottom of the form is a blue 'Register' button.

Code Snippet:

```
<html>
<head>
  <title>Mobile Shopping App - User Registration</title>
  <!-- Include Bootstrap CSS -->
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css">
  <!-- Custom CSS -->
  <style>
    body {
      font-family: Arial, sans-serif;
    }
    form {
      max-width: 400px;
      margin: 0 auto;
    }
    label {
      display: block;
      margin-bottom: 8px;
    }
    input[type="text"],
    input[type="email"],
    input[type="password"] {
      width: 100%;
      padding: 10px;
      margin-bottom: 20px;
    }
    input[type="submit"] {
```

```
background-color: #4CAF50;
color: white;
padding: 10px 20px;
border: none;
cursor:
    pointer;
}
</style>
</head>
<body>
<!-- Navbar -->
<nav class="navbar navbar-expand-md navbar-dark bg-dark">
  <div class="container">
    <a class="navbar-brand" href="#">Mobile Shop</a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav"
      aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNav">
      <ul class="navbar-nav ml-auto">
        <li class="nav-item">
          <a class="nav-link" href="#categories">Categories</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#registration">Registration</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#signin">Sign In</a>
        </li>
      </ul>
    </div>
  </div>
</nav>
```


```
</li>
<li class="nav-item">
  <a class="nav-link" href="#aboutus">About Us</a>
</li>
</ul>
</div>
</div>
</nav>
<!-- Main content -->
<div class="container mt-4">
  <h2>User Registration</h2>
  <form>
    <div class="form-group">
      <label for="fullname">Full Name</label>
      <input type="text" class="form-control" id="fullname" placeholder="Enter your full name"
required>
    </div>
    <div class="form-group">
      <label for="email">Email address</label>
      <input type="email" class="form-control" id="email" placeholder="Enter your email
address" required>
    </div>
    <div class="form-group">
      <label for="password">Password</label>
      <input type="password" class="form-control" id="password" placeholder="Enter your
password" required>
    </div>
    <div class="form-group">
      <label for="confirmPassword">Confirm Password</label>
```

```
<input type="password" class="form-control" id="confirmPassword"
placeholder="Confirm your password"
    required>
</div>
<div class="form-group form-check">
    <input type="checkbox" class="form-check-input" id="termsCheckbox" required>
    <label class="form-check-label" for="termsCheckbox">I agree to the <a href="#">Terms
and Conditions</a></label>
</div>
<button type="submit" class="btn btn-primary">Register</button>
</form>
</div>
<!-- Include Bootstrap JS at the end of the body -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

Lab#3(D) Implement Design web pages for mobile shopping application using HTML5, CSS3 and Bootstrap 5.

d. Login page for User

Final Outcome:



The image shows a login form with a light blue background. The form is a white box with a shadow. At the top, the word "Login" is centered in a large, bold, black font. Below it, there are two input fields. The first is labeled "Email" in a small, grey font, and the second is labeled "Password" in a small, grey font. Both fields have a light blue border and a light blue background. Below the password field, there is a blue button with the word "Login" in white. At the bottom of the form, there is a link that says "Don't have an account? [Register here](#)" in a small, grey font.

Code Snippet:

```
<html>

<head>

<title>Mobile Shopping App - Login</title>

<!-- Include Bootstrap CSS -->

<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css">

<!-- Custom CSS -->

<style>

/* Add any custom styles here */

body {

    background-color: #f8f9fa;

}

.login-container {

    max-width: 400px;

    margin: 0 auto;

    padding: 20px;

    background-color: #fff;

    box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);

    border-radius: 8px;

    margin-top: 100px;

}

.login-container h2 {

    text-align: center;

}

.form-group {

    margin-bottom: 15px;

}
```

```
.btn-login {
  width: 100%;
}
</style>
</head>
<body>
  <!-- Main content -->
  <div class="container">
    <div class="login-container">
      <h2>Login</h2>
      <form action="#" method="POST">
        <div class="form-group">
          <label for="email">Email</label>
          <input type="email" id="email" name="email" class="form-control" required>
        </div>
        <div class="form-group">
          <label for="password">Password</label>
          <input type="password" id="password" name="password" class="form-control" required>
        </div>
        <button type="submit" class="btn btn-primary btn-login">Login</button>
      </form>
      <p class="mt-3 text-center">Don't have an account? <a href="#">Register here</a></p>
    </div>
  <!-- Include Bootstrap JS at the end of the body -->
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

Lab#3(E) Implement Design web pages for mobile shopping application using HTML5, CSS3 and Bootstrap 5.

e. Detailed product page

Final Outcome:



iPhone 14 Pro Max

The iPhone 14 Pro Max: Unparalleled performance, stunning design. Experience the pinnacle of mobile technology.

\$1999

Add to Cart

Material: Cotton

Color: Blue

Size: Medium

Code Snippet:

```
<!DOCTYPE html>

<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Mobile Shopping App - Product Page</title>
  <!-- Bootstrap 5 CSS -->
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css">
  <!-- Custom CSS -->
  <link rel="stylesheet" href="styles.css">
</head>

<body>
  <!-- Product Page Content -->
  <div class="container">
    <div class="row">
      <div class="col-md-6 offset-md-3">
        
        <h2>Iphone 14 Pro Max</h2>
        <p class="text-muted">The iPhone 14 Pro Max: Unparalleled performance, stunning design.
Experience the pinnacle of mobile technology.</p>
        <h3>$1999</h3>
        <div class="rating">
          <!-- You can use a rating system here (e.g., stars or thumbs up/down) -->
        </div>
      </div>
    </div>
  </div>
</body>
</html>
```

Lab #3

```
</div>
<button class="btn btn-primary">Add to Cart</button>
<hr>
<!-- Additional Product Information -->
<ul>
  <li>Material: Cotton</li>
  <li>Color: Blue</li>
  <li>Size: Medium</li>
  <!-- Add more details here as needed -->
</ul>
</div>
</div>
</div>


<!-- Bootstrap 5 JS and dependencies -->
<script
src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.9.1/dist/umd/popper.min.js"></script>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.min.js"></script>
</body>

</html>
```

Lab#3(F) Implement Design web pages for mobile shopping application using HTML5, CSS3 and Bootstrap 5.

f. Admin login

Final Outcome:



Code Snippet:

```
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>Mobile Shopping App</title>
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
/>
<script src="https://kit.fontawesome.com/463f82e63e.js" crossorigin="anonymous"
></script>
```

Lab #3

```
<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>

<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
/>

<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>

<style> form {
max-width: 400px; margin: 0 auto;
}

.navbar-brand {
color: #fff !important;
}

.nav-link {
color: #fff !important;
}

form {
max-width: 400px; margin: 0 auto;
}

.redirect{ color: #fff;
}

</style>
</head>

<body>

<!-- Navbar -->

<nav
class="navbar navbar-expand-lg navbar-light bg-light" style="background-color: #007bff !important"
>

<div class="container">
```

```
<a class="navbar-brand" href="home.html" style="color: #fff">
<img width="50" /> Mobile Shopping
</a>
<button
class="navbar-toggler" type="button"
data-bs-toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false"
aria-label="Toggle navigation"
>
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse redirect" id="navbarNav">
<ul class="navbar-nav ms-auto">
<li class="nav-item">
<a class="nav-link" href="home.html">Home</a>
</li>
<li class="nav-item">
<a class="nav-link" href="categories.html">Categories</a>
</li>
<li class="nav-item">
<a class="nav-link" href="registration.html">Register</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">Sign In</a>
</li>
<li class="nav-item">
<a class="nav-link" href="about_us.html">About Us</a>
</li>
</ul>
```



```
</div>
</div>
</nav>
<!-- Admin Sign-In Section -->
<section class="container mt-4">
<h2>Admin Sign-In</h2>
<form>
<div class="form-group">
<label for="adminUsername">Admin Username</label>
<input type="text"
class="form-control" id="adminUsername"
placeholder="Enter your admin username" required
/>
</div>
<div class="form-group">
<label for="adminPassword">Password</label>
<input type="password" class="form-control" id="adminPassword"
placeholder="Enter your password" required
/>
</div>
<button type="submit" class="btn btn-primary mt-3">
<a class="redirect" href="managment_page.html">Sign In</a>
</button>
</form>
<p class="mt-3">Back to <a href="login.html">Customer Login</a></p>
</section>
</body>
</html>
```

Lab#3(G) Implement Design web pages for mobile shopping application using HTML5, CSS3 and Bootstrap 5.

e. Management of category & product (insert, update and delete product and categories)

Final Outcome:

Mobile Shopping
Home Categories Register Sign In About Us

Dashboard

Name	Description	Price	Category	Actions
Item 1	Item 1 description	\$99.99	Category 1	Delete Edit Category
Item 2	Item 2 description	\$199.99	Category 2	Delete Edit Category

Add New Item

Name

Description

Price

Category

Add Item

Navigation
Home Categories Register Sign In About Us

Socials
Facebook Twitter Instagram

© 2023 Your Mobile Shopping App. All rights reserved.

Code Snippet:

```
<!DOCTYPE html>
<html lang="en">
<head>
<head>
<meta charset="UTF-8" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>Mobile Shopping App</title>
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" />
<script src="https://kit.fontawesome.com/463f82e63e.js" crossorigin="anonymous"></script>
<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css" />
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>
<style> form {
max-width: 400px; margin: 0 auto;
}
.navbar-brand {
color: #fff !important;
}
.nav-link {
color: #fff !important;
}
a {
text-decoration: none;
```

```
}  
.dashboard-container { margin-top: 30px;  
}  
h1 {  
margin-bottom: 30px;  
}  
h2 {  
margin-bottom: 10px; margin-top: 50px;  
}  
.table th {  
font-weight: bold;  
}  
.table-actions {  
display: flex;  
}  
.action-button { margin-right: 10px;  
}  
.add-item-form div {  
margin: 10px auto 10px auto;  
}  
.navigation li {  
display: inline-block; margin-right: 15px;  
}  
.social-icons li { display: inline-block; margin-right: 15px;  
}  
.footer {  
background-color: #007bff; color: #fff;  
padding: 10px 0; margin-top: 10px;
```

```
}  
.footer a { color: #fff;  
}  
</style>  
</head>  
<body>  
<!-- Navbar -->  
<nav class="navbar navbar-expand-lg navbar-light bg-light" style="background-color: #007bff  
!important">  
<div class="container">  
<a class="navbar-brand" href="home.html" style="color: #fff">  
<img width="50" /> Mobile Shopping  
</a>  
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-  
target="#navbarNav"  
aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">  
<span class="navbar-toggler-icon"></span>  
</button>  
<div class="collapse navbar-collapse redirect" id="navbarNav">  
<ul class="navbar-nav ms-auto">  
<li class="nav-item">  
<a class="nav-link" href="home.html">Home</a>  
</li>  
<li class="nav-item">  
<a class="nav-link" href="categories.html">Categories</a>  
</li>  
<li class="nav-item">  
<a class="nav-link" href="#">Register</a>  
</li>
```

```
<li class="nav-item">
<a class="nav-link" href="login.html">Sign In</a>
</li>
<li class="nav-item">
<a class="nav-link" href="about_us.html">About Us</a>
</li>
</ul>
</div>
</div>
</nav>
<!-- Admin Dashboard -->
<div class="container dashboard-container">
<h1>Dashboard</h1>
<!-- Table to display all items -->
<table class="table table-bordered">
<thead>
<tr>
<th>Name</th>
<th>Description</th>
<th>Price</th>
<th>Category</th>
<th>Actions</th>
</tr>
</thead>
<tbody>
<!-- Replace the data placeholders with actual data from the backend -->
<tr>
<td>Item 1</td>
```

```
<td>Item 1 description</td>
<td>$99.99</td>
<td>Category 1</td>
<td>
<div class="table-actions">
<button class="btn btn-sm btn-danger action-button"> Delete
</button>
<button class="btn btn-sm btn-secondary action-button"> Edit Category
</button>
</div>
</td>
</tr>
<tr>
<td>Item 2</td>
<td>Item 2 description</td>
<td>$199.99</td>
<td>Category 2</td>
<td>
<div class="table-actions">
<button class="btn btn-sm btn-danger action-button"> Delete
</button>
<button class="btn btn-sm btn-secondary action-button"> Edit Category
</button>
</div>
</td>
</tr>
<!-- Add more table rows for each item -->
</tbody>
```

```
</table>

<!-- Buttons to add new items -->

<h2>Add New Item</h2>

<form class="add-item-form">

  <div class="form-group">

    <label for="item-name">Name</label>

    <input type="text" class="form-control" id="item-name" name="item-name" required />

  </div>

  <div class="form-group">

    <label for="item-description">Description</label>

    <textarea class="form-control" id="item-description" name="item-description" rows="3"
    required></textarea>

  </div>

  <div class="form-group">

    <label for="item-price">Price</label>

    <input type="number" class="form-control" id="item-price" name="item-price" required />

  </div>

  <div class="form-group">

    <label for="item-category">Category</label>

    <select id="item-category" name="item-category" class="form-control" required name="">

      <option value="">Laptop</option>

      <option value="">Mobile</option>

      <option value="">Camera</option>

    </select>

  </div>

  <button type="submit" class="btn btn-secondary">Add Item</button>

</form>

</div>

<!-- Footer -->
```



```
<footer class="footer text-center">
<div class="container">
<div class="row">
<div class="col-md-4">
<h5>Navigation</h5>
<ul class="list-unstyled navigation">
<li><a href="home.html">Home</a></li>
<li><a href="categories.html">Categories</a></li>
<li><a href="registration.html">Register</a></li>
<li><a href="login.html">Sign In</a></li>
<li><a href="about_us.html">About Us</a></li>
</ul>
</div>
<div class="col-md-4">
<h5>Socials</h5>
<ul class="list-unstyled social-icons">
<li>
<a href="#"><i class="fa-brands fa-facebook"></i> </a>
</li>
<li>
<a href="#"><i class="fa-brands fa-twitter"></i> </a>
</li>
<li>
<a href="#"><i class="fa-brands fa-instagram"></i> </a>
</li>
</ul>
</div>
<div class="col-md-4">
```

```
<p>&copy; 2023 Your Mobile Shopping App. All rights reserved.</p>
<!-- Add your copyright line -->
</div>
</div>
</div>
</footer>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
geWF76RCwLtnZ8qwWowPQNguL3RmwHVBC9FhGdlKrxdiJJigb/j/68SIy3Te4Bkz"
crossorigin="anonymous"></script>
</body>
</html>
```