Lab #1

Lab#1(b) Adding a external stylesheet to make registration form look elegant.

TAGS USED	ATTRIBUTES USED	DESCRIPTION
<HTML>	--	Write the description of HTML tags and attributes
<HEAD>	--	Write the title and meta tags here
<META>	CHARSET,NAME	its attributes for metadata.
<TITTLE>	--	Write the title your website
<STYLE>	--	
<BODY>	--	
<FORM>	ACTION,METHOD	attributes for user input and data submission.
<LABEL>	FOR	attribute of the corresponding input element
<INPUT>	TYPE,TEXT,EMAIL,TEL, PASSWORD,RESET,SUBMIT	

Final Outcome:

Lab #1

Code Snippet:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Practical1B</title>
    <link rel="stylesheet" href="prac1b.css">
   <link               rel="stylesheet"              href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css">
</head>
<body>
   <div class="container">
  <div class="heading">
    Welcome....
  </div>
    <form  action="#" method="get">

      <div class="ip-box-container">
        <div class="ip-box">
          <i class="fa-solid fa-user"></i>
          <input type="text" placeholder="Username">
         </div>
         <div class="ip-box">
         <i class="fa-solid fa-envelope"></i>
         <input type="email" placeholder="Email">
         </div>
         <div class="ip-box">
         <i class="fa-solid fa-phone"></i>
         <input type="tel" placeholder="Phone">
         </div>
         <div class="ip-box">
         <i class="fa-solid fa-lock"></i>
         <input type="password" placeholder="Password">
         </div>
         <div class="ip-box">
         <i class="fa-solid fa-lock"></i>
         <input type="password" placeholder="Confirm Password">
         </div>
         <div class="submit-box">

         <input type="reset">
         <input type="submit" >
         <a href="#">Log in instead</a>
         </div>

     </div>
   </form>
   </div>

</body>
```

</html>

CSS:

```css
@import url('https://fonts.googleapis.com/css2?family=Kanit:wght@300;400&family=Poppins:wght@300&family=Roboto:ital@0;1&family=Ubuntu:wght@300;400&display=swap');

*{
    margin:0;
    padding: 0;
    box-sizing: border-box;


font-family: 'Roboto', sans-serif;

}
body{
    background-color: #222;
    height: 100vh;
    width: 100vw;
    display: flex;
    justify-content: center;
    align-items: center;
}
  .container .heading{
   font-size: 2rem;
   position: absolute;
   top:20px;
   left: 50%;
   transform: translateX(-50%);
    color: #Fff;
    font-weight: 500;


}
.container {
  background: linear-gradient(to right,rgb(229, 255, 0),rgb(0, 128, 85));
  height: 460px;
   width: 35%;
 border-radius: 10px;
position: relative;
display: flex;

justify-content: center;
 align-items: center;


}
```

```css
.container form{
    height: 90%;
    display: flex;
    justify-content: center;
    align-items: center;

    width: 100%;
}
.container .ip-box-container{
    display: flex;
    flex-direction: column;
  gap:1.1rem; width:80%;


}
.container .ip-box{
    width: 100%;
    display: flex;
    background-color: #fff;
   padding: 0 10px;
    align-items: center;
}
.container .ip-box  i{
    color: rgb(26, 136, 170);
}
.container .ip-box input{
    background: none;
    border: none;
    outline: none;
}
.container .ip-box-container .ip-box input{
padding: 10px;
width: 100%;
}
.submit-box{
    display: flex;
    justify-content: space-between;
    margin-top: 10px;
    align-items: center;
}
.submit-box a{
    color: #fff;
}

.submit-box input{
    padding: 10px;
    width: 7rem;
    border-radius: 10px;
    border: none;
    background-color: rgb(24, 83, 172);
    color: #fff;
font-size: 0.91rem; letter-spacing: 0.04rem;
```

```
    transition: 0.5s ease;

}
.submit-box input:hover{
transform: scale(1.04);
  background-color: rgb(78, 125, 196);
    cursor: pointer;
}
```