


Lab#3(a) Implement Design web pages for mobile shopping application using HTML5, CSS3 and Bootstrap 5.

a. Home Page: list few products & few menus like category, registration, sign in and about us.

TAGS USED	ATTRIBUTES USED	DESCRIPTION
<HTML>	lang="en"	Write the description of HTML tags and attributes
<HEAD>	-	Contains meta-information about the document, such as title and CSS scripts.
<TITLE>	-	Defines the title of the document that appears in the browser's title bar.
<LINK>	rel, href	Links external resources, like CSS stylesheets, to the HTML document.
<BODY>	-	Contains the visible content of the document.
<NAV>	-	Defines a container for navigation links.
<DIV>	class	A generic container element for styling and layout purposes.
<A>	class, href	Creates hyperlinks and defines the URL they link to.
<BUTTON>	class, type, onclick	Defines a clickable button.
	class	Represents an unordered list.
	-	Represents an item in a list (or).
<H2>	-	Defines a level 2 heading.
<H5>	-	Defines a level 5 heading.
<P>	-	Defines a paragraph of text.
	src, alt, class	Embeds an image into the document with a specified source and alternate text.
<CARD>	-	Custom element representing a card-like container for content

Final Outcome:



Code Snippet:

```
<html>
<head>
  <title>Mobile Shopping App - Home</title>
  <!-- Include Bootstrap CSS -->
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css">
  <!-- Custom CSS -->
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <!-- Navbar -->
  <nav class="navbar navbar-expand-md navbar-light bg-light">
    <div class="container">
      <!-- Your logo/image -->
      <a class="navbar-brand" href="#">Mobile Shop</a>

      <!-- Navbar toggler for mobile -->
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNav">
        <ul class="navbar-nav ms-auto">
          <!-- Menu options -->
          <li class="nav-item">
            <a class="nav-link" href="P1B.html">Category</a>
          </li>
```

```
<li class="nav-item">
  <a class="nav-link" href="P1C.html">Registration</a>
</li>
<li class="nav-item">
  <a class="nav-link" href=" P1D.html ">Sign In</a>
</li>
<li class="nav-item">
  <a class="nav-link" href="#">About Us</a>
</li>
</ul>
</div>
</div>
</nav>
<!-- Main content -->
<div class="container mt-4">
  <h2>Featured Products</h2>
  <div class="row">
    <!-- Product 1 -->
    <div class="col-md-4">
      <div class="card">
        
        <div class="card-body">
          <h5 class="card-title">Iphone 14 Pro Max</h5>
          <p class="card-text">$1999</p>
          <a href="#" class="btn btn-primary">Buy Now</a>
        </div>
      </div>
    </div>
  </div>
</div>
```

```
<!-- Product 2 -->
<div class="col-md-4">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Vivo T1 5G</h5>
      <p class="card-text">$299.9</p>
      <a href="#" class="btn btn-primary">Buy Now</a>
    </div>
  </div>
</div>
<!-- Product 3 -->
<div class="col-md-4">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Samsung S20</h5>
      <p class="card-text">$599.9</p>
      <a href="#" class="btn btn-primary">Buy Now</a>
    </div>
  </div>
</div>
</div>
<!-- Include Bootstrap JS at the end of the body -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

Lab#3(b) Implement Design web pages for mobile shopping application using HTML5, CSS3 and Bootstrap 5.

b. Categories: display few products per each category and provide show more option for complete list.

Final Outcome:



Code Snippet:

```
<html>

<head>

  <title>Mobile Shopping App - Categories</title>

  <!-- Include Bootstrap CSS -->

  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css">

  <!-- Custom CSS -->

  <style>

    /* Add any custom styles here */

  </style>

</head>

<body>

  <!-- Navbar -->

  <nav class="navbar navbar-expand-md navbar-dark bg-dark">

    <div class="container">

      <a class="navbar-brand" href="#">Mobile Shop</a>

      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">

        <span class="navbar-toggler-icon"></span>

      </button>

      <div class="collapse navbar-collapse" id="navbarNav">

        <ul class="navbar-nav ml-auto">

          <li class="nav-item">

            <a class="nav-link" href="#categories">Categories</a>

          </li>

          <li class="nav-item">
```

```
<a class="nav-link" href="#registration">Registration</a>
</li>
<li class="nav-item">
  <a class="nav-link" href="#signin">Sign In</a>
</li>
<li class="nav-item">
  <a class="nav-link" href="#aboutus">About Us</a>
</li>
</ul>
</div>
</div>
</nav>
<!-- Main content -->
<div class="container mt-4" id="categories">
  <h2 class="mb-4">Categories</h2>
  <!-- Category 1 -->
  <div class="category">
    <h3>Android Phone</h3>
    <div class="row">
      <div class="col-md-4 mb-4">
        <div class="card">
          
          <div class="card-body">
            <h5 class="card-title">nothing Phone 1</h5>
            <p class="card-text">$599.9</p>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
```




```
<div class="col-md-4 mb-4">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Vivo T1 5G</h5>
      <p class="card-text">$499.9</p>
    </div>
  </div>
</div>
</div>
<!-- Add more product cards for Category 1 here -->
</div>
<div class="text-center mt-2">
  <button class="btn btn-primary">Show More</button>
  <!-- Implement JavaScript to load more products for Category 1 -->
</div>
</div>
<!-- Category 2 -->
<div class="category mt-4">
  <h3>IPhone</h3>
  <div class="row">
    <div class="col-md-4 mb-4">
      <div class="card">
        
        <div class="card-body">
          <h5 class="card-title">Iphone 13</h5>
          <p class="card-text">$799.9</p>
        </div>
      </div>
    </div>
  </div>
</div>
```

```
</div>
<div class="col-md-4 mb-4">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Iphone 14</h5>
      <p class="card-text">$999.9</p>
    </div>
  </div>
</div>
</div>
<!-- Add more product cards for Category 2 here -->
</div>
<div class="text-center mt-2">
  <button class="btn btn-primary">Show More</button>
  <!-- Implement JavaScript to load more products for Category 2 -->
</div>
</div>
<!-- Add more categories with "Show More" buttons as needed -->
</div>
<!-- Include Bootstrap JS at the end of the body -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

Lab#3(C) Implement Design web pages for mobile shopping application using HTML5, CSS3 and Bootstrap 5.

c. User registration web page

Final Outcome:



The screenshot displays a user registration form within a dark-themed header. The header contains navigation links: 'Mobile Shop', 'Categories', 'Registration', 'Sign In', and 'About Us'. The main heading of the page is 'User Registration'. The form consists of four text input fields with placeholder text: 'Full Name' (placeholder: 'Enter your full name'), 'Email address' (placeholder: 'Enter your email address'), 'Password' (placeholder: 'Enter your password'), and 'Confirm Password' (placeholder: 'Confirm your password'). Below these fields is a checkbox labeled 'I agree to the [Terms and Conditions](#)'. At the bottom of the form is a blue 'Register' button.

Code Snippet:

```
<html>
<head>
  <title>Mobile Shopping App - User Registration</title>
  <!-- Include Bootstrap CSS -->
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css">
  <!-- Custom CSS -->
  <style>
    body {
      font-family: Arial, sans-serif;
    }
    form {
      max-width: 400px;
      margin: 0 auto;
    }
    label {
      display: block;
      margin-bottom: 8px;
    }
    input[type="text"],
    input[type="email"],
    input[type="password"] {
      width: 100%;
      padding: 10px;
      margin-bottom: 20px;
    }
    input[type="submit"] {
```

```
background-color: #4CAF50;
color: white;
padding: 10px 20px;
border: none;
cursor:
    pointer;
}
</style>
</head>
<body>
<!-- Navbar -->
<nav class="navbar navbar-expand-md navbar-dark bg-dark">
  <div class="container">
    <a class="navbar-brand" href="#">Mobile Shop</a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav"
      aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNav">
      <ul class="navbar-nav ml-auto">
        <li class="nav-item">
          <a class="nav-link" href="#categories">Categories</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#registration">Registration</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="#signin">Sign In</a>
        </li>
      </ul>
    </div>
  </div>
</nav>
```


```
</li>
<li class="nav-item">
  <a class="nav-link" href="#aboutus">About Us</a>
</li>
</ul>
</div>
</div>
</nav>
<!-- Main content -->
<div class="container mt-4">
  <h2>User Registration</h2>
  <form>
    <div class="form-group">
      <label for="fullname">Full Name</label>
      <input type="text" class="form-control" id="fullname" placeholder="Enter your full name"
required>
    </div>
    <div class="form-group">
      <label for="email">Email address</label>
      <input type="email" class="form-control" id="email" placeholder="Enter your email
address" required>
    </div>
    <div class="form-group">
      <label for="password">Password</label>
      <input type="password" class="form-control" id="password" placeholder="Enter your
password" required>
    </div>
    <div class="form-group">
      <label for="confirmPassword">Confirm Password</label>
```

```
<input type="password" class="form-control" id="confirmPassword"
placeholder="Confirm your password"
required>
</div>
<div class="form-group form-check">
  <input type="checkbox" class="form-check-input" id="termsCheckbox" required>
  <label class="form-check-label" for="termsCheckbox">I agree to the <a href="#">Terms
and Conditions</a></label>
</div>
<button type="submit" class="btn btn-primary">Register</button>
</form>
</div>
<!-- Include Bootstrap JS at the end of the body -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

Lab#3(D) Implement Design web pages for mobile shopping application using HTML5, CSS3 and Bootstrap 5.

d. Login page for User

Final Outcome:



Login

Email

Password

Login

Don't have an account? [Register here](#)

Code Snippet:

```
<html>
<head>
  <title>Mobile Shopping App - Login</title>
  <!-- Include Bootstrap CSS -->
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css">
  <!-- Custom CSS -->
  <style>
    /* Add any custom styles here */
    body {
      background-color: #f8f9fa;
    }
    .login-container {
      max-width: 400px;
      margin: 0 auto;
      padding: 20px;
      background-color: #fff;
      box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
      border-radius: 8px;
      margin-top: 100px;
    }
    .login-container h2 {
      text-align: center;
    }
    .form-group {
      margin-bottom: 15px;
    }
  </style>
</head>
<body>
  <div class="login-container">
    <h2 class="text-center">Login</h2>
    <div class="form-group">
      <input type="text" class="form-control" value="Username" />
    </div>
    <div class="form-group">
      <input type="password" class="form-control" value="Password" />
    </div>
    <div class="text-center">
      <button type="button" class="btn btn-primary">Login</button>
    </div>
  </div>
</body>
</html>
```

Lab #3

```
.btn-login {  
    width: 100%;  
}  
  
</style>  
</head>  
<body>  
    <!-- Main content -->  
    <div class="container">  
        <div class="login-container">  
            <h2>Login</h2>  
            <form action="#" method="POST">  
                <div class="form-group">  
                    <label for="email">Email</label>  
                    <input type="email" id="email" name="email" class="form-control" required>  
                </div>  
                <div class="form-group">  
                    <label for="password">Password</label>  
                    <input type="password" id="password" name="password" class="form-control" required>  
                </div>  
                <button type="submit" class="btn btn-primary btn-login">Login</button>  
            </form>  
            <p class="mt-3 text-center">Don't have an account? <a href="#">Register here</a></p>  
        </div>  
    </div>  
    <!-- Include Bootstrap JS at the end of the body -->  
    <script  
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>  
</body>  
</html>
```

Lab#3(E) Implement Design web pages for mobile shopping application using HTML5, CSS3 and Bootstrap 5.

e. Detailed product page

Final Outcome:



iPhone 14 Pro Max

The iPhone 14 Pro Max: Unparalleled performance, stunning design. Experience the pinnacle of mobile technology.

\$1999

Add to Cart

Material: Cotton

Color: Blue

Size: Medium

Code Snippet:

```
<!DOCTYPE html>

<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Mobile Shopping App - Product Page</title>
  <!-- Bootstrap 5 CSS -->
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css">
  <!-- Custom CSS -->
  <link rel="stylesheet" href="styles.css">
</head>

<body>
  <!-- Product Page Content -->
  <div class="container">
    <div class="row">
      <div class="col-md-6 offset-md-3">
        
        <h2>Iphone 14 Pro Max</h2>
        <p class="text-muted">The iPhone 14 Pro Max: Unparalleled performance, stunning design.
Experience the pinnacle of mobile technology.</p>
        <h3>$1999</h3>
        <div class="rating">
          <!-- You can use a rating system here (e.g., stars or thumbs up/down) -->
        </div>
      </div>
    </div>
  </div>
</body>
</html>
```

Lab #3

```
</div>
<button class="btn btn-primary">Add to Cart</button>
<hr>
<!-- Additional Product Information -->
<ul>
  <li>Material: Cotton</li>
  <li>Color: Blue</li>
  <li>Size: Medium</li>
  <!-- Add more details here as needed -->
</ul>
</div>
</div>
</div>


<!-- Bootstrap 5 JS and dependencies -->
<script
src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.9.1/dist/umd/popper.min.js"></script>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.min.js"></script>
</body>

</html>
```

Lab#3(F) Implement Design web pages for mobile shopping application using HTML5, CSS3 and Bootstrap 5.

f. Admin login

Final Outcome:



Code Snippet:

```
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>Mobile Shopping App</title>
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
/>
<script src="https://kit.fontawesome.com/463f82e63e.js" crossorigin="anonymous"
></script>
```

Lab #3

```
<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>

<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
/>

<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>

<style> form {
max-width: 400px; margin: 0 auto;
}
.navbar-brand {
color: #fff !important;
}
.nav-link {
color: #fff !important;
}
form {
max-width: 400px; margin: 0 auto;
}
.redirect{ color: #fff;
}
</style>
</head>
<body>
<!-- Navbar -->
<nav
class="navbar navbar-expand-lg navbar-light bg-light" style="background-color: #007bff !important"
>
<div class="container">
```

```
<a class="navbar-brand" href="home.html" style="color: #fff">
<img width="50" /> Mobile Shopping
</a>
<button
class="navbar-toggler" type="button"
data-bs-toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false"
aria-label="Toggle navigation"
>
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse redirect" id="navbarNav">
<ul class="navbar-nav ms-auto">
<li class="nav-item">
<a class="nav-link" href="home.html">Home</a>
</li>
<li class="nav-item">
<a class="nav-link" href="categories.html">Categories</a>
</li>
<li class="nav-item">
<a class="nav-link" href="registration.html">Register</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">Sign In</a>
</li>
<li class="nav-item">
<a class="nav-link" href="about_us.html">About Us</a>
</li>
</ul>
```




```
</div>
</div>
</nav>
<!-- Admin Sign-In Section -->
<section class="container mt-4">
<h2>Admin Sign-In</h2>
<form>
<div class="form-group">
<label for="adminUsername">Admin Username</label>
<input type="text"
class="form-control" id="adminUsername"
placeholder="Enter your admin username" required
/>
</div>
<div class="form-group">
<label for="adminPassword">Password</label>
<input type="password" class="form-control" id="adminPassword"
placeholder="Enter your password" required
/>
</div>
<button type="submit" class="btn btn-primary mt-3">
<a class="redirect" href="managment_page.html">Sign In</a>
</button>
</form>
<p class="mt-3">Back to <a href="login.html">Customer Login</a></p>
</section>
</body>
</html>
```

Lab#3(G) Implement Design web pages for mobile shopping application using HTML5, CSS3 and Bootstrap 5.

e. Management of category & product (insert, update and delete product and categories)

Final Outcome:



The screenshot displays a web application for mobile shopping. At the top, a blue navigation bar contains the text "Mobile Shopping" and links for "Home", "Categories", "Register", "Sign In", and "About Us". Below this is a "Dashboard" section featuring a table with two items. The table has columns for Name, Description, Price, Category, and Actions. Item 1 has a price of \$99.99 and belongs to Category 1. Item 2 has a price of \$199.99 and belongs to Category 2. Each item has "Delete" and "Edit Category" buttons. Below the table is an "Add New Item" form with input fields for Name, Description, Price, and Category, and an "Add Item" button. The bottom of the page features a blue footer with "Navigation" links, "Socials" icons, and a copyright notice: "© 2023 Your Mobile Shopping App. All rights reserved."

Name	Description	Price	Category	Actions
Item 1	Item 1 description	\$99.99	Category 1	Delete Edit Category
Item 2	Item 2 description	\$199.99	Category 2	Delete Edit Category

Add New Item

Name

Description

Price

Category

Navigation
[Home](#) [Categories](#) [Register](#) [Sign In](#) [About Us](#)

Socials
[Facebook](#) [Twitter](#) [Instagram](#)

© 2023 Your Mobile Shopping App. All rights reserved.

Code Snippet:

```
<!DOCTYPE html>
<html lang="en">
<head>
<head>
<meta charset="UTF-8" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>Mobile Shopping App</title>
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" />
<script src="https://kit.fontawesome.com/463f82e63e.js" crossorigin="anonymous"></script>
<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
<link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css" />
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>
<style> form {
max-width: 400px; margin: 0 auto;
}
.navbar-brand {
color: #fff !important;
}
.nav-link {
color: #fff !important;
}
a {
text-decoration: none;
```

```
}  
.dashboard-container { margin-top: 30px;  
}  
h1 {  
margin-bottom: 30px;  
}  
h2 {  
margin-bottom: 10px; margin-top: 50px;  
}  
.table th {  
font-weight: bold;  
}  
.table-actions {  
display: flex;  
}  
.action-button { margin-right: 10px;  
}  
.add-item-form div {  
margin: 10px auto 10px auto;  
}  
.navigation li {  
display: inline-block; margin-right: 15px;  
}  
.social-icons li { display: inline-block; margin-right: 15px;  
}  
.footer {  
background-color: #007bff; color: #fff;  
padding: 10px 0; margin-top: 10px;
```

```
}  
.footer a { color: #fff;  
}  
</style>  
</head>  
<body>  
<!-- Navbar -->  
<nav class="navbar navbar-expand-lg navbar-light bg-light" style="background-color: #007bff  
!important">  
<div class="container">  
<a class="navbar-brand" href="home.html" style="color: #fff">  
<img width="50" /> Mobile Shopping  
</a>  
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-  
target="#navbarNav"  
aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">  
<span class="navbar-toggler-icon"></span>  
</button>  
<div class="collapse navbar-collapse redirect" id="navbarNav">  
<ul class="navbar-nav ms-auto">  
<li class="nav-item">  
<a class="nav-link" href="home.html">Home</a>  
</li>  
<li class="nav-item">  
<a class="nav-link" href="categories.html">Categories</a>  
</li>  
<li class="nav-item">  
<a class="nav-link" href="#">Register</a>  
</li>
```

```
<li class="nav-item">
<a class="nav-link" href="login.html">Sign In</a>
</li>
<li class="nav-item">
<a class="nav-link" href="about_us.html">About Us</a>
</li>
</ul>
</div>
</div>
</nav>
<!-- Admin Dashboard -->
<div class="container dashboard-container">
<h1>Dashboard</h1>
<!-- Table to display all items -->
<table class="table table-bordered">
<thead>
<tr>
<th>Name</th>
<th>Description</th>
<th>Price</th>
<th>Category</th>
<th>Actions</th>
</tr>
</thead>
<tbody>
<!-- Replace the data placeholders with actual data from the backend -->
<tr>
<td>Item 1</td>
```

```
<td>Item 1 description</td>
<td>$99.99</td>
<td>Category 1</td>
<td>
<div class="table-actions">
<button class="btn btn-sm btn-danger action-button"> Delete
</button>
<button class="btn btn-sm btn-secondary action-button"> Edit Category
</button>
</div>
</td>
</tr>
<tr>
<td>Item 2</td>
<td>Item 2 description</td>
<td>$199.99</td>
<td>Category 2</td>
<td>
<div class="table-actions">
<button class="btn btn-sm btn-danger action-button"> Delete
</button>
<button class="btn btn-sm btn-secondary action-button"> Edit Category
</button>
</div>
</td>
</tr>
<!-- Add more table rows for each item -->
</tbody>
```

```
</table>

<!-- Buttons to add new items -->

<h2>Add New Item</h2>

<form class="add-item-form">

  <div class="form-group">

    <label for="item-name">Name</label>

    <input type="text" class="form-control" id="item-name" name="item-name" required />

  </div>

  <div class="form-group">

    <label for="item-description">Description</label>

    <textarea class="form-control" id="item-description" name="item-description" rows="3"
    required></textarea>

  </div>

  <div class="form-group">

    <label for="item-price">Price</label>

    <input type="number" class="form-control" id="item-price" name="item-price" required />

  </div>

  <div class="form-group">

    <label for="item-category">Category</label>

    <select id="item-category" name="item-category" class="form-control" required name="">

      <option value="">Laptop</option>

      <option value="">Mobile</option>

      <option value="">Camera</option>

    </select>

  </div>

  <button type="submit" class="btn btn-secondary">Add Item</button>

</form>

</div>

<!-- Footer -->
```



```
<footer class="footer text-center">
<div class="container">
<div class="row">
<div class="col-md-4">
<h5>Navigation</h5>
<ul class="list-unstyled navigation">
<li><a href="home.html">Home</a></li>
<li><a href="categories.html">Categories</a></li>
<li><a href="registration.html">Register</a></li>
<li><a href="login.html">Sign In</a></li>
<li><a href="about_us.html">About Us</a></li>
</ul>
</div>
<div class="col-md-4">
<h5>Socials</h5>
<ul class="list-unstyled social-icons">
<li>
<a href="#"><i class="fa-brands fa-facebook"></i> </a>
</li>
<li>
<a href="#"><i class="fa-brands fa-twitter"></i> </a>
</li>
<li>
<a href="#"><i class="fa-brands fa-instagram"></i> </a>
</li>
</ul>
</div>
<div class="col-md-4">
```

```
<p>&copy; 2023 Your Mobile Shopping App. All rights reserved.</p>
<!-- Add your copyright line -->
</div>
</div>
</div>
</footer>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
geWF76RCwLtnZ8qwWowPQNguL3RmwHVBC9FhGdlKrxdiJJigb/j/68SIy3Te4Bkz"
crossorigin="anonymous"></script>
</body>
</html>
```