Discord API

+
discord.py


W tej prezentacji


- Czym jest Discord API?
 - API(Application Programming Interface) służący do komunikacji między klientem a serwerem.
 - Pozwala programistom robić botów i aplikacje, współdziałające z serwerami, kanałami, wiadomościami i użytkownikami Discord.
- Czym jest discord.py?
 - Biblioteka dla Python-a ułatwiająca interakcję z Discord API.
 - Łatwa w użyciu i zoptymalizowana do tworzenia botów i integracji.


Instalacja biblioteki


(.venv) PS C:\Users\nikit\PycharmProjects\JPWP> pip install discord

Jest potrzebny python 3.10+










Applications

Teams

Embed Debugger

Documentation

Applications





Find the perfect feature set for your game in our Game SDK, and sign up for Server Commerce to start selling directly in your server. Get started by creating a new application. We can't wait to see what you make!

Sort By: Date Created 🗸


Small Large

My Applications



You don't have any applications yet, sad face.

Click New Application above to get started.



ACTIVITIES

Getting Started

Bot



Bring your app to life on Discord with a Bot user. Be a part of chat in your users' servers and interact with them directly.

Learn more about bot users

Build-A-Bot

Bring your app to life by adding a bot user. This action is irreversible (because robots are too cool to destroy).

BANNER Size: 680x240

USERNAME

My_App #9956

OKEN

For security purposes, tokens can only be viewed once, when created. If you forgot or lost access to your token, please regenerate a new one.

Reset Token

Authorization Flow

These settings control how OAuth2 authorizations are restricted for your bot (who can add your bot and how it is added).

PUBLIC BOT

Public bots can be added by anyone. When unchecked, only you can join this bot to servers.




REQUIRES OAUTH2 CODE GRANT


If your application requires multiple scopes then you may need the full OAuth2 flow to ensure a bot doesn't join before your application is granted a token.




Privileged Gateway Intents

		OAuth2 URL Generator		
← Back to Applications		Generate an invite link for your application by	picking the scopes and permissions it needs to function. Then,	share the URL to others!
SELECTED APP		SCOPES		
My_App	~	identify	openid	email
SETTINGS		connections	guilds	guilds.join
General Information		guilds.members.read	gdm.join	rpc
		rpc.notifications.read	rpc.voice.read	rpc.voice.write
nstallation	_	rpc.video.read	rpc.video.write	rpc.screenshare.read
OAuth2		rpc.screenshare.write	rpc.activities.write	✓ bot
⊜ Bot		webhook.incoming	messages.read	applications.builds.upload
Rich Presence	>	applications.builds.read	applications.commands	applications.store.update
	ĺ	applications.entitlements	activities.read	activities.write
App Testers		relationships.read	relationships.write	voice
MONETIZATION		dm_channels.read	role_connections.write	presences.read
+ Getting Started		presences.write	dm_channels.messages.read	dm_channels.messages.write
ACTIVITIES		applications.commands.permissions.up	date	
+ Getting Started		BOT PERMISSIONS		
		GENERAL PERMISSIONS Administrator	Send Messages	Connect
		View Audit Log	Create Public Threads	Speak
		Manage Server	Create Private Threads	Video
		Manage Roles	Send Messages in Threads	Mute Members
		Manage Channels	Send TTS Messages	Deafen Members
		Kick Members	Manage Messages	Move Members
		Ban Members	Manage Threads	Use Voice Activity
		Create Instant Invite	Embed Links	Priority Speaker
		Change Nickname	Attach Files	Request To Speak
		Manage Nicknames	Read Message History	Use Embedded Activities
		Manage Expressions	Mention Everyone	Use Soundboard







https://github.com/Rapptz/discord.py




https://discordpy.readthedocs.io/en/stable/api.html



https://discord.com/developers/docs/intro



```
import discord
from discord.ext import commands
import token
intents = discord.Intents.default()
intents.message_content = True
bot = commands.Bot(command_prefix='>', intents=intents)
                      11M
@bot.command()
async def ping(ctx):
   await ctx.send('pong')
bot.run(token.token) # YOUR TOKEN HERE
```



Pytania?