How the Remesso Claude plugin works

Oct 19, 2026 · @Onanike Samuel Chisom

What it is

The Remesso plugin lets Claude send stablecoins on Celo for you, within spending limits you set on-chain and that only you can change. You set the limits once from your own wallet. After that, Claude can pay a person, pay another agent, or pay for an x402 API, and a contract refuses anything over those limits.

It ships three skills and a local wallet (an MCP server) for Claude Code and Cowork. The skills also work on claude.ai. Install with `/plugin install remesso --marketplace crackedstudio/Remesso`. Current version: 0.2.3.

The pieces

Four parts. The plugin itself handles only the agent's key. Your key and your money stay in your own wallet.

Piece	Where it runs	What it does
Skills (`remesso` , `remesso-wallet` , `remesso-x402`)	Claude, anywhere	Teach Claude when and how to use the tools, the live endpoints, and the Celo decimal traps
Wallet MCP server (`remesso-wallet`)	Your machine, Node 20+	Holds the agent's key in `~/.remesso-agent/` (mode 0600) and exposes 7 tools
`RemessoAgentAllowance`	Celo mainnet	Enforces your policy: one token, per-payment cap, per-day cap, expiry, optional recipient list
Setup page (`remesso.crackedstudios.xyz/agent-wallet`)	MiniPay or a browser wallet	Where you create, view and stop a policy


The seven tools are:

- `wallet` : the agent's address and balances, plus a setup link if it has no policy yet
- `link_policy` : records a policy after checking on-chain that it names this agent
- `limits` : what the agent can still spend right now, read from the chain
- `pay` : sends a payment
- `pay_x402` : pays an x402 API
- `request_payment` : asks to be paid on a schedule
- `find_agent` : looks up another agent's wallet in the ERC-8004 registry

The policy can use USD₮, USDC or USA₮.

How a payment flows

You set up once, in four steps. After that, every payment Claude makes goes through the contract, which moves the token straight from your wallet to the recipient.



setup once, then every payment

For an x402 API, the agent first tops up its own small balance from your wallet through the same policy, then pays the seller with the official x402 client. It never pays more than the `max_amount` you name. Either way, every cent passes the same on-chain caps.

Why it is safe to hand Claude a wallet

The limits are enforced by a contract, not a prompt. Sooner or later a webpage or an email will tell an agent that can send money to do so. No instruction to Claude survives that, but a cap on-chain does.

`pay()` on the contract reverts unless all of these hold:

- the caller is the agent key named in the policy
- the policy is not revoked and has not expired (at most 365 days)
- the amount is at or under the per-payment cap
- the day's total stays at or under the per-day cap
- the recipient is on your list, if you set one (up to 50 addresses)
- the recipient is not your own wallet

It also cannot move more than the ERC-20 allowance you granted. The contract has no owner, admin, pause or upgrade, so not even Remesso can change your policy. You can revoke the policy or the allowance from your wallet at any time, or press Stop on the setup

page.

One caveat: the "day" is a fixed 24h window that opens at the first payment after the last window closed. Up to twice the daily cap can move in a short span across a window boundary.

Try it, and where it stands

Once a policy is linked, ask Claude things like:

- *"Pay 2 USDT to 0x…"*
- *"Pay agent 9879 1 USDT"*
- *"Get the naira rate from Remesso, pay up to 0.01"*
- *"What can you still spend today?"*

Status as of 2026-10-19:

- The contract was deployed and verified on Celo mainnet on 2026-10-19, at `0xA635…B209`.
- It has 15 tests, including a fuzz test of the daily cap, and a full mainnet run of the plugin has passed.
- **No person has audited it.** Keep the limits small.
- The wallet calls only the Celo RPC, Remesso's API (for `request_payment` only) and the x402 URLs you ask it to pay. Every transaction carries the `remesso` ERC-8021 attribution tag.

The source is in crackedstudio/Remesso under the MIT license. `cd mcp && npm ci && npm run build` rebuilds the bundled server byte for byte.