

× Create a project

Let's start with a name for
your project[?]

Project name

Atlantic Chestnut 2

atlantic-chestnut-2

No organization

Already have a Google Cloud project?
[Add Firebase to Google Cloud project](#)

Continue

Step 1 — Create Firebase project (5 min)

Go to
<https://console.firebase.google.com>
→ Create your own account → Add project



Google Analytics for your Firebase project

Google Analytics is a free and unlimited analytics solution that enables targeting, reporting, and more in Firebase Crashlytics, Cloud Messaging, In-App Messaging, Remote Config, A/B Testing, and Cloud Functions.

Google Analytics enables:

- ×
- A/B testing ?
- ×
- Breadcrumb logs in Crashlytics ?
- ×
- User segmentation & targeting across Firebase products ?
- ×
- Event-based Cloud Functions triggers ?
- ×
- Free unlimited reporting ?

☐

Enable Google Analytics for this project
Recommended

Disable Google Analytics — you don't need it.

[Previous](#)

Create project



🔥

Firebase

🔍

Search for products

🏠

Project Overview

⚙️

Settings

>

Product categories

Databases & Storage

>

Security

>

AI services

>

Hosting & Serverless

>

DevOps & Engagement

>

Analytics

>

🛡️

App Check

👤

Authentication

☎️

Phone Verification

Spark

No-cost (\$0/month)

Upgrade

<

Atlantic Chestnut 2 ▾

🔔

Try agent skills to help your AI coding assistants get started with Firebase quickly

[Learn more](#)

✕

Atlantic Chestnut 2

Spark plan

+

Add app

Hello, Leo

Welcome to your Firebase project!

Gemini can give you suggestions for Firebase services and solutions for your app

Next steps with Gemini

[View docs](#)

💠

Tell us about your app

Describe your app, and Gemini will suggest products to help you get started

💠

Add Analytics and monitoring

Learn more about Google Analytics and Firebase monitoring products

💠

Build a backend

Firebase offers many backend services, including both SQL and NoSQL database options. Learn more about which services might be right for your app.

💠

Add AI to your app

Learn more about integrating AI into your app

💠

Monetize your app

Learn more about AdMob, personalizing user experience, and increasing revenue

💠

Host a web app

Build and deploy modern, full-stack web apps

👤

🔔

🌟

?

📄

🎓

🌙

Once created, in the left sidebar:

a) Enable Authentication

Security → Authentication → Get started

Search for products

Project Overview

Settings

Project shortcuts

Authentication

Product categories

Databases & Storage

Security

AI services

Hosting & Serverless

DevOps & Engagement

Analytics

Spark

No-cost (\$0/month)

Upgrade

Atlantic Chestnut 2

Authentication

Users

Sign-in method

Templates

Usage

Settings

Extensions

Sign-in providers

Email/Password

Enable

Allow users to sign up using their email address and password. Our SDKs also provide email address verification, password recovery, and email address change primitives. [Learn more](#)

Email link (passwordless sign-in)

Enable

Cancel

Save

Advanced

SMS Multi-factor Authentication

Allow your users to add an extra layer of security to their account. Once enabled, integrated and configured, users can sign in to their account in two steps, using SMS. [Learn more](#)

MFA and other advanced features are available with Identity Platform, Google Cloud's complete customer identity solution built in partnership with Firebase. This upgrade is available on both the Spark and Blaze plans.

Upgrade to enable

L

Search for products

Project Overview

Settings

Project shortcuts

Authentication

Product categories

Databases & Storage

Security

AI services

Hosting & Serverless

DevOps & Engagement

Analytics

Spark

No-cost (\$0/month)

Upgrade

Atlantic Chestnut 2

Authentication

UsersSign-in methodTemplatesUsageSettingsExtensions

Settings

User account management

User account linking

User actions

Blocking functions

User activity logging

Sign-up quota

Password policy

Domains

Authorized domains

SMS

SMS region policy

Fraud prevention

reCAPTCHA

User actions

Allow or forbid users from performing the following actions on their own accounts. You can always perform these actions using the Admin SDK. [Learn more](#)

☐

Enable create (sign-up)

☒

Enable delete

☒

Email enumeration protection (recommended)

Discard changes

Save

Settings tab → User actions → Uncheck "Enable create" (disables self-signup)

L

🔔

🌟

?

📄

🎓

🔄

🔍

Search for products

🏠

Project Overview

⚙️

Settings

>

Project shortcuts

🗄️

Realtime Database

👤

Authentication

Product categories

Databases & Storage

>

Security

>

AI services

>

Hosting & Serverless

>

DevOps & Engagement

>

Analytics

>

PostgreSQL

🔗

SQL Connect

NoSQL

🔥

Firestore

🗄️

Realtime Database

Object storage

📁

Storage

Spark

No-cost (\$0/month)

Upgrade

https://console.firebase.google.com/u/0/project/atlantic-chestnut-2/database

Atlantic Chestnut 2

Spark plan

Try agent skills to help your AI coding assistants get started with Firebase quickly

Learn more

✕

Atlantic Chestnut 2

Spark plan

+ Add app

Hello, Leo

Welcome to your Firebase project!

Gemini can give you suggestions for Firebase services and solutions for your app

Next steps with Gemini

View docs

💠

Tell us about your app

Describe your app, and Gemini will suggest products to help you get started

💠

Add Analytics and monitoring

Learn more about Google Analytics and Firebase monitoring products

💠

Build a backend

Firebase offers many backend services, including both SQL and NoSQL database options. Learn more about which services might be right for your app.

💠

Add AI to your app

Learn more about integrating AI into your app

💠

Monetize your app

Learn more about AdMob, personalizing user experience, and increasing revenue

💠

Host a web app

Build and deploy modern, full-stack web apps

b) Enable Realtime Database

Database & Storage → Realtime Database → Create database

Search for products

Project Overview

Settings

Project shortcuts

Realtime Database

Authentication

Product categories

Databases & Storage

Security

AI services

Hosting & Serverless

DevOps & Engagement

Analytics

Atlantic Chestnut 2

Realtime Database

Store and sync data in real time

Create Database

Ask Gemini

Set up database

1 Database options

2 Security rules

Your location setting is where your Realtime Database data will be stored.

Realtime Database location

United States (us-central1)

Cancel

Next

Location: United States (us-central1)

How much will Realtime Database cost?

View pricing

Database

Watch on YouTube

More products for developers

Functions


Storage

Hosting

Spark

No-cost (\$0/month)

Upgrade



Start in locked mode — we'll
paste real rules next.

Set up database

- Database options
- 2 Security rules

Once you have defined your data structure you will have to write rules to secure your data.
[Learn more](#)

- ☒ Start in **locked mode**
Your data is private by default. Client read/write access will only be granted as specified by your security rules.
- ☐ Start in **test mode**
Your data is open by default to enable quick setup. However, you must update your security rules within 30 days to enable long-term client read/write access.

```
{  
  "rules": {  
    ".read": false,  
    ".write": false  
  }  
}
```

i All third party reads and writes will be denied

Cancel

Enable

Search for products

Project Overview

Settings

Project shortcuts

Realtime Database

Authentication

Product categories

Databases & Storage

Security

AI services

Hosting & Serverless

DevOps & Engagement

Analytics

Spark

No-cost (\$0/month)

Upgrade

Atlantic Chestnut 2

Realtime Database

Need help with Realtime Database? Ask Gemini

Data

Rules

Backups

Usage

Extensions

unpublished changes

Publish

Discard

Rules playground

★ Default security rules are locked from access

Learn more

Dismiss

1 {

2 "rules": {

3 ".read": false,

4 ".write": false,

5 "state": {

6 ".read": "auth != null",

7 ".write": "auth != null && root.child('allowlist').child(auth.token.email.replace('.', ',')).exists()",

8 ".validate": "newData.hasChildren(['_clientId', '_ts', '_by'])"

9 },

10

11 "triage": {

12 ".read": "auth != null",

13 "\$deliveryId": {

14 "pieces": {

15 ".write": "auth != null && root.child('allowlist').child(auth.token.email.replace('.', ',')).exists()",

16 "\$tagKey": {

17 ".validate": "newData.hasChild('status')"

18 }

19 },

20 "meta": {

21 ".write": "auth != null && root.child('allowlist').child(auth.token.email.replace('.', ',')).exists()"

22 }

23 }

24 },

25

26 "warehouse": {

27 ".read": "auth != null",

28 "items": {

29 ".indexOn": ["receivedAt"],

30 "\$itemId": {

31 ".write": "auth != null && root.child('allowlist').child(auth.token.email.replace('.', ',')).exists()",

32 ".validate": "newData.hasChildren(['where', 'receivedAt', 'receivedBy', 'status']) && newData.child('status').val() == 'in_stock'"

33 }

34 }

35 },

36

37 "history": {

38 ".read": "auth != null",

39 "\$pushId": {

40 ".write": "auth != null && !data.exists() && root.child('allowlist').child(auth.token.email.replace('.', ',')).exists()",

41 ".validate": "newData.hasChildren(['ts', 'user', 'desc']) && newData.child('user').val() == auth.token.email"

42 }

43 },

44

45 "presence": {

46 ".read": "auth != null",

47 "\$uid": {

48 ".write": "auth != null && auth.uid == \$uid && root.child('allowlist').child(auth.token.email.replace('.', ',')).exists()",

49 ".validate": "newData.hasChildren(['email', 'since']) && newData.child('email').val() == auth.token.email"

50 }

51 },

52

53 "allowlist": {

54 ".read": false,

55 ".write": false,

56 "\$emailKey": {

elevations.js

firebase-config.js

firebase-database-rules.json

index.html

package.json

README.md

recover.html

SETUP.md

SF01-elevation.html

state.json

vercel.json

Once created, click the Rules tab.

Replace the contents with the contents of firebase-database-rules.json from this project.

Publish.

Search for products

Project Overview

Settings

Project shortcuts

Realtime Database

Authentication

Product categories

Databases & Storage

Security

AI services

Hosting & Serverless

DevOps & Engagement

Analytics

Spark

No-cost (\$0/month)

Upgrade

Atlantic Chestnut 2

Try agent skills to help your AI coding assistants get started with Firebase quickly

Learn more

Atlantic Chestnut 2

Spark plan

iOS+

</>

Select a platform

Hello, Leo

Welcome to your Firebase project!

Gemini can give you suggestions for Firebase services and solutions for your app

Next steps with Gemini

View docs

Tell us about your app

Describe your app, and Gemini will suggest products to help you get started

Add Analytics and monitoring

Learn more about Google Analytics and Firebase monitoring products

Build a backend

Firebase offers many backend services, including both SQL and NoSQL database options. Learn more about which services might be right for your app.

Add AI to your app

Learn more about integrating AI into your app

Monetize your app

Learn more about AdMob, personalizing user experience, and increasing revenue

Host a web app

Build and deploy modern, full-stack web apps

c) Register a Web App

Project Overview → Project settings

+Add App → click </> (Web)

× Add Firebase to your web app

⚡ You can also register a web app with an AI coding agent [Try it](#)

1 Register app

App nickname [?](#)

AC2 Dashboard

☐ Also set up **Firebase Hosting** for this app. [Learn more](#)

Hosting can also be set up later. There is no cost to get started anytime.

Register app

2 Add Firebase SDK

Nickname: e.g. AC2 Dashboard
Skip Firebase Hosting



× Add Firebase to your web app

⚡ You can also register a web app with an AI coding agent [Try it](#)

✓ Register app

2 Add Firebase SDK

☒ Use npm ☐ Use a <script> tag

If you're already using [npm](#) and a module bundler such as [webpack](#) or [Rollup](#), you can run the following command to install the latest SDK ([Learn more](#)):

```
$ npm install firebase
```

Then, initialize Firebase and begin using the SDKs for the products you'd like to use.

```
// Import the functions you need from the SDKs you need
import { initializeApp } from "firebase/app";
// TODO: Add SDKs for Firebase products that you want to use
// https://firebase.google.com/docs/web/setup#available-libraries

// Your web app's Firebase configuration
const firebaseConfig = {
  apiKey: "AIzaSyAnPPjz3G9o6rBfCre3lJjJxKma6CxJPJ8",
  authDomain: "atlantic-chestnut-2.firebaseio.com",
  databaseURL: "https://atlantic-chestnut-2.firebaseio.com",
  projectId: "atlantic-chestnut-2",
  storageBucket: "atlantic-chestnut-2.firebaseio.com",
  messagingSenderId: "755632066758",
  appId: "1:755632066758:web:d61c005049133e345f07c7"
};

// Initialize Firebase
const app = initializeApp(firebaseConfig);
```

Note: This option uses the [modular JavaScript SDK](#), which provides reduced SDK size.

Learn more about Firebase for web: [Get Started](#), [Web SDK API Reference](#), [Samples](#)

Continue to console

It will show you a `firebaseConfig = { ... }` snippet.

Copy those values.

Paste into `firebase-config.js`



- 1.png
- 2.png
- app-log.js
- elevations.js
- firebase-config.js**
- firebase-database-rules.json
- index.html
- package.json
- README.md
- recover.html
- SETUP.md
- SF01-elevation.html
- state.json
- vercel.json



Search for products

Project Overview

Settings

Project shortcuts

Authentication

Realtime Database

Product categories

Databases & Storage

Security

AI services

Hosting & Serverless

DevOps & Engagement

Analytics

Atlantic Chestnut 2

Authentication

Users

Sign-in method

Templates

Usage

Settings

Extensions

The following Authentication features will stop working when Firebase Dynamic Links shuts down soon: email link authentication for mobile apps, as well as Cordova OAuth support for web apps.

Identifier

Providers

Created ↓

Signed In

User UID

Add user

No users for this project yet

Step 2 — Create team accounts

For each teammate :

Firestore Console →

Authentication → Users tab →

Add user

Spark

No-cost (\$0/month)

Upgrade

🔥

Firestore

🔍

Search for products

🏠

Project Overview

⚙️

Settings

>

Project shortcuts

👤

Authentication

🗄️

Realtime Database

Product categories

Databases & Storage

>

Security

>

AI services

>

Hosting & Serverless

>

DevOps & Engagement

>

Analytics

>

Spark

No-cost (\$0/month)

Upgrade

<

Atlantic Chestnut 2

▼

Authentication

Users

Sign-in method

Templates

Usage

Settings

|

Extensions

📘

The following Authentication features will stop working when Firebase Dynamic Links shuts down soon: email link authentication for mobile apps, as well as Cordova OAuth support for web apps.

▼

Add user

↺

⋮

Identifier	Providers	Created	↓	Signed In	User UID
Add an Email/Password user Email jack@advfacade.com Password 12345678 Cancel Add user					
No users for this project yet					

Enter their email + a temporary password

Send them the email + temp password

They sign in at the dashboard → click "Forgot password" to set their own

Create your first project

Ready to start building? Create a repository for a new idea or bring over an existing repository to keep contributing to it.

Create repository

Import repository

Home

Ask anything or type @ to add context

Ask

All repositories

+

- Agent
- Create issue
- Write code
- Git
- Pull requests

Playlist

GitHub for beginners on YouTube

Designed to help you master the basics of GitHub, whether you're new to coding or looking to enhance your version control skills.

Start playlist

GitHub for Beginners

What is Git?

Getting started

0/3 complete

Create your first code project

It's your own space to experiment, learn, and share code with the world.

Create project

Start a Copilot chat

Complete your profile

Start with GitHub Docs

- GitHub Documentation

Help for wherever you are on your journey
- About GitHub and Git

Read · Est. 2m
- How to create your first repository

Read · Est. 5m
- Creating a pull request

Read · Est. 6m
- What is GitHub Copilot?

Read · Est. 6m
- GitHub flow

Read · Est. 4m
- Hello World exercise

Read · Est. 6m
- Copilot Chat Cookbook

Read · Est. 2m

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk ().*

1

General

Owner *

syuxuan3055-tech

 /

Repository name *

Atlantic Chestnut 3 Dashboard

✔ Your new repository will be created as Atlantic-Chestnut-3-Dashboard. The repository name can only contain ASCII letters, digits, and the characters -, ., and _.

Great repository names are short and memorable. How about [fictional-chainsaw](#)?

Description

The dashboard is designed to track the project progress and record issues.

74 / 350 characters

2

Configuration

Choose visibility *

Choose who can see and commit to this repository

Private

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

On

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore

Add license

Licenses explain how others can use your code. [About licenses](#)

No license

Create repository

- 1Name the repo
- 2Write a short description
- 3Choose visibility - Private
- 4Enable Add README
- 5Create repository

Add file → Upload Files

syuxuan3055-tech / Atlantic-Chestnut-3-Dashboard

<> Code

Issues

Pull requests

Actions

Projects

Security and quality

Insights

Settings

Search Type to search

+

Atlantic-Chestnut-3-Dashboard

Private

Watch 0

Fork 0

Star 0

main

1 Branch

0 Tags

Go to file

Add file

<> Code

syuxuan3055-tech

Initial commit

README.md

Initial commit

now

README

Atlantic-Chestnut-3-Dashboard

The dashboard is designed to track the project progress and record issues.

About

The dashboard is designed to track the project progress and record issues.

Readme

Activity

0 stars

0 watching

0 forks

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package

Contributors 1

syuxuan3055-tech

Atlantic-Chestnut-3-Dashboard /

Drag files here to add them to your repository

Or [choose your files](#)

Commit changes

Add files via upload

Add an optional extended description...

☒ Commit directly to the `main` branch.

☐ Create a new branch for this commit and start a pull request. [Learn more about pull requests.](#)

Commit changes

Cancel

- .github

api

app.js

chat.html

cloud-sync.js

FEATURES.md

HUB-SETUP.md

project-sync.html

SYNC.md

Last week

1.png

2.png

app-log.js

elevations.js

firebase-config.js

firebase-database-rules.json

index.html

package.json

README.md

recover.html

SETUP.md

SF01-elevation.html

state.json

vercel.json

warehouse.html

Choose your files →

Select all files

Once uploaded,

Add file → Create new file

syuxuan3055-tech / Atlantic-Chestnut-3-Dashboard

<> Code

Issues

Pull requests

Actions

Projects

Security and quality

Insights

Settings

Search Type to search

Atlantic-Chestnut-3-Dashboard

Private

Watch 0

Fork 0

Star 0

main 1 Branch 0 Tags

Go to file

Add file

<> Code

syuxuan3055-tech Add files via upload

1.png	Add files via upload	now
2.png	Add files via upload	now
README.md	Add files via upload	now
SETUP.md	Add files via upload	now
SF01-elevation.html	Add files via upload	now
app-log.js	Add files via upload	now
app.js	Add files via upload	now
chat.html	Add files via upload	now
cloud-sync.js	Add files via upload	now
elevations.js	Add files via upload	now
firebase-config.js	Add files via upload	now
firebase-database-rules.json	Add files via upload	now
index.html	Add files via upload	now
package.json	Add files via upload	now
recover.html	Add files via upload	now
state.json	Add files via upload	now
vercel.json	Add files via upload	now
warehouse.html	Add files via upload	now

README

Atlantic-Chestnut Building 3 — Installation Progress Monitor

Cloud-synced storefront installation tracker for Atlantic-Chestnut Building 3 (Monadnock). Same interface, style, and features as the Cooper Park 2 tracker, adapted to AC3’s scope (17 storefronts, SF01-SF17).

About

The dashboard is designed to track the project progress and record issues.

Readme

Activity

0 stars

0 watching

0 forks

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package

Contributors 1

syuxuan3055-tech

- 1.png
- 2.png
- README.md
- SETUP.md
- SF01-elevation.html
- app-log.js
- app.js
- chat.html
- cloud-sync.js
- elevations.js
- firebase-config.js
- firebase-database-rules.json
- index.html
- package.json
- recover.html
- state.json
- vercel.json
- warehouse.html

1 Enter file contents here

Type [folder name]/.gitkeep

Commit changes

ALL folders are required

- .github
- api
- app.js
- chat.html
- cloud-sync.js
- FEATURES.md
- HUB-SETUP.md
- project-sync.html

A screenshot of a file explorer interface. At the top, there's a header bar with a 'Files' title and a search icon. Below the header, there's a breadcrumb path showing 'main'. A search bar contains the text 'Go to file'. The main area shows a file tree with a folder named 'api' expanded. Inside the 'api' folder, there are several files listed: '.gitkeep', '1.png', '2.png', 'README.md', 'SETUP.md', 'SF01-elevation.html', 'app-log.js', 'app.js', 'chat.html', 'cloud-sync.js', 'elevations.js', 'firebase-config.js', 'firebase-database-rules.json', 'index.html', 'package.json', 'recover.html', 'state.json', 'vercel.json', and 'warehouse.html'.

Atlantic-Chestnut-3-Dashboard / api /

Add file

+ Create new file

⬆ Upload files

syuxuan3055-tech

Create .gitkeep

Name	Last commit message	Last commit date
..		
.gitkeep	Create .gitkeep	now

Add file → Upload Files in the folder

Let's build something new

👤 Collaborate on Pro

+ Ask v0 to build or enter a Git repository URL...

- ✉ Contact Form
- 🖼 Image Editor
- 🎮 Mini Game
- 📈 Finance Calculator
- 🔄

You can also drag and drop your project, or choose a [file](#) or a [folder](#).

Import Git Repository

Select a Git provider to import an existing project from a Git Repository.

- 🐙 Continue with GitHub
- 🔱 Continue with GitLab
- 🔲 Continue with Bitbucket

[Manage Login Connections](#)

Clone Template

Filter ▾ Browse All 🔗


- Next.js Boilerplate

Get started with Next.js and React in seconds.




Eve Chat Template

A persisted Next.js chat template for eve, built with shadcn/ui, Tailwind CSS, Streamdown,...



Eve Slack Agent

An eve template for Slack agents with webhook handling, Vercel Connect, a starter...



Express.js on Vercel

Simple Express.js + Vercel example that serves html content, JSON data and simulate...


- Only need Web Analytics or Speed Insights?
- Go to <https://vercel.com>
- Create an account
- New Project → Import
your repo → Continue with
Github

Let's build something new

👤 Collaborate on Pro

+ Ask v0 to build or enter a Git repository URL...

- ✉ Contact Form
- 🖼 Image Editor
- 🎮 Mini Game
- 📈 Finance Calculator
- 🔄

You can also drag and drop your project, or choose a [file](#) or a [folder](#).

Import Git Repository

🔍 syuxuan3055-tech

🔍 Search...

🔄 Atlantic-Chestnut-3-Dashboard 🔒 · 2m ago

Import

Clone Template

Filter ▾ Browse All 🔗

- Next.js Boilerplate

Get started with Next.js and React in seconds.




Eve Chat Template

A persisted Next.js chat template for eve, built with shadcn/ui, Tailwind CSS, Streamdown,...



Eve Slack Agent


An eve template for Slack agents with webhook handling, Vercel Connect, a starter...



Express.js on Vercel

Simple Express.js + Vercel example that serves html content, JSON data and simulate...


- Import the dashboard repo
- Only need Web Analytics or Speed Insights?



Framework preset: Other.
Click Deploy.

Congratulations!
You have successfully
deployed your tracker on
the Cloud.

Just one step left...


Step 4 — Environment variables & secrets (per deployment)

Firebase (Steps 1–3) covers login + live data. The extra feature are wired through Vercel environment variables / GitHub secrets. Set them on the project's own deployment. After adding any of these, redeploy, env changes don't apply to an existing deployment.

a) Chat updater —
`ANTHROPIC_API_KEY`

Go to <https://console.anthropic.com>

Sign in



Companies building with the Claude API



The organization credits is \$5.00 by default.

Get API Key

Good afternoon, Jack

Get API key

Build an agent

Organization credits ⓘ
\$5.00
[View billing](#)
Add funds

Spend this month 0% used
\$0.05
of \$500 limit · resets Jul 31

Prompt caching ⓘ
Not enabled
tokens reused
Set up

Token volume ⓘ
12.6K
last 7 days

Models

Compare models

Fable 5 New
Most capable
Research
Multi-day tasks

Opus 4.8
Complex projects
Agents
Coding

Sonnet 5 New
Everyday tasks
Writing
Cost-efficient

Haiku 4.5
Fastest
Lowest cost
High volume


Resources

Advisor tool Beta
Increase intelligence while minimizing cost and token usage. A cheaper model consults a stronger advisor mid-task.

Fast mode
Up to 2.5x faster output on supported models, at premium pricing. Same model, same intelligence.

Batch API
Move async workloads to the Batch API and save 50% on standard API prices.

Prompt caching
Reuse prompt prefixes across API calls. Most orgs see input costs drop 50-90%.



Create API Key

Save API Key on your local

You won't be able to view it again

Save your API key

Keep a record of your API key, you won't be able to view it again

sk-ant-api03-BIfZGFhXHb_dd1XN0C-IOEwYiNh-0YaITI9...

Test your key with your first request:

```
cURL ▾  
  
curl https://api.anthropic.com/v1/messages \  
--header "x-api-key: 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" \  
--header "anthropic-version: 2023-06-01" \  
--header "content-type: application/json" \  
--data '{"model": "claude-sonnet-4-6", "max_tokens": 1024, "messages": [{"role": "user", "content": "Hello, world"}]}'
```

Done

LeoHobby

atlantic-chestnut-3-dashboard

Overview

Find...F

Overview

Deployments

Logs

Analytics

Speed Insights

Observability

Firewall

CDN

Environment Variables

Domains

ConnectBeta

Integrations

Storage

Flags

Agent

AI Gateway

Sandboxes

Workflows

ImagesBeta

Usage

Support

Settings

Production Deployment

RepositoryInstant RollbackVisit

atlantic-chestnut-3-dashboard

atlantic-chestnut-3-dashboard-mh4rs7l6o-roncaym.vercel.app

atlantic-chestnut-3-dashboard.vercel.app

Created

Ready

3h ago by syuxuan3055-tech

main

97ea4d8

Add files via upload

Deployment Settings4 Recommendations

To update your Production Deployment, push to the main branch.

Deployments

Production Checklist1/5

Connect Git Repository

Add Custom Domain

Preview Deployment

Enable Web Analytics

Enable Speed Insights

Observability6h

Edge Requests0

Function Invocations0

Error Rate0%

Analytics

Track Visitors and Page Views

See real-time traffic, top pages, and audience trends.

Enable Analytics

Active Branches

No Active Branches

Commit using our Git connections.

Search through here if not showing on the left bar

Go to https://vercel.com

Environment Variables

Vercel Agent

Code reviews that catch bugs before they reach production.

Enable

syuxuan3055-942...

LeoHobby

atlantic-chestnut-3-dashboard

Find...F

Overview

Deployments

Logs

Analytics

Speed Insights

Observability>

Firewall>

CDN>

Environment Variables

Domains

ConnectBeta

Integrations

Storage

Flags>

Agent>

AI Gateway>

Sandboxes>

Workflows

ImagesBeta

Usage

Support

Settings>

Environment Variables

Store API keys, tokens, and config securely. [Learn more](#)

ProjectShared

Search variables

All Environments

Search All Editor...

All Variables

Last Upda...

No Environment Variables Added

Add Environment Variables to Production, Preview, and Development environments, including branches in Preview.

☒ Enable access to [System Environment Variables](#)

Add Anthropic_API_KEY

syuxuan3055-942...

LeoHobby

Find...F

Overview

Deployments

Logs

Analytics

Speed Insights

Observability

Firewall

CDN

Environment Variables

Domains

ConnectBeta

Integrations

Storage

Flags

Agent

AI Gateway

Sandboxes

Workflows

ImagesBeta

Usage

Support

Settings

atlantic-chestnut-3-dashboard

Environment Variables

Link Shared VariableAdd Environment

Store API keys, tokens, and config securely. Learn more

ProjectShared

Search variablesAll EnvironmentsAll Editor...All Variables

No Environment Variables Added

Add Environment Variables to Production, Preview, and Development environments, including branches in Preview.

Enable access to System Environment Variables

COPY & PASTE
THE KEY YOU
JUST SAVED TO
HERE

SAVE

ANTHROPIC_API_KEY

Value

sk-ant-api03-aB...

Note (Optional)

Where to rotate, or who to contact

+ Add Another

Sensitive

Environments

Production and Preview

Branch

Select a Custom Preview Branch

Import .env

or paste .env contents in Key input

Save

Project Sync Steps:

Open project-sync.html in your tracker folder

What it does:

Pull latest — one click compares your tracker against the Hub and pulls the newest core code and any new features

Copy&Paste into Hub repo:

Github repo link:

https://github.com/Oncaym/Atlantic_Chestnut-3-Tracking

Contribute endpoint URL:

<https://atlantic-chestnut-3-tracking.vercel.app/api/contribute>

Choose Your tracker folder

 **Project Sync**

One toolkit: pull from Hub / contribute back / create a new project. All local, no coding.

中文

ENG

한국어

 Pull / Contribute

 New Project

 **Hub repo (just paste the GitHub link)**

GitHub repo link

https://github.com/Oncaym/Atlantic_Chestnut-3-Tracking

Contribute endpoint URL (optional, for auto PR)

https://atlantic-chestnut-3-tracking.vercel.app

 Remember

Parsed → owner: Oncaym · repo: Atlantic_Chestnut-3-Tracking · branch: main

 **Cloud Hub (pull latest)**

 Local folder to folder

 Blessed core (Hub) →

 Choose MY tracker folder (to update)

What this page does / does not do

 **Cloud mode:** pull latest core from the Hub and list features in the Hub you lack (reads FEATURES.md). Hub must be public.

 **Local mode:** compare & copy core between two local folders (works offline).

 Checks EDITING.lock, auto-locks during sync, removes lock after, hash-verifies writes.

 Never touches project files: project-config.js / firebase-config.js / state.json / elevations.js / plan images / index.html.

 **Contribute back:** a button appears when local core is ahead or you have features the Hub lacks; with contribUrl set it opens a PR automatically, otherwise it downloads a bundle to send manually. See HUB-SETUP.md.

Update → Pull Selected to Local

Contribute back — if you improves the core, the tool opens a Pull Request to the Hub for review.

F-014

Nightly backup GitHub Action

F-015

core/config architecture (project-config.js)

F-016

Warehouse page

F-017

Friday glass triage page

F-018

Sync Console ('sync.html' — 本地一键 core 对齐, 哈希比对+锁感知)

F-019

Modules 面板 (header ☼ → 网页内开关功能, 存 state.features 云同步)

F-020

New Tracker Wizard ('new-project.html' — 网页向导新建新项目: 粘贴 takeoff → 一键生成)

F-021

数据驱动楼层 ('PROJECT.floors' → 动态生成楼层按钮/Tab/底图)

F-022

向导升级 v2 (导入只需编号 · louver 可编辑 · 自定义多楼层多底图 · 界面中/英/韩切换 · 云端步骤标注可选)

F-023

Sync Console 云端 Hub 模式 (从 GitHub 权威 core 一键拉取 + FEATURES.md 功能菜单 diff)

F-024

New Tracker Wizard 云端模板模式 (Step 1 可从 Hub raw 拉模板生成, 不用本地模板文件夹)

F-025

贡献回 Hub (" 📁 贡献回 Hub" 按钮 → serverless `api/contribute.js` 用 bot token 自动开 PR; 无端点则降级下载打包)

F-026

Project Sync ('project-sync.html') : 把 sync + new-project 合并成单文件双分页工具, 中/英/韩三语, Hub 改为**粘贴 GitHub 链接**自动解析 owner/repo/branch, 全部按钮 node 校验可点击

F-027

Project Sync 同步"工具/文档文件" (project-sync.html/SYNC.md/FEATURES.md/HUB-SETUP.md 可从 Hub 拉取, 📁 标记) + 旧文件清理 (sync.html/new-project.html 若残留可一键 🗑 删除)

File	Hub	Local	Status
☒ app.js	09945246dd97	8d4132207ce9	●
☐ app-log.js	640a23256c0d	640a23256c0d	✓
☒ cloud-sync.js	8f5df12aa81c	787203c577bd	●
☒ chat.html	9332cf47a6f4	a2497f2a986b	●
☒ api/parse.js	bb6241a94adf	afc58bc00442	●
☒ .github/workflows/backup.yml	cbd56ab39180	—	+
☒ .github/scripts/backup-state.js	782a64df0a7f	—	+
☒ 📁 project-sync.html	cdf390c1448e	—	+
☒ 📁 SYNC.md	e00eb2b812b2	—	+
☒ 📁 FEATURES.md	0b52b9fd7eb4	—	+
☒ 📁 HUB-SETUP.md	1ac867c2d25f	—	+
project-config.js	—	—	🔒
firebase-config.js	—	—	🔒
state.json	—	—	🔒
elevations.js	—	—	🔒
index.html	—	—	🔒

→ Pull selected to local

🔄 Re-compare

10 core

📁 Contribute to Hub (open PR)

6 changed core file(s)

What this page does / does not do

☁ Cloud mode: pull latest core from the Hub and list features in the Hub you lack (reads FEATURES.md). Hub must be public.

📁 Local mode: compare & copy core between two local folders (works offline).

✓ Checks EDITING.lock, auto-locks during sync, removes lock after, hash-verifies writes.

🚫 Never touches project files: project-config.js / firebase-config.js / state.json / elevations.js / plan images / index.html.

📁 Contribute back: a button appears when local core is ahead or you have features the Hub lacks; with contribUrl set it opens a PR automatically, otherwise it downloads a bundle to send manually. See HUB-SETUP.md.

syuxuan3055-tech Add files via upload ✓ cfde95	
📁 api	Add files via upload 8 minutes ago
📄 1.png	Add files via upload 9 minutes ago
📄 2.png	Add files via upload 9 minutes ago
📄 README.md	Add files via upload 9 minutes ago
📄 SETUP.md	Add files via upload 9 minutes ago
📄 SF01-elevation.html	Add files via upload 9 minutes ago
📄 app-log.js	Add files via upload 9 minutes ago
📄 app.js	Add files via upload 9 minutes ago
📄 chat.html	Add files via upload 9 minutes ago
📄 cloud-sync.js	Add files via upload 9 minutes ago
📄 elevations.js	Add files via upload 9 minutes ago
📄 firebase-config.js	Add files via upload 9 minutes ago
📄 firebase-database-rules.json	Add files via upload 9 minutes ago
📄 index.html	Add files via upload 9 minutes ago
📄 package.json	Add files via upload 9 minutes ago
📄 recover.html	Add files via upload 9 minutes ago
📄 state.json	Add files via upload 9 minutes ago
📄 vercel.json	Add files via upload 9 minutes ago
📄 warehouse.html	Add files via upload 9 minutes ago

+ Create new file

📁 Upload files

📖 README

✎

☰

Atlantic-Chestnut Building 3 — Installation Progress Monitor

Cloud-synced storefront installation tracker for Atlantic-Chestnut Building 3 (Monadnock). Same interface, style, and

About

⚙️

The dashboard is designed to track the project progress and record issues.

[atlantic-chestnut-3-dashboard.vercel...](#)

📖 Readme

📊 Activity

★ 0 stars

👁 0 watching

🍴 0 forks

Releases

No releases published

[Create a new release](#)

Deployments 1

🟢 Production 4 minutes ago

Packages

No packages published

[Publish your first package](#)

Contributors 1

3055-tech



Suggested workflows

Based on your tech stack

Webpack

Configure

Build a NodeJS project with npm and webpack.

Jekyll using Docker image

Configure

Build a Jekyll site using Docker.