Microsoft Azure Cloud Application Development – Day 2

Mehmet Kut Kıdemli Danışman, Ceviz Bilgi Teknolojileri mehmet.kut@cevizbilgi.com.tr



Toros Gökkurt Cloud Solution Architect, Microsoft torosgo@microsoft.com



y @torosgo



Ajanda

- 1. Bölüm
- Blob Storage
- CDN
- SQL Database
- 2. Bölüm
- Redis
- Service Bus
- Azure Active Directory







Azure Storage

Azure Storage offerings

Blobs

"Highly scalable, REST based cloud object store"

Block Blobs: Sequential file I/O

Page Blobs: Randomwrite pattern data

Tables

"Massive auto-scaling NoSQL store"

Dynamic scaling based on load

Scale to PBs of table data

Fast key/value lookups

Queues

"Reliable messaging at scale for cloud services"

Decouple and scale components

Message visibility timeout and update message to protect against unreliable dequeuers

Disks

"Persistent disks for Azure laaS VMs"

Built on page blobs

Premium Storage Disks: SSD based, high IOPS, low latency

Files

"SMB Access to Azure Storage"

Map to file share, standard file system semantics

"Lift and shift" legacy apps

Code against (REST API)

Azure Import/Export

Ship data in hard disk drives

AZCopy

High-performance data upload, download, & copy

Use on Windows & Linux VMs

Developer-friendly experience

Blobs

Service APIs

- List Containers
- Set/GET Blob Service Properties
- Preflight Blob Request
- Get Blob Service Stats

Container APIs:

- Create Container
- Get/Set Container Properties/Metadata
- Get/Set Container ACL
- Lease Container
- Delete Container
- List Blobs

Blob APIs:

- Put Blob
- Get Blob
- Get/Set Blob Properties
- Delete Blob
- Lease Blob
- Snapshot Blob
- Copy Blob

Tables

Service APIs

- <u>Set/Get Table Service Properties</u>
- Preflight Table Request
- Get Table Service Stats
- Query Tables

Table APIs

- Create Table
- Delete Table
- Set/Get Table ACL

Entity APIs

- Insert Entity
- <u>Update Entity</u>
- Merge Entity
- Insert Or Merge Entity
- Insert Or Replace Entity
- Query Entity
- Query Entities
- Entity Group Transactions

Queues

Service APIs

- Set/Get Queue Service Properties
- Preflight Queue Request
- Get Oueue Service Stats
- List Queues

Queue APIs

- Create Queue
- Delete Oueue
- Get/Set Queue Metadata
- Get/Set Queue ACL

Message APIs

- Put Message
- Get Messages
- Peek Messages
- Delete Message
- Update Message
- <u>Clear Messages</u>

Types of Blobs

Block Blobs

Most object storage scenarios Documents, images, video, etc.

Append Blobs

Multi-writer append only scenarios Logging, Big Data Analytics output


Page Blobs

Page aligned random reads and writes laaS Disks, Event Hub, Block level backup


Image.jpg


Block 1 Block 2 Block 3 Block 4


Block 1 Block 2 Block 3 Block 4



Azure Storage Durability







LRS

- 3 replicas, 1 region
- Protect against disk, node, rack failures
- Write is ack'd when all replicas are committed
- Superior to dual-parity RAID

GRS

- 6 replicas, 2 regions (3/region)
- Protects against major regional disasters
- Asynchronous to secondary

RA-GRS

- GRS + Read access to secondary
- Separate secondary endpoint
- RPO delay to secondary can be queried

Strong consistency, checksums/CRC and background scrubbing to preserve data integrity

What is the Blob Storage Service?

Object Storage: Store and serve unstructured data

App and Web scale data

Big Data from IoT

Backups and Archive

Key Features

Store PBs of data

Durable – Choose level of durability: LRS, GRS

Highly Available - 99.9% SLA, 99.99% for reads (RA-GRS)

Cost Effective

Blob Storage: Ideal for PaaS

Why?

Limitless Scale
Globally accessible
Cost Efficient


Hands On Lab

HOL 08 - Storage

Storage

Azure CDN

Core CDN Elements



Customer Origin Server

CDN Edge Network

HTTP Client

Core CDN Traffic Flow

First

Request

Subsequent

Requests

CDN Edge Customer **HTTP Client** Origin Server Network

Azure CDN Scenarios

Global delivery and acceleration of any http or https content to any device



- ✓ Streaming media
- ✓ Customer facing websites and apps
- ✓ Enterprise apps hosted in the cloud
- ✓ Software application downloads and updates
- ✓ Firmware updates (Smart TVs, consumer electronic appliances, etc.)
- ✓ Datacenter perimeter protection

Hands On Lab

HOL 09 - CDN

CDN

Azure SQL DB

The developer's intelligent cloud-database service

Built for application developers Gives you more time to innovate Accelerates your time to market Includes built-in advisors that quickly learn your apps' unique characteristics Dynamically adapts to maximize performance, reliability, and data protection Helps you build secure apps and connect to your database by using the languages and platforms that you prefer



Azure SQL Database

Learns & adapts



Scales on the fly



Redefines multi-tenancy




Works in your environment



Secures & protects




Threat and anomaly detection




- Configurable threat detection policy
- Built-in behavioral analysis
- Real-time alerts
- Explorable audit log
- Unusual patterns are detected and fixed

Self-tuning performance




- Continuously monitors query patterns and performance
- Manages indexes, tailored to the specific workload
- Tests and validates actions, reverts if impact negative
- Runs in full auto-mode, or in recommend/review mode

Actionable recommendations



- Get recommended actions for security policies and performance issues
- Built-in advisors provide one-click recommendations and save time


A virtual DBA Built-in admin and data protection



- Leverage Azure as a virtual DBA
- Automatically manage activities like maintenance, security, updates, DR and back-ups
- No application downtime
- Save money, time and worry


Scale on the fly

- Scale up with one click
- Accommodate growth and peak workloads
- Pay for what you need, when you need it



Why PaaS for data stores?

If you host your database in an Azure VM, you are responsible for...




Why PaaS for data stores?

If you use a managed Data Service, you are responsible for...

Focus on your app and your business. Achieve a 406% ROI.

Let Azure Data Services help you build, scale, and innovate.



HOL 10.1 - SQL DB

Azure SQL DB


break;

Coming up:
Redis*
Service Bus
Azure Active Directory

Redis

Azure Redis Cache

- Açık kaynak kodlu, gelişmiş bir key-value deposudur.
- Veriler bellekte tutulur, bu yüzden çok hızlıdır, belirli aralıklarla veriler dosyaya kaydedilebilir.
- String, hash (key-value pair), list, set (tekil liste), sorted set (sıralı tekil liste) gibi değişik veri yapılarını destekler.
- Twitter, GitHub, StackOverflow gibi büyük yük altında çalışan sitelerde kullanılan bir kaynaktır
- Bir çok dilde client kütüphaneleri vardır. (StackExchange.Redis)
- Web farm yapılarında data cache, session cache ve output cache kullanımı için tercih edilebilir.
- Monitor edilebilir, çeşitli metriclere göre bildirimler tanımlanabilir.
- Virtual Network tanımlanarak sadece Azure Virtual Network içerisinde bulunan clientlar için erişim kısıtlanabilir.
- Cluster yapısını destekler. 530 GB a kadar cluster yapısıyla veri tutulmasını destekler.
- Düşük latency (%50: < 3ms, %99 < 10ms) ve yüksek miktarda troughput a sahiptir.



Azure Redis service

- A fully managed, ISO/SOC-compliant service
 - Windows port of Redis engine
 - Enhancements by leveraging Windows server OS (e.g., SSL) and Azure services and infrastructure (e.g., storage, virtual network, management, monitoring/diagnostics)
 - Dedicated instance(s) per cache: built on top of cloud services today; plan to move to VM
- Available in three service tiers and all Azure regions
 - Basic: single cache node
 - Standard: cache node + one replica (SLA 99.9%)
 - Premium: data persistence, cluster (up to 10 shards), Azure virtual network support, highest network performance and client connections
- Multiple client-side libraries, ASP.NET session & output cache providers, WordPress integration

Azure Redis tier comparison

	Basic	Standard	Premium
SLA	-	99.9%	99.9%
Replication and failover	-	Yes	Yes
Persistence	-	-	Yes
Cluster	-	-	Yes
Scale-out to multiple cache units	-	-	Yes
Enhanced security	-	-	Yes
Configure Redis (keyspace notifications, etc.)	-	Yes	Yes
Data import/export	-	-	Yes
Reboot	-	-	Yes
Scheduled update	-	-	Yes
Memory Size	250 MB - 53 GB	250 MB - 53 GB	6 GB - 530 GB *
Network Performance	Low - High	Low - High	Moderate - Highest
Maximum number of Client connections	Up to 20000	Up to 20000	Up to 40000

Azure Redis performance

Pricing tier	Size	Bandwidth (Mbps)	RPS
Standard			
C0	250 MB	5	600
C1	1 GB	100	12200
C2	2.5 GB	200	24000
C3	6 GB	400	49000
C4	13 GB	500	61000
C5	26 GB	1000	115000
C6	53 GB	2000	150000
Premium			
P1	6 GB	1000	140000
P2	13 GB	2000	220000
P3	26 GB	2000	220000
P4	53 GB	4000	250000

- Throughput for Premium is higher than Standard tier. E.g., for a 6 GB Cache, throughput of P1 is 140K RPS as compared to 49K for C3
- With Redis clustering, throughput increases linearly as you increase the number of shards (nodes) in the cluster.
 E.g., if you create a P4 cluster of 10 shards, the available throughput is 250K*10 = 2.5 Million RPS
- Throughput for bigger key sizes is higher in Premium tier as compared to Standard tier

Hands On Lab


HOL 11 - Redis

Redis

Service Bus

Azure Service Bus

- Uygulamaların birbirleriyle iletişim kurabilmesini sağlayan bir altyapı mimarisidir.
- Uygulamaların zayfı bağlı (loosely coupled) olarak mesajlaşmasını sağlar.
- Service bus kullanılması durumunda uygulamaların aynı anda çalışıyor olmasına gerek yoktur.
- Uygulamaların birbirlerinden bağımsız olarak yatay genişleyebilmesine (scale out) olanak verir.



Tightly Coupled



Tightly Coupled






















Azure Service Bus Queue

- Uygulamalar bir kuyruğa mesaj gönderir ve başka bir uygulama bu kuyruktan mesajları alır.
- İlk giren ilk çıkar yapısındadır (FIFO).
- Tek taraflı mesajlaşma vardır.




Azure Service Bus Topics

- Uygulamalar bir kuyruğa mesaj gönderir ve mesajlar farklı kurallara göre dağıtılır.
- Kuyruğu dinleyen uygulamalar bu kuyruktan kendileri ile ilgili olan mesajları alır.
- İlk giren ilk çıkar yapısındadır (FIFO).
- Tek taraflı mesajlaşma vardır.




Azure Service Bus Event Hub

- Queue ve topiclere benzer, mesaj sayısının çok yüksek miktarlarda olduğu durumlarda kullanılır.
- Bir çok farklı kaynaktan toplanan verilerin canlı olarak işlenmesini sağlar.



Azure Service Bus Relay

- Şirket içerisinde bulunan servisler için şirket dışındaki uygulamalar için bir bağlatı noktası (endpoint) oluşturulması sağlar.
- Mesajlaşma çift taraflıdır.



Hands On Lab

HOL 12 – Azure Service Bus

Azure Service Bus

Azure Active Directory


What is Azure Active Directory?



Identity management in the cloud.

Based on the Active Directory we all already know, but integrated with numerous first and third party cloud services.

Backbone of Office 365



Azure Active Directory

- Microsoft's "Identity Management as a Service (IDaaS)" for organizations.
- Millions of independent identity systems
 controlled by enterprise and government "tenants."
- Information is owned and used by the controlling organization—not by Microsoft.
- Born-as-a-cloud directory for Office 365. Extended to manage across many clouds.
- Evolved to manage an organization's relationships with its customers/citizens and partners (B2C and B2B).

>85%

of Fortune 500 companies use Microsoft Cloud (Azure, O365, CRM Online, and PowerBI) Azure AD
Directories

>10 M

More than

750 M

user accounts on Azure AD

1 trillion

Azure AD authentications since the release of the service

>110k


third-party applications used with Azure AD each month >1.3 billion


authentications every day on Azure AD





















Synchronizing with Azure AD: Azure Active Directory Connect Formerly known as "DirSync"

- Connects to Active Directory On Premise
- •Synchronizes Users, Groups, and Contacts
- Allows for writes in both directions
- •Uses SQL express to manage synchronization



Azure Active Directory Connect Functionality



How to get Azure AD

Feature/Plan	Basic (incl. with O365)	Premium P1	Premium P2
Directory Object Limit	Unlimited	Unlimited	Unlimited
Single Sign-On	10 per user	Unlimited	Unlimited
Reports	Basic	Advanced	Advanced
Self-Service	×	✓	✓
Multi-Factor Auth.	×	✓	✓
Cloud App Discovery	×	✓	✓
Conditional Access*	×	✓	✓
Identity Protection	×	×	✓
Privileged Identity Management	×	×	✓


There is a free tier as well not covered here

Accessing Azure AD Admin Controls





- portal.azure.com
- Azure Active Directory controls are in public preview
 - May not always work, and not everything is there



Old Azure Portal


- manage.windowsazure.com
- Azure Active Directory controls are fully functional
- Dated look to the portal, all other Azure items are in the new portal

Azure AD Features

Azure Multi-Factor Authentication

Prevents unauthorized access to Azure AD by providing an additional level of authentication

Prompts users for a second form of authentication (besides password) to verify identity





Free for users with admin privledges in Office 365 (use it!)

Azure Multifactor Authentication



Mobile apps




Phone calls



Text messages

Single sign-on to any app



Thousands of pre-integrated apps and growing!



Microsoft Bing Ads By Microsoft Corporation



Microsoft Developer Network (MSDN) By Microsoft Corporation



Microsoft OneDrive By Microsoft Corporation



Office 365 Exchange Online By Microsoft Corporation



Dynamics CRM By Microsoft Corporation



Skype By Microsoft Corporation



Yammer By Microsoft Corporation



ServiceNow By ServiceNow

Egnyte



Box By Box



Salesforce Salesforce.com



Citrix GoToMeeting By Citrix



NASDAO Online By The NASDAQ OMX Group,



SAP BusinessObjects BI OnDemand By SAP



Concur By Concur



(Windows Live)

By Microsoft Corporation

Concur Tripit By Tripit.



Docusign By DocuSign Inc.



Red Hat OpenShift By Red Hat, Inc.



Evernote By Evernote Corporation By Egnyte, Inc.



MarcomCentral By PTI Marketing Technologies




McKesson InterQual Online Learning By McKesson



Oracle SRM By Oracle Corporation



Oracle Taleo By Oracle Corporation



ClearDB By SuccessBricks, Inc.



SuccessFactors By SuccessFactors, Inc. A SAP



American Expresss **OPEN Small Business** By American Express Company.



IBM Kenexa By IBM Corp.



IBM SmartCloud for Social Business By IBM Corp.



Workday By Workday



Blogger By Google



Google By Google



Google App Engine By Google



DreamBox Learning By DreamBox Learning, Inc.



Dropbox for Business By Dropbax



Facebook By Facebook



AT&T Business Direct By AT&T



Twitter By Twitter



Amazon Web Services (AWS) By Amazon




Netflix By Netflix, Inc.

Azure Active Directory Identity Protection

Identity Protection at its best

- Gain insights from a consolidated view of machine learning based threat detection
- Remediation recommendations
- Risk severity calculation
- Risk-based conditional access automatically protects against suspicious logins and compromised credentials




Privileged Identity Management

Discover, restrict, and monitor privileged identities

Enforce on-demand, just-in-time administrative access when needed

Provides more visibility through alerts, audit reports and access reviews






Privileged Identity Management

How time-limited activation of privileged roles works

- Users need to activate their privileges to perform a task
- MFA is enforced during the activation process
- Alerts inform administrators about out-of-band changes
- Users will retain their privileges for a preconfigured amount of time
- Security admins can discover all privileged identities, view audit reports and review everyone who has is eligible to activate via access reviews






Organizational Sign-in Branding

- Affects any Azure AD or Office 365 Sign in:
 - portal.azure.com
 - Mobile Apps
 - Office365
 - Etc...
- Different from the branding within the Office 365 portal and SharePoint branding
- Great way to make AAD your own
- Help provide sign in instructions to users
- Reassure your users that they are signing into the right page
- Make your marketing department happy ©

Organizational Sign-in Branding





Setup Multi-Factor Authentication for Admins

- As mentioned, this is free for Office 365 Admins
- Admin accounts are a huge security vulnerability
 - If an admin account is breached, your entire organization can be considered breached
- Only downside:
 - SharePoint Online PowerShell does not support MFA
- Recommendation:
 - Enable MFA anyways, and temporarily disable when using SharePoint PowerShell

Hands On Lab

HOL 13 - Azure Active Directory

Azure Active Directory

Teşekkürler.

