$interpolate_data.R$

May 15, 2025

Contents

	interpolate_data					•	1
Index							3
inter	polate_data	Interpolate Data					

Description

Interpolates data over a specified age range and timestep using a method.

Usage

```
interpolate_data(
  data = NULL,
  by = "dataset_name",
  age_var = "age",
  value_var = "pollen_prop",
  method = "linear",
  rule = 1,
  ties = mean,
  age_min = 0,
  age_max = 12000,
  timestep = 500
)
```

Arguments

data		A data frame containing the data to be interpolated.
age_\	var	Name of the age variable column (default: "age").
value	e_var	Name of the value variable column (default: "pollen_prop").
metho	od	Interpolation method to use (default: "linear").
rule		Integer specifying the extrapolation rule (default: 1).
ties		Function to handle tied values (default: 'mean').
age_r	nin	Minimum age for interpolation (default: 0).
age_r	nax	Maximum age for interpolation (default: 12000).
times	step	Timestep for interpolation (default: 500).

2 interpolate_data

Details

Nests data by dataset and taxon, performs interpolation using 'stats::approx', and returns the interpolated data in a flat format.

Value

A data frame with interpolated values, including dataset name, taxon, age, and value columns.

See Also

[stats::approx()]

Index

 $interpolate_data, \\ 1$