extract_anova_fractions.R

April 27, 2026

Contents

`extract_anova_fractions` *Extract ANOVA Fraction Components from a Single Object*

Description

Extracts specified variance partitioning fractions from a single sjSDManova object, returning a two-column tibble with fraction codes and their Nagelkerke RB2 values.

Usage

```
extract_anova_fractions(
  anova_object,
  vec_anova_fractions = c("F_A", "F_B", "F_S", "F_AB", "F_AS", "F_BS", "F_ABS"),
  clamp_negative = TRUE
)
```

Arguments

`anova_object` A single sjSDManova-like object containing a `$results` element with columns `models` and `"R2 Nagelkerke"`. Must be a list.

`vec_anova_fractions` A non-empty character vector of fraction codes to retain (e.g. `c("F_A", "F_B", "F_S")`).

`clamp_negative` A single logical (default `TRUE`). If `TRUE`, negative Nagelkerke RB2 values are clamped to 0.

Details

Accesses `anova_object$results` via `purrr::chuck()`, filters rows whose `models` value is in `vec_anova_fractions`, renames the columns to `component` and `R2_Nagelkerke`, translates internal fraction codes to human-readable labels, and (when `clamp_negative = TRUE`) clamps negative RB2 values to 0:

- F_A -> "Abiotic"
- F_B -> "Associations"
- F_S -> "Spatial"
- F_AB -> "Abiotic&Associations"
- F_AS -> "Abiotic&Spatial"
- F_BS -> "Associations&Spatial"
- F_ABS -> "Abiotic&Associations&Spatial"

Value

A tibble with columns:

component Character. Human-readable component label (e.g. "Abiotic", "Associations", "Spatial").

R2_Nagelkerke Numeric. Nagelkerke RB2 value for each fraction, optionally clamped to [0, Inf).

See Also

[aggregate_anova_components()]

Index