evaluate_binary_calibration.R

August 12, 2026

Contents

evaluate_binary_calibration 1

Index **3**

`evaluate_binary_calibration` *Evaluate Binary Calibration*

Description

Estimates calibration-in-the-large and calibration slope on the logit scale while preserving explicit statuses for non-estimable cases.

Usage

```
evaluate_binary_calibration(
  observed = NULL,
  predicted_probability = NULL,
  epsilon = 1e-06
)
```

Arguments

`observed` Numeric binary observation vector.

`predicted_probability`
Numeric predicted-probability vector aligned with ‘observed‘.

`epsilon` Single numeric clipping tolerance strictly between zero and ‘0.5‘. Defaults to ‘1e-6‘.

Details

Both coefficients are undefined for one-class observations. The slope is additionally undefined for constant predictions or complete separation.

Value

One-row tibble containing the calibration intercept, calibration slope, separate estimation statuses, observation counts, prevalence, and clipping tolerance. The intercept is estimated with predicted logits as an offset; the slope is estimated jointly with a free intercept.

Examples

```
evaluate_binary_calibration(
  observed = c(0, 1, 0, 1),
  predicted_probability = c(0.2, 0.4, 0.6, 0.8)
)
```

Index

evaluate_binary_calibration, 1