resolve_spatial_mev_strategy.R

August 6, 2026

Contents

`resolve_spatial_mev_strategy` *Resolve the Shared Spatial MEM Construction Strategy*

Description

Validates shared Moran eigenvector construction settings and resolves ‘"auto"‘ to the exact or fast implementation using only the number of input spatial locations.

Usage

```
resolve_spatial_mev_strategy(
  strategy = NULL,
  n_locations = NULL,
  n_mev = NULL,
  exact_max_locations = NULL,
  fast_eigenvectors = NULL
)
```

Arguments

`strategy`	Character scalar. One of ‘"exact"‘, ‘"fast"‘, or ‘"auto"‘.
`n_locations`	Positive integer giving the number of input spatial locations.
`n_mev`	Positive integer giving the number of public Moran eigenvectors requested.
`exact_max_locations`	Positive integer giving the largest input allowed to use dense exact construction.
`fast_eigenvectors`	Positive integer giving the low-rank basis size for fast construction. It must be at least ‘n_mev‘.

Value

Named list containing the requested and selected strategies, strategy version, validated counts, and shared exact/fast settings.

Examples

```
resolve_spatial_mev_strategy(
  strategy = "auto",
  n_locations = 2000L,
  n_mev = 3L,
  exact_max_locations = 1999L,
  fast_eigenvectors = 200L
)
```

Index