# combine_classification_tables.R

June 18, 2026

## Contents



---

`combine_classification_tables`
*Combine automatic and auxiliary classification tables*

---

### Description

Merges the automatically generated classification table with a manually curated auxiliary table. When the same ‘sel_name‘ entry exists in both tables the auxiliary (manual) row takes priority, overriding the automatic classification entirely.

### Usage

```
combine_classification_tables(
  data_classification_table,
  data_aux_classification_table
)
```

### Arguments

`data_classification_table`
: A data frame produced by ‘make_classification_table()‘ with columns ‘sel_name‘, ‘kingdom‘, ‘phylum‘, ‘class‘, ‘order‘, ‘family‘, ‘genus‘, and ‘species‘.

`data_aux_classification_table`
: A data frame produced by ‘get_aux_classification_table()‘ with columns ‘sel_name‘, ‘kingdom‘, ‘phylum‘, ‘class‘, ‘order‘, ‘family‘, ‘genus‘, and ‘species‘. May be an empty tibble (zero rows) when no manual overrides exist.

### Details

Binding is performed by placing auxiliary rows before automatic rows and then retaining the first occurrence of each ‘sel_name‘ via ‘dplyr::distinct()‘. This guarantees that manual classifications always win regardless of their relative completeness.

## Value

A tibble with columns ‘sel_name‘, ‘kingdom‘, ‘phylum‘, ‘class‘, ‘order‘, ‘family‘, ‘genus‘, and ‘species‘ containing all unique taxa from both inputs. Manual entries override automatic ones on ‘sel_name‘ collision. Only columns present in both inputs are retained (intersection).

## See Also

[get_aux_classification_table()], [make_classification_table()], [classify_taxonomic_resolution()]

# Index