

summarise_sjsdm_tuning_execution.R

August 12, 2026

Contents

summarise_sjsdm_tuning_execution	1
Index	3

summarise_sjsdm_tuning_execution
<i>Summarise sjSDM Tuning Execution</i>

Description

Records the shared tuning strategy, executed fit count, prepared-fold count, and selected-candidate refits avoided through probability reuse.

Usage

```
summarise_sjsdm_tuning_execution(  
  data_tuning = NULL,  
  data_schedule = NULL,  
  data_work_items = NULL  
)
```

Arguments

data_tuning	Fold-level tuning table from [run_sjsdm_tuning_candidates()].
data_schedule	Validated schedule from [build_sjsdm_tuning_schedule()].
data_work_items	Optional work-item table from [build_sjsdm_tuning_work_items()].

Value

One-row execution-provenance tibble containing strategy identifiers, fit counts, prediction source, and fit-reduction fraction relative to the former unconditional selected-candidate refit path.

Examples

```
## Not run:  
summarise_sjsdm_tuning_execution(  
  data_tuning = data_sjsdm_tuning_candidates,  
  data_schedule = data_sjsdm_tuning_schedule  
)  
  
## End(Not run)
```

Index

`summarise_sjsdm_tuning_execution`, [1](#)