

filter_community_by_n_cores.R

June 18, 2026

Contents

filter_community_by_n_cores	1
Index	2

filter_community_by_n_cores	
<i>Filter Taxa by Minimum Number of Cores</i>	

Description

Filters out taxa that are not present in a sufficient number of cores (distinct datasets). Only taxa occurring in at least ‘min_n_cores’ distinct ‘dataset_name’ values are retained. This removes taxa that appear in only a single core, which can disproportionately influence the species-species co-occurrence matrix.

Usage

```
filter_community_by_n_cores(data = NULL, min_n_cores = 2)
```

Arguments

data	A data frame containing community data in long format. Must include columns ‘taxon’ and ‘dataset_name’.
min_n_cores	A single positive integer specifying the minimum number of distinct cores (datasets) a taxon must appear in to be retained. Default is 2.

Details

The function counts distinct ‘dataset_name’ values per ‘taxon’ across the entire dataset. Taxa with fewer distinct cores than ‘min_n_cores’ are removed. An error is raised if no taxa remain after filtering, which may indicate that ‘min_n_cores’ is set too high.

Value

A filtered data frame containing only taxa that appear in at least ‘min_n_cores’ distinct datasets. All original columns are preserved.

See Also

[[filter_community_by_n_samples\(\)](#)], [[filter_rare_taxa\(\)](#)], [[select_n_taxa\(\)](#)]

Index

`filter_community_by_n_cores`, [1](#)